

# Datasheet: MCA1416SBV610

Description:	MOUSE ANTI HUMAN CD103:StarBright Violet 610				
Specificity:	CD103				
Format:	StarBright Violet 610				
Product Type:	Monoclonal Antibody				
Clone:	LF61				
Isotype:	lgG1				
Quantity:	100 TESTS/0.5ml				

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	-			Neat			
	Where this product has not been tested for use in a particular technique this does not							
	necessarily exclude its a guide only. It is reco system using appropri	mmended that	the use	er titrates the product f	g dilutions are given as or use in their own			
Target Species	Human							
Product Form	Purified IgG conjugated to StarBright Violet 610 - liquid							
Max Ex/Em	Fluorophore	Excitation Max	k (nm)	Emission Max (nm)				
	StarBright Violet 610	403		607				
Preparation	Purified IgG prepared supernatant	by affinity chro	matogr	aphy on Protein A fror	n tissue culture			
Buffer Solution	Phosphate buffered saline							
Preservative	0.09% Sodium Azide (	(NaN <sub>3</sub> )						
Stabilisers	1% Bovine Serum Alb							
	0.1% Pluronic F68							
	0.1% PEG 3350							
	0.05% Tween 20							

Immunogen	Hairy cell leukemia cells.					
External Database Links	UniProt: <u>P38570</u> <u>Related reagents</u>					
	Entrez Gene: <u>3682</u> ITGAE <u>Related reagents</u>					
RRID	AB_2943384					
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse NS0 myeloma cell line.					
Specificity	<b>Mouse anti Human CD103 antibody, clone LF61</b> recognizes the human CD103 cell surface antigen, a glycoprotein expressed by approximately 1% of peripheral blood lymphocytes, activated T lymphocytes and by hairy cell leukemia cells. The antigen is also expressed by intraepithelial lymphocytes. It has recently been shown to be identical to the alpha E integrin.					
Flow Cytometry	Use 5µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.					
References	<ol> <li>Falini, B. <i>et al.</i> (1990) Selection of a panel of monoclonal antibodies for monitoring residual disease in peripheral blood and bone marrow of interferon-treated hairy cell leukaemia patients. <u>Br J Haematol. 76 (4): 460-8.</u></li> <li>Ling, K.L. <i>et al.</i> (2007) Modulation of CD103 expression on human colon carcinoma- specific CTL. <u>J Immunol. 178: 2908-15.</u></li> <li>Hadley, G.A. <i>et al.</i> (2001) CD103+ CTL accumulate within the graft epithelium during clinical renal allograft rejection. <u>Transplantation. 72 (9): 1548-55.</u></li> </ol>					
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.					
Guarantee	12 months from date of despatch					
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts					
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA1416SBV610 20471					
Regulatory	For research purposes only					

### **Related Products**

#### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio	-rad.com	Email: antibody_sales_uk@bio	o-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M421981:230822'

#### Printed on 17 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint