

Datasheet: MCA1425A647

Description:	MOUSE ANTI BOVINE CD11b:Alexa Fluor® 647
Specificity:	CD11b
Other names:	INTEGRIN ALPHA M CHAIN, MAC-1
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	CC126
Isotype:	IgG2b
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Bovine

Species Cross Reactivity

Reacts with: Goat, Sheep

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG conjugated to Alexa Fluor® 647 - liquid

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
Alexa Fluor®647	650	665

Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers	0.09% sodium azide (NaN ₃) 1% bovine serum albumin
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse NS1 myeloma cell line.
Specificity	Mouse anti Bovine CD11b antibody, clone CC126 recognizes the bovine CD11b cell surface antigen.
Flow Cytometry	Use 10µl of the suggested working dilution to label 10 ⁶ cells in 100µl
References	<ol style="list-style-type: none"> Howard, C.J. & Naessens, J. (1993) Summary of workshop findings for cattle (tables 1 and 2). Vet Immunol Immunopathol. 39 (1-3): 25-47. Naessens, J. <i>et al.</i> (1993) Cross-reactivity of workshop antibodies with cells from domestic and wild ruminants. Vet Immunol Immunopathol. 39 (1-3): 283-90. McClenahan, D.J. <i>et al.</i> (2000) Association among filamentous actin content, CD11b expression, and membrane deformability in stimulated and unstimulated bovine neutrophils. Am J Vet Res. 61 (4): 380-6. Summers, C. <i>et al.</i> (2005) An influx of macrophages is the predominant local immune response in ovine pulmonary adenocarcinoma. Vet Immunol Immunopathol. 106 (3-4): 285-94. Dedieu, L. <i>et al.</i> (2005) <i>Mycoplasma mycoides</i> ssp. <i>mycoides</i> biotype small colony-secreted components induce apoptotic cell death in bovine leucocytes. Scand J Immunol. 62 (6): 528-38. Fach, S.J. <i>et al.</i> (2006) Pulmonary dendritic cells isolated from neonatal and adult ovine lung tissue. Vet Immunol Immunopathol. 112 (3-4): 171-82. Lamote, I. <i>et al.</i> (2006) Influence of sex steroids on the viability and CD11b, CD18 and CD47 expression of blood neutrophils from dairy cows in the last month of gestation. Vet Res. 37 (1): 61-74. Fach, S.J. <i>et al.</i> (2007) Neonatal ovine pulmonary dendritic cells support bovine respiratory syncytial virus replication with enhanced interleukin (IL)-4 And IL-10 gene transcripts. Viral Immunol. 20 (1): 119-30. Graff, J.C. and Jutila, M.A. (2007) Differential regulation of CD11b on gammadelta T cells and monocytes in response to unripe apple polyphenols. J Leukoc Biol. 82: 603-7. Foulon, E. & Foucras, G. (2008) Two populations of ovine bone marrow-derived dendritic cells can be generated with recombinant GM-CSF and separated on CD11b expression. J Immunol Methods. 339 (1): 1-10. Reber, A.J. <i>et al.</i> (2008) Transfer of maternal colostral leukocytes promotes development of the neonatal immune system I. Effects on monocyte lineage cells. Vet Immunol Immunopathol. 123 (3-4): 186-96. Akesson, C.P. <i>et al.</i> (2008) Phenotypic characterisation of intestinal dendritic cells in sheep. Dev Comp Immunol. 32: 837-49. Lecchi, C. <i>et al.</i> (2008) Bovine alpha-1 acid glycoprotein can reduce the chemotaxis of bovine monocytes and modulate CD18 expression. Vet Res. 39: 50. Sassa, Y. <i>et al.</i> (2010) Bovine macrophage degradation of scrapie and BSE PrPSc.

[Vet Immunol Immunopathol. 133 \(1\): 33-9.](#)

15. Edwards, J.C. *et al.* (2010) PrP(Sc) is associated with B cells in the blood of scrapie-infected sheep. [Virology. 405 \(1\): 110-9.](#)
16. Top, S. *et al.* (2011) Infection of nonhost species dendritic cells *in vitro* with an attenuated myxoma virus induces gene expression that predicts its efficacy as a vaccine vector. [J Virol. 85: 12982-94.](#)
17. Albenzio, M. & Caroprese, M. (2011) Differential leucocyte count for ewe milk with low and high somatic cell count. [J Dairy Res. 78 \(1\): 43-8.](#)
18. Kallapur, S.G. *et al.* (2011) Pulmonary and systemic inflammatory responses to intra-amniotic IL-1 α in fetal sheep. [Am J Physiol Lung Cell Mol Physiol. 301 \(3\): L285-95.](#)
19. Connelley, T. *et al.* (2011) NKp46 defines ovine cells that have characteristics corresponding to NK cells. [Vet Res. 42: 37.](#)
20. Albenzio, M. *et al.* (2012) Immune competence of the mammary gland as affected by somatic cell and pathogenic bacteria in ewes with subclinical mastitis. [J Dairy Sci. 95: 3877-87.](#)
21. Ozawa, T. *et al.* (2012) Effect of intramammary infusion of rbGM-CSF on SCC and expression of polymorphonuclear neutrophil adhesion molecules in subclinical mastitis cows. [Vet Res Commun. 36 \(1\): 21-7.](#)
22. Pilla, R. *et al.* (2013) Differential cell count as an alternative method to diagnose dairy cow mastitis. [J Dairy Sci. 96 \(3\): 1653-60.](#)
23. Zoldan, K. *et al.* (2014) Increase of CD25 expression on bovine neutrophils correlates with disease severity in post-partum and early lactating dairy cows. [Dev Comp Immunol. 47 \(2\): 254-63.](#)
24. Godoy, R.F. *et al.* (2014) Do progenitor cells from different tissue have the same phenotype? [Res Vet Sci. 96 \(3\): 454-9.](#)
25. Flameng, W. *et al.* (2014) Coating with fibronectin and stromal cell-derived factor-1 α of decellularized homografts used for right ventricular outflow tract reconstruction eliminates immune response-related degeneration. [J Thorac Cardiovasc Surg. 147 \(4\): 1398-1404.e2.](#)
26. Muñoz-Caro, T. *et al.* (2015) *Eimeria bovis*-triggered neutrophil extracellular trap formation is CD11b-, ERK 1/2-, p38 MAP kinase- and SOCE-dependent. [Vet Res. 46: 23.](#)
27. Conejeros, I. *et al.* (2015) Effect of the synthetic Toll-like receptor ligands LPS, Pam3CSK4, HKLM and FSL-1 in the function of bovine polymorphonuclear neutrophils. [Dev Comp Immunol. 52 \(2\): 215-25.](#)
28. Weber, B. *et al.* (2016) *In vitro* fabrication of autologous living tissue-engineered vascular grafts based on prenatally harvested ovine amniotic fluid-derived stem cells. [J Tissue Eng Regen Med. 10 \(1\): 52-70.](#)
29. Merriman, K.E. *et al.* (2018) Intramammary 25-hydroxyvitamin D₃ treatment modulates innate immune responses to endotoxin-induced mastitis. [J Dairy Sci. 101 \(8\): 7593-607.](#)
30. Brodzki, P. *et al.* (2019) Selected leukocyte subpopulations in peripheral blood and uterine washings in cows before and after intrauterine administration of cefapirin and methisoprinol. [Anim Sci J. Nov 06 \[Epub ahead of print\].](#)
31. Cangiano, L.R. *et al.* (2019) A bioactive extract from *Olea europaea*. protects newly weaned beef heifers against experimentally induced chronic inflammation. [J Anim Sci. 97 \(10\): 4349-4361.](#)
32. Poindexter, M.B. *et al.* (2020) Feeding supplemental 25-hydroxyvitamin D₃ increases serum mineral concentrations and alters mammary immunity of lactating dairy cows. [J](#)

[Dairy Sci. 103 \(1\): 805-22.](#)

33. Ducournau, C. *et al.* (2020) Effective Nanoparticle-Based Nasal Vaccine Against Latent and Congenital Toxoplasmosis in Sheep. [Front Immunol. 11: 2183.](#)

34. Risalade, M.A. *et al.* (2020) BVDV permissiveness and lack of expression of co-stimulatory molecules on PBMCs from calves pre-infected with BVDV. [Comp Immunol Microbiol Infect Dis. 68: 101388.](#)

35. Oliveira, B.M. *et al.* (2020) Characterization of Myeloid Cellular Populations in Mesenteric and Subcutaneous Adipose Tissue of Holstein-Friesian Cows. [Sci Rep. 10 \(1\): 1771.](#)

36. Liu, J. *et al.* (2020) *Theileria annulata*. transformation altered cell surface molecules expression and endocytic function of monocyte-derived dendritic cells. [Ticks Tick Borne Dis. 11 \(3\): 101365.](#)

37. Wang, K. *et al.* (2022) Histamine promotes adhesion of neutrophils by inhibition of autophagy in dairy cows with subacute ruminal acidosis. [J Dairy Sci. 105 \(9\): 7600-14.](#)

38. Stabel, J.R. *et al.* (2022) B cell phenotypes and maturation states in cows naturally infected with *Mycobacterium avium* subsp. *Paratuberculosis*. [PLoS One. 17 \(12\): e0278313.](#)

39. Baillou, A. *et al.* (2024) Characterization of intestinal mononuclear phagocyte subsets in young ruminants at homeostasis and during *Cryptosporidium parvum* infection [Front Immunol 15: 1379798 \[Epub ahead of print\].](#)

40. Brodzki, P. *et al.* (2024) The influence of probiotic administration on selected leukocyte subpopulations and the serum amyloid A concentration in the peripheral blood of dairy cows during different lactation periods [Journal of Veterinary Research. 09 Oct \[Epub ahead of print\].](#)

41. Etchevers, L. *et al.* (2024) Altered expression of systemic and ovarian factors involved in the recruitment and activation of immune cells in bovine cystic ovarian disease. [Theriogenology. 234: 92-100.](#)

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information Material Safety Datasheet documentation #10041 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA1425A647>

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL:Alexa Fluor® 647 \(MCA691A647\)](#)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M409602:221020'

Printed on 19 Jun 2025

© 2025 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)