

Datasheet: MCA1431

Description:	RAT ANTI MOUSE INTERFERON ALPHA
Specificity:	IFN ALPHA
Other names:	INTERFERON ALPHA
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	F18
Isotype:	IgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	
Functional Assays	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.2 mg/ml

External Database Links	UniProt: Q61718 Related reagents
RRID	AB_2125207
Specificity	Rat anti Mouse interferon alpha antibody, clone F18 recognizes most isoforms of natural and recombinant murine alpha interferon. It does not cross-react with murine beta or gamma interferon, nor with human alpha interferon. Rat anti Mouse interferon alpha antibody, clone F18 exhibits neutralizing activity of approximately 6.25×10^4 neutralizing units/mg.
References	<ol style="list-style-type: none"> 1. Cao, Z. <i>et al.</i> (2001) Interferon-inducible protein 10 induction and inhibition of angiogenesis <i>in vivo</i> by the antitumor agent 5,6-dimethylxanthenone-4-acetic acid (DMXAA). Cancer Res. 61 (4): 1517-21. 2. Barchet, W. <i>et al.</i> (2002) Virus-induced interferon alpha production by a dendritic cell subset in the absence of feedback signaling <i>in vivo</i>. J Exp Med. 195: 507-16. 3. Buhtoiarov, I.N. <i>et al.</i> (2007) Macrophages are essential for antitumour effects against weakly immunogenic murine tumours induced by class B CpG-oligodeoxynucleotides. Immunology. 120 (3): 412-23.
Storage	<p>Store at -20°C only.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10102 available at: 10102: https://www.bio-rad-antibodies.com/uploads/MSDS/10102.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rat IgG (STAR69...)	FITC
Goat Anti Rat IgG (STAR73...)	RPE
Rabbit Anti Rat IgG (STAR16...)	DyLight@800
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	DyLight@650 , DyLight@800
Goat Anti Rat IgG (STAR72...)	HRP
Rabbit Anti Rat IgG (STAR21...)	HRP
Rabbit Anti Rat IgG (STAR17...)	FITC

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751
Email: antibody_sales_us@bio-rad.com

Worldwide Tel: +44 (0)1865 852 700
Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 (0) 89 8090 95 21
Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M375879:210113'

Printed on 17 Sep 2021