

Datasheet: MCA1454G

BATCH NUMBER 166548

Description:	MOUSE ANTI HUMAN AGGRECAN
Specificity:	AGGRECAN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	7D4
Isotype:	IgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			
Immunohistology - Paraffin	▪			
ELISA	▪			
Immunoprecipitation	▪			
Western Blotting	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Human

Species Cross Reactivity

Reacts with: Bovine

Does not react with: Chicken, Fish, Rat

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture

supernatant

Buffer Solution Phosphate buffered saline

Preservative Stabilisers 0.09% sodium azide (NaN₃)

Carrier Free Yes

Approx. Protein Concentrations IgG concentration 1.0mg/ml

Immunogen Purified human articular cartilage aggrecan

External Database Links

UniProt:

[P16112](#) [Related reagents](#)

Entrez Gene:

[176](#) ACAN [Related reagents](#)

Synonyms AGC1, CSPG1, MSK16

RRID AB_10961289

Fusion Partners Spleen cells from immunised Balb/c mice were fused with cells of the mouse NS1 myeloma cell line.

Specificity **Mouse anti Human Aggrecan antibody, clone 7D4** recognizes human aggrecan, a proteoglycan and member of the aggrecan/versican proteoglycan family, which forms a major component of the extracellular matrix (ECM) of both cartilage and the central nervous system (CNS).

Using a panel of core protein-directed antibodies directed against human aggrecan, revealed the distribution of different aggrecan isoforms within the CNS, and sub-divided the isoforms into clusters 1-5 accordingly. highlighting a difference in the relative abundance of these isoforms when comparing brain and cartilage tissues ([Virgintino et al. 2009](#)).

Mouse anti Human Aggrecan antibody, clone 7D4 recognizes epitopes within the N-terminal G1-IGD-G2 region of aggrecan, identified as a cluster 1 isoform.

Histology Positive Control Tissue Human cerebral cortex

References 1. Betre, H. *et al.* (2002) A two-step chondrocyte recovery system based on thermally sensitive elastin-like polypeptide scaffolds for cartilage tissue engineering [Engineering in Medicine and Biology 24th Annual Conference and the Annual Fall Meeting of the Biomedical Engineering Society EMBS/BMES Conference.](#): 829-30.

2. Virgintino, D. *et al.* (2009) Differential distribution of aggrecan isoforms in perineuronal nets of the human cerebral cortex. [J Cell Mol Med. 13 \(9B\): 3151-73.](#)
3. Shintani, N. and Hunziker, E.B. (2011) Differential effects of dexamethasone on the chondrogenesis of mesenchymal stromal cells: Influence of microenvironment, tissue origin and growth factor. [Eur Cell Mater. 22: 302-20.](#)
4. Blosa, M. *et al.* (2013) Unique features of extracellular matrix in the mouse medial nucleus of trapezoid body--implications for physiological functions. [Neuroscience. 228: 215-34.](#)
5. Shintani N *et al.* (2013) TGF- β 1 enhances the BMP-2-induced chondrogenesis of bovine synovial explants and arrests downstream differentiation at an early stage of hypertrophy. [PLoS One. 8 \(1\): e53086.](#)
6. Suttikus, A. *et al.* (2014) Aggrecan, link protein and tenascin-R are essential components of the perineuronal net to protect neurons against iron-induced oxidative stress. [Cell Death Dis. 5: e1119.](#)
7. Gaál B *et al.* (2014) Distribution of extracellular matrix macromolecules in the vestibular nuclei and cerebellum of the frog, *Rana esculenta*. [Neuroscience. 258: 162-73.](#)
8. Wan, S. *et al.* (2016) Self-assembling peptide hydrogel for intervertebral disc tissue engineering. [Acta Biomater. 46: 29-40.](#)
9. Rogers, S.L. *et al.* (2018) Normal Development of the Perineuronal Net in Humans; In Patients with and without Epilepsy. [Neuroscience. 384: 350-60.](#)
10. Goldberg-Bockhorn, E. *et al.* (2018) Laser surface modification of decellularized extracellular cartilage matrix for cartilage tissue engineering. [Lasers Med Sci. 33 \(2\): 375-84.](#)
11. De Moor, L. *et al.* (2020) Scaffold Free Microtissue Formation for Enhanced Cartilage Repair. [Ann Biomed Eng. 48 \(1\): 298-311.](#)

Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1454G 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

- Goat Anti Mouse IgG (STAR77...) [HRP](#)
- Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
- Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)

Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),
[FITC](#), [HRP](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M409770:221020'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)