

# Datasheet: MCA1473 BATCH NUMBER 159172

Description:	MOUSE ANTI CHICKEN CD3	
Specificity:	CD3	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	CT-3	
Isotype:	lgG1	
Quantity:	0.5 mg	

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/50
Immunohistology - Frozen	•			
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation	•			
Western Blotting				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Chicken
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared from ascites
Buffer Solution	Borate buffered saline
Preservative Stabilisers	None present
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml

Immunogen	Chicken thymocytes and Ig -ve peripheral blood mononuclear cells.		
External Database Links	UniProt:  Q98910 Related reagents		
	Entrez Gene:		
RRID	396062 CD3E Related reagents  AB 321244		
Fusion Partners	Lymph node cells from immunised Balb/c mice were fused with cells from the mouse		
	P3-X63Ag8.653 myeloma cell line.		
Specificity	<b>Mouse anti Chicken CD3, clone CT-3</b> recognizes the chicken CD3 cell surface antigen expressed by T cells ( <u>Chen <i>et al.</i> 1986</u> ). The antibody also co-precipitates a ~90 kDa heterodimer from digitonin solubilised T cell lysates, which can be reduced to two polypeptides of ~40 kDa and ~50 kDa.		
	In the chicken, CD3 is expressed by approximately 30% of thymocytes, 70% of peripheral blood mononuclear cells, but <1% of cells in the bursa and bone marrow.		
Flow Cytometry	Use 50ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.		
References	1. Chen, C.L. <i>et al.</i> (1986) Identification of a T3/T cell receptor complex in chickens. <u>J Exp Med. 164 (1): 375-80.</u>		
	2. Mukamoto, M. & Kodama, H. (2000) Regulation of early chicken thymocyte proliferation by transforming growth factor-beta from thymic stromal cells and thymocytes. <u>Vet Immunol Immunopathol</u> . 77 (1-2): 121-32.		
	3. Chaussé, A.M. <i>et al.</i> (2011) Expression of toll-like receptor 4 and downstream effectors in selected cecal cell subpopulations of chicks resistant or susceptible to salmonella carrier state. <u>Infect Immun. 79: 3445-54.</u>		
	4. Balic, A. <i>et al.</i> (2014) Visualisation of chicken macrophages using transgenic reporter genes: insights into the development of the avian macrophage lineage. <u>Development. 141:</u> 3255-65.		
	5. Tang, Y. <i>et al.</i> (2020) Immune Modulation and the Development of Fowl Typhoid: A Model of Human Disease? Pathogens. 9 (10)Oct 15 [Epub ahead of print].		
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for		
	short term use (up to 4 weeks) and store the remaining aliquots at -20°C.		
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.		
Guarantee	Guaranteed until date of expiry. Please see product label.		
Health And Safety	Material Safety Datasheet documentation #10123 available at:		

Information <a href="https://www.bio-rad-antibodies.com/SDS/MCA1473">https://www.bio-rad-antibodies.com/SDS/MCA1473</a>

10123

**Regulatory** For research purposes only

## Related Products

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)

RPE
Goat Anti Mouse IgG (H/L) (STAR117...) FITC
Rabbit Anti Mouse IgG (STAR9...)

Rabbit Anti Mouse IgG (STAR13...)

HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383330:210513'

#### Printed on 29 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint