## Datasheet: MCA1473 BATCH NUMBER 161752

Description:	MOUSE ANTI CHICKEN CD3			
Specificity:	CD3			
Format:	Purified			
Product Type:	Monoclonal Antibody			
Clone:	CT-3			
lsotype:	lgG1			
Quantity:	0.5 mg			

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further							
	information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/proto	<u>COIS</u> . Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	163	NO	Not Determined	1/50			
	Immunohistology - Frozen	•			1/00			
	Immunohistology - Paraffin							
	ELISA			•				
	Immunoprecipitation							
	Western Blotting			•				
	Where this antibody has	not been	tested for	r use in a particular tec	chnique this does not			
	necessarily exclude its us			•	•			
	a guide only. It is recomm		•		•			
	system using appropriate							
	system using appropriate	negative	/positive (					
Target Species	Chicken							
Product Form	Purified IgG - liquid							
Preparation	Purified IgG prepared fro	m ascites						
Buffer Solution	Borate buffered saline							
Preservative Stabilisers	None present							
Approx. Protein Concentrations	IgG concentration 0.5 mg	g∕ml						

minunogen	Chicken trymocytes and ig -ve perpheral blood mononuclear cens.				
External Database Links	UniProt: Q98910 Related reagents Entrez Gene:				
	<u>396062</u> CD3E <u>Related reagents</u>				
RRID	AB_321244				
Fusion Partners	Lymph node cells from immunised Balb/c mice were fused with cells from the mouse P3-X63Ag8.653 myeloma cell line.				
Specificity	<b>Mouse anti Chicken CD3, clone CT-3</b> recognizes the chicken CD3 cell surface antigen expressed by T cells ( <u>Chen <i>et al.</i> 1986</u> ). The antibody also co-precipitates a ~90 kDa heterodimer from digitonin solubilised T cell lysates, which can be reduced to two polypeptides of ~40 kDa and ~50 kDa.				
	In the chicken, CD3 is expressed by approximately 30% of thymocytes, 70% of peripheral blood mononuclear cells, but <1% of cells in the bursa and bone marrow.				
Flow Cytometry	Use 50ul of the suggested working dilution to label $10^6$ cells in 100ul.				
References	1. Chen, C.L. <i>et al.</i> (1986) Identification of a T3/T cell receptor complex in chickens. <u>J Exp</u> <u>Med. 164 (1): 375-80.</u>				
	2. Mukamoto, M. & Kodama, H. (2000) Regulation of early chicken thymocyte proliferation by transforming growth factor-beta from thymic stromal cells and thymocytes. <u>Vet Immunol Immunopathol. 77 (1-2): 121-32.</u>				
	3. Chaussé, A.M. <i>et al.</i> (2011) Expression of toll-like receptor 4 and downstream effectors in selected cecal cell subpopulations of chicks resistant or susceptible to salmonella carrier state. Infect Immun. 79: 3445-54.				
	<ul> <li>4. Balic, A. <i>et al.</i> (2014) Visualisation of chicken macrophages using transgenic reporter genes: insights into the development of the avian macrophage lineage. <u>Development. 141:</u> <u>3255-65.</u></li> </ul>				
	5. Tang, Y. <i>et al.</i> (2020) Immune Modulation and the Development of Fowl Typhoid: A Model of Human Disease? <u>Pathogens. 9 (10)Oct 15 [Epub ahead of print].</u>				
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.				
Guarantee	Guaranteed until date of expiry. Please see product label.				
Health And Safety	Material Safety Datasheet documentation #10123 available at:				

Chicken thymocytes and Ig -ve peripheral blood mononuclear cells.

Immunogen

Informati	ion <u>https://v</u> 10123	www.bio-rad-a			
Regulato	<b>ry</b> For res	earch purpose			
Relate	d Products				
Recomm	mended Secondary	Antibodies	i		
Rabbit A	nti Mouse IgG (STAR	12) <u>RP</u>	<u>E</u>		
Goat Ant	i Mouse IgG (H/L) (S	TAR117) <u>FIT</u>	<u>C</u>		
Rabbit A	nti Mouse IgG (STAR	9) <u>FIT</u>	<u>C</u>		
Rabbit A	nti Mouse IgG (STAR	13) <u>HR</u>	<u>P</u>		
orth & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
nerica	Fax: +1 919 878 3751 Email: antibody sales us@b	io-rad.com	Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio	-rad.com	Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.con

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M392041:211020'

## Printed on 29 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint