Datasheet: MCA1474 BATCH NUMBER 157951

Description:	RAT ANTI MOUSE THY-1.2
Specificity:	CD90
Other names:	THY1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	FF-10
lsotype:	lgG2c
Quantity:	0.25 mg

Product Details

Applications	This product has been re derived from testing with communications from the information. For general <u>rad-antibodies.com/proto</u>	in our lab e originato protocol r	oratories, ors. Pleas	peer-reviewed publica e refer to references in	itions or personal ndicated for further
		Yes	No	Not Determined	Suggested Dilution
	Flow Cytometry	-			1/50 - 1/100

Flow Cytometry	-	1/50 - 1/100
Immunohistology - Frozen	-	
Immunohistology - Paraffin		•
ELISA		•
Immunoprecipitation	•	
Western Blotting	-	
		d for use in a particular technique this does not edures. Suggested working dilutions are given as
•	nended that the	e user titrates the antibody for use in their own

Target Species	Mouse	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein (supernatant	G from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide	

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	EL-4 cells.
External Database Links	UniProt: <u>P01831</u> <u>Related reagents</u> Entrez Gene: <u>21838</u> Thy1 <u>Related reagents</u>
Synonyms	 Thy-1
RRID	AB_322489
Fusion Partners	Spleen cells from immunised Sprague-Dawley rats were fused with cells from the mouse SP2/0 - Ag14 myeloma cell line.
Specificity	Rat anti Mouse THY-1.2 antibody, clone FF-10 recognizes the murine Thy1.2 cell surface antigen, and binds to T cell lines (EL-4, 3A9), T lymphocytes and the WEH1-3 cell line. 3T3 fibroblasts are also stained by this antibody.
	Rat anti Mouse THY-1.2 antibody, clone FF-10 strongly induces homotypic adhesion of Thy1.2 positive cell lines.
Western Blotting	MCA1474 recognises a 30kD glycoprotein in immunoprecipitation and Western blotting assays.
References	1. Fan, X. <i>et al.</i> (1996) ICAM-1, -2, and LFA-1 independent homotypic T cell aggregation induced by a novel activating monoclonal antibody targeting the murine Thy-1 molecule. Inflammation 20: 401. 2. Venugopalan P <i>et al.</i> (2016) Transplanted neurons integrate into adult retinas and respond to light. <u>Nat Commun. 7: 10472.</u> 3. Szczerbal, I. <i>et al.</i> (2009) The spatial repositioning of adipogenesis genes is correlated with their expression status in a porcine mesenchymal stem cell adipogenesis model system. <u>Chromosoma. 118 (5): 647-63.</u> 4. Catignas, K.K. <i>et al.</i> (2021) α_V integrins in Schwann cells promote attachment to axons, but are dispensable <i>in vivo.</i> . <u>Glia. 69 (1): 91-108.</u>
Storage	Store at +4°C for one month or at -20°C for longer.
	This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch

Health Ai Informati		Material Sat https://www 10040	-	at:		
Regulato	ry	For researc	h purposes			
Relate	d Product	5				
Recomn	nended Sec	ondary An	tibodies			
Rabbit Aı	nti Rat IgG (S [·]	TAR16)		DyLight®800		
Rabbit Ar	nti Rat IgG (S	TAR17)		<u>FITC</u>		
Goat Ant	i Rat IgG (STA	AR72)		HRP		
Goat Ant	i Rat IgG (STA	AR69)		<u>FITC</u>		
Goat Ant	i Rat IgG (STA	AR73)		<u>RPE</u>		
Rabbit Aı	nti Rat IgG (S	TAR21)		HRP		
Goat Ant	i Rat IgG (MO	USE ADSO	RBED) (ST	AR71) <u>DyLight®550</u> ,	DyLight®650,	<u>DyLight®800</u>
Goat Ant	i Rat IgG (STA	AR131)		<u>Alk. Phos., Bio</u>	<u>otin</u>	
orth & South	Tel: +1 800 265 73 Fax: +1 919 878 3 Fmail: antibody, sa		Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bic	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.con

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint