

Datasheet: MCA1481G

BATCH NUMBER 165469

MOUSE ANTI HUMAN CD75s
CD75s
Purified
Monoclonal Antibody
LN-1
IgM
0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen	•			1/10 - 1/100
Immunohistology - Paraffin (1)	-			
ELISA			•	
Immunoprecipitation			•	
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)This product requires protein digestion pre-treatment of paraffin sections e.g. trypsin or pronase.

Target Species	Human
Species Cross Reactivity	Reacts with: Pig, Mink N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgM - liquid

Preparation	Purified IgM prepared by affinity chromatography from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% sodium azide (NaN ₃)
Approx. Protein Concentrations	IgM concentration 0.1mg/ml
Immunogen	Nuclei from pokeweed mitogen-stimulated PBL
External Database Links	UniProt: P15907 Related reagents Entrez Gene: 6480 ST6GAL1 Related reagents
Synonyms	SIAT1
RRID	AB_2194432
Specificity	Mouse anti Human CD75s antibody, clone LN-1 recognizes the human CD75s cell surface antigen, an alpha2,6 - sialylated carbohydrate epitope expressed by mature B cells (especially germinal centre B cells), red blood cells and some epithelial cells.
Histology Positive Control Tissue	Human tonsil
References	 Tanimoto, T. & Ohtsuki, Y. (1996) Evaluation of antibodies reactive with porcine lymphocytes and lymphoma cells in formalin-fixed, paraffin-embedded, antigen-retrieved tissue sections. Am J Vet Res. 57 (6): 853-9. Schwartz-Albiez, R. (2002) Carbohydrate and lectin: sections report in Leucoyte Typing VII: white cell differentiation antigens. Edited by Mason, D. et al. Oxford University Press. PP149-164.
Further Reading	1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. Vet Res. 39: 54.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	Guaranteed until date of expiry. Please see product label.

Health And Safety Material Safety Datasheet documentation #10040 available at:

Information https://www.bio-rad-antibodies.com/SDS/MCA1481G

10040

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgM (STAR138...) Alk. Phos.

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Recommended Negative Controls

MOUSE IgM NEGATIVE CONTROL (MCA692)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M418522:230425'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint