

Datasheet: MCA1493

Description:	RAT ANTI MOUSE INTERLEUKIN-2
Specificity:	IL-2
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	JES6-1A12
Isotype:	IgG2a
Quantity:	0.5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1ug/ml - 4ug/ml
Immunoprecipitation	▪			
Western Blotting	▪			1ug/ml - 5ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Species Cross Reactivity	Does not react with:Rat
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% sodium azide (NaN ₃)

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	<i>E. coli</i> expressed recombinant mouse IL-2.
External Database Links	<p>UniProt: P04351 Related reagents</p> <p>Entrez Gene: 16183 IL2 Related reagents</p>
Synonyms	IL-2
RRID	AB_322133
Specificity	<p>Rat anti mouse IL-2, clone JES6-1A12 recognizes mouse Interleukin-2. IL-2 is a cytokine required for T-cell proliferation.</p> <p>Rat anti mouse IL-2, clone JES6-1A12 is reported to have neutralizing activity for IL-2 (Abrams <i>et al.</i> 1992) and Bihl <i>et al.</i> 2010).</p>
ELISA	Rat anti mouse interleukin-2 antibody, clone JES6-1A12 may be used in an indirect ELISA or as the capture reagent in a sandwich ELISA with MCA1303G clone JES6-5H4 as the detection reagent. Conjugation of MCA1303G will be required. Bio-Rad recommends the use of LYNX rapid conjugation kits .
References	<ol style="list-style-type: none"> 1. Abrams, J.S. <i>et al.</i> (1992) Strategies of anti-cytokine monoclonal antibody development: immunoassay of IL-10 and IL-5 in clinical samples. Immunol Rev. 127: 5-24. 2. Sander, B. <i>et al.</i> (1993) Similar frequencies and kinetics of cytokine producing cells in murine peripheral blood and spleen. Cytokine detection by immunoassay and intracellular immunostaining. J Immunol Methods. 166 (2): 201-14. 3. Bihl, F. <i>et al.</i> (2010) Primed antigen-specific CD4+ T cells are required for NK cell activation in vivo upon Leishmania major infection. J Immunol. 185: 2174-81 4. Tachibana, M. <i>et al.</i> (2000) Coreceptor function of mutant human CD4 molecules without affinity to gp120 of human immunodeficiency virus. J Biol Chem. 275: 20288-94.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety	Material Safety Datasheet documentation #10040 available at:

Information 10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rat IgG (STAR69...)	FITC
Goat Anti Rat IgG (STAR73...)	RPE
Rabbit Anti Rat IgG (STAR17...)	FITC
Goat Anti Rat IgG (STAR131...)	Alk. Phos. , Biotin
Goat Anti Rat IgG (STAR72...)	HRP
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	DyLight@550 , DyLight@650 , DyLight@800
Rabbit Anti Rat IgG (STAR21...)	HRP
Rabbit Anti Rat IgG (STAR16...)	DyLight@800

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL \(MCA1212\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M409878:221021'

Printed on 21 Oct 2022