

Datasheet: MCA1511R

Description:	RAT ANTI MOUSE CD38
Specificity:	CD38
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	90
Isotype:	IgG2a
Quantity:	0.2 mg

Product Details

RRID AB_2073336

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/2 - 1/20
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species Mouse

Product Form Purified IgG - liquid

Preparation Purified IgG prepared by affinity chromatography

Buffer Solution Phosphate buffered saline

Preservative Stabilisers 0.09% Sodium Azide (NaN₃)

Approx. Protein Concentrations IgG concentration 0.5 mg/ml

Immunogen Mouse pre-B cells derived from IL-7 dependent bone marrow cultures.

External Database UniProt:

Links

[P56528](#) [Related reagents](#)

Entrez Gene:

[12494](#) Cd38 [Related reagents](#)

Fusion Partners

Lymph node cells from an immunized rat were fused with cells of the mouse P3X63Ag.8.653 myeloma cell line.

Specificity

Rat anti Mouse CD38 antibody, clone 90 recognizes the murine CD38 cell surface antigen, a ~42-46kDa glycoprotein expressed by B lymphocytes, a proportion of peripheral T lymphocytes and by peritoneal macrophages.

In the mouse CD38 is expressed by follicular B cells, is down regulated on germinal centre B cells, and not expressed by mature plasma cells. This pattern of expression contrasts strikingly with that seen in the human.

Flow Cytometry

Use 10ul of the suggested working dilution to label 10^6 cells in 100ul.

References

1. Lund, F. *et al.* (1995) Murine CD38: an immunoregulatory ectoenzyme. [Immunol Today. 16 \(10\): 469-73.](#)
2. Oliver, A.M. *et al.* (1997) Mouse CD38 is down-regulated on germinal center B cells and mature plasma cells. [J Immunol. 158 \(3\): 1108-15.](#)

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

18 months from date of despatch.

Health And Safety Information

Material Safety Datasheet documentation #10040 available at: 10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR17...)	FITC
Goat Anti Rat IgG (STAR69...)	FITC
Goat Anti Rat IgG (STAR131...)	Alk. Phos. , Biotin
Goat Anti Rat IgG (STAR73...)	RPE
Rabbit Anti Rat IgG (STAR21...)	HRP
Goat Anti Rat IgG (STAR72...)	HRP
Rabbit Anti Rat IgG (STAR16...)	DyLight®800
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	DyLight®800

Recommended Negative Controls

[RAT IgG2a NEGATIVE CONTROL \(MCA1212\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M341426:190109'

Printed on 20 May 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)