

# Datasheet: MCA1525 BATCH NUMBER 163723

Description:	cription: RAT ANTI HUMAN INTERLEUKIN-4	
Specificity:	IL-4	
Format:	Purified	
<b>Product Type:</b>	Monoclonal Antibody	
Clone:	MP4-25D2	
Isotype:	lgG1	
Quantity:	0.5 mg	

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	•			1/10 - 1/50
Immunohistology - Frozen	•			
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting	•			1/500 - 1/1000

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) Membrane permeabilization is required for this application. The use of Leucoperm (Product Code <u>BUF09</u>) is recommended for this purpose.

Target Species	Human
Species Cross Reactivity	Reacts with: Rhesus Monkey  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid

Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Purified CHO cell expressed recombinant human IL-4.
External Database Links	UniProt: P05112 Related reagents
	Entrez Gene: 3565 IL4 Related reagents
RRID	AB_567085
Specificity	Rat anti Human Interleukin-4 antibody, clone MP4-25D2 recognizes human Interleukin-4 (IL-4), also known as B-cell stimulatory factor 1, Binetrakin, Pitrakinra or Lymphocyte stimulatory factor 1. Interleukin-4 is a 153 amino acid ~17kDa cytokine involved in the activation of B cells, macrophages and monocytes (UniProt: P05112).  Polymorphisms in the IL-4 gene are associated with susceptibility to, and outcome of
	ischemic stroke ( <u>Marousi <i>et al.</i> 2011</u> ).
	Rat anti Human Interleukin-4 antibody, clone MP4-25D2 is reported to neutralize IL-4 activity (Abrams et al. 1992 and Carvalho et al. 1994).
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.
References	<ol> <li>Abrams, J.S. <i>et al.</i> (1992) Strategies of anti-cytokine monoclonal antibody development: immunoassay of IL-10 and IL-5 in clinical samples. <u>Immunol Rev. 127: 5-24.</u></li> <li>Carvalho, E.M. <i>et al.</i> (1994) Restoration of IFN-gamma production and lymphocyte proliferation in visceral leishmaniasis. <u>J Immunol. 152 (12): 5949-56.</u></li> <li>P, M. <i>et al.</i> (2004) Tumor-derived MUC1 mucins interact with differentiating monocytes and induce IL-10highIL-12low regulatory dendritic cell. <u>J Immunol. 172 (12): 7341-9.</u></li> <li>Raulf-Heimsoth, M. (2008) T cell - primary culture from peripheral blood. <u>Methods Mol Med. 138: 17-30.</u></li> </ol>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1525">https://www.bio-rad-antibodies.com/SDS/MCA1525</a> 10040
Regulatory	For research purposes only

### **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR17...)

Goat Anti Rat IgG (STAR72...)

Goat Anti Rat IgG (STAR69...)

Goat Anti Rat IgG (STAR73...)

RPE

Rabbit Anti Rat IgG (STAR21...)

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

## **Recommended Negative Controls**

RAT IgG1 NEGATIVE CONTROL (MCA6004GA)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M403923:220819'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint