

Datasheet: MCA1531A647

Description:	RAT ANTI HUMAN INTERLEUKIN-10:Alexa Fluor® 647
Specificity:	IL-10
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	JES3-9D7
Isotype:	lgG1
Quantity:	100 TESTS/1ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	•			1/5 - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1) Membrane permeabilization is required for this application. The use of Leucoperm (Product Code <u>BUF09</u>) is recommended for this purpose.

Target Species	Human			
Product Form	Purified IgG conjugated to Alexa Fluor® 647 - liquid			
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm	
	Alexa Fluor®647	650	665	
Preparation Buffer Solution	Purified IgG prepared supernatant Phosphate buffered sa		raphy on Protein G	
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Alb	` "		
Approx. Protein Concentrations	IgG concentration 0.09	5 mg/ml		

Immunogen	Recombinant human IL-10.
External Database	UniProt:
Links	P22301 Related reagents
	Entrez Gene:
	3586 IL10 Related reagents
Specificity	Rat anti Human Interleukin-10 antibody, clone JES3-9D7 recognizes human Interleukin - 10 (IL-10). IL-10 is an immunoregulatory cytokine which is expressed by activated CD8+ve peripheral blood T-cells, CD4+ve T-cell clones, B cell lymphomas, activated monocytes and mast cells.
	Rat anti Human Interleukin-10 antibody, clone JES3-9D7 is reported to act as a neutralising antibody (Othieno et al. 1999).
Flow Cytometry	Use 10µl of the suggested working dilution to label 1x10 ⁶ cells in 100µl
References	 Abrams, J.S. <i>et al.</i> (1992) Strategies of anti-cytokine monoclonal antibody development: immunoassay of IL-10 and IL-5 in clinical samples. <u>Immunol Rev. 127: 5-24.</u> Cua, D.J. <i>et al.</i> (1999) Transgenic interleukin 10 prevents induction of experimental autoimmune encephalomyelitis. <u>J Exp Med. 189: 1005-10.</u> Lindmark, E. & Siegbahn, A. (2002) Tissue factor regulation and cytokine expression in monocyte-endothelial cell co-cultures: effects of a statin, an ACE-inhibitor and a low-molecular-weight heparin. <u>Thromb Res. 108 (1): 77-84.</u>
	4. Malmassari, S.L. <i>et al.</i> (2007) Impact of hepatitis B virus basic core promoter mutations on T cell response to an immunodominant HBx-derived epitope. <u>Hepatology. 45 (5):</u> 1199-209.
	5. Benjamin, J.L. <i>et al.</i> (2011) Randomised, double-blind, placebo-controlled trial of fructo-

oligosaccharides in active Crohn's disease. Gut. 60 (7): 923-9.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in

research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad

CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information

Material Safety Datasheet documentation #10041 available at:

https://www.bio-rad-antibodies.com/SDS/MCA1531A647

10041

Regulatory For research purposes only

Related Products

America

Recommended Negative Controls

Fax: +1 919 878 3751

RAT IgG1 NEGATIVE CONTROL:Alexa Fluor® 647 (MCA6004A647)

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M423479:231017'

Fax: +44 (0)1865 852 739

Printed on 06 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint