Datasheet: MCA1553 BATCH NUMBER 151998

Description:	RAT ANTI HUMAN INTERLEUKIN-2
Specificity:	IL-2
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	MQ1-17H12
lsotype:	lgG2a
Quantity:	0.5 mg

Product Details

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	-			
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	-			
Immunoprecipitation			•	
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1)Membrane permeabilization is required for this application. Bio-Rad recommend the use of Leucoperm[™] (Product Code <u>BUF09</u>) for this purpose.

Target Species	Human
Species Cross Reactivity	Reacts with: Cynomolgus monkey N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid

Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant.				
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.09% Sodium Azide				
Carrier Free	Yes				
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml				
External Database Links	UniProt: P60568 Related reagents Entrez Gene: 3558 IL2 Related reagents				
RRID	AB_2125583				
Specificity	 Rat anti Human Interleukin-2 antibody, clone MQ1-17H12 recognizes human interleukin-2 (IL-2), also known as T-cell growth factor or Aldesleukin. IL-2 is a 153 amino acid secreted cytokine produced by T-cells following antigenic or mitogenic stimulation. It plays a crucial role in T-cell proliferation and immune regulation. Rat anti Human Interleukin-2 antibody, clone MQ1-17H12 has been sucessfully used for the detection and measurement of native and recombinant human IL-2 using flow cytometry and ELISA where it ascts as the capture reagent in a very sensitive assay for IL-2 determination in human samples. IL-2 is used extensively for the treatment of patients with metastatic melanoma (Atkins <i>et al.</i> 1999) and renal cancer with reproducible benificial effects (Rosenberg 2014). Monitoring of IL-2 levels in such patients is required for optimization of treatment regimens (Lotze <i>et al.</i> 1986). Rat anti Human Interleukin-2 antibody, clone MQ1-17H12 is also useful for evaluating levels of IL-2 in patients with autoimmune conditions including lupus erythematosus and rheumatoid arthritis where there may be an impaired ability to produce IL-2 (Talal <i>et al.</i> 1983). 				
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^{6} cells in 100ul.				
References	 Garbe, Y. <i>et al.</i> (2011) Semiallogenic fusions of MSI(+) tumor cells and activated B cells induce MSI-specific T cell responses. <u>BMC Cancer. 11: 410.</u> Moncrieffe, H. <i>et al.</i> (2010) High expression of the ectonucleotidase CD39 on T cells from the inflamed site identifies two distinct populations, one regulatory and one memory T cell population. <u>J Immunol. 185 (1): 134-43.</u> 				
Storage	Store at +4°C or at -20°C if preferred.				
	This product should be stored undiluted.				

	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.		
Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1553 10040		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

North & South	Tel: +1 800 265 7376	Worldwide Tel: +44	(0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21	
Goat An	iti Rat IgG (STAR69)		<u>FITC</u>			
Goat An	ti Rat IgG (STAR72)		<u>HRP</u>			
Goat An	ti Rat IgG (STAR131)		<u>Alk. Phos., Bioti</u>	<u>n</u>		
Goat An	ti Rat IgG (MOUSE ADSC	ORBED) (STAR71	.) <u>DyLight®550</u> , <u>D</u>	<u>yLight®650,</u>	DyLight®800	
Rabbit A	Anti Rat IgG (STAR21)		<u>HRP</u>			
Goat An	ti Rat IgG (STAR73)		<u>RPE</u>			
Rabbit A	Anti Rat IgG (STAR17)		<u>FITC</u>			
Rabbit A	Anti Rat IgG (STAR16)		DyLight®800			

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M365407:200529'

Printed on 08 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint