

# Datasheet: MCA1557F BATCH NUMBER 158807

MOUSE ANTI HUMAN CD105:FITC			
CD105			
ENDOGLIN			
FITC			
Monoclonal Antibody			
SN6			
lgG1			
0.1 mg			

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes No	Not Determined	Suggested Dilution				
	Flow Cytometry	•		Neat				
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.							
Target Species	Human							
Species Cross Reactivity	Reacts with: Horse, Cynomolgus monkey, Rhesus Monkey Based on sequence similarity, is expected to react with:Primate <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.							
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid							
Max Ex/Em	Fluorophore		Emission Max (nm)					
	FITC	490	525					
Preparation	Purified IgG prepared supernatant	by affinity chromatog	raphy on Protein G fron	n tissue culture				

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
Immunogen	Partially purified cell membrane antigens from fresh leukemia cells
External Database Links	UniProt:         P17813       Related reagents         Entrez Gene:         2022       ENG       Related reagents
Synonyms	END
RRID	AB_321988
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse P3/NS1 /1-Ag4-1 myeloma cell line
Specificity	<b>Mouse anti Human CD105 antibody, clone SN6</b> recognizes human endoglin, also known as CD105. CD105 is a glycoprotein homodimer of ~95 kDa subunits expressed by endothelial cells, activated monocytes and some leukemia cells.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
References	<ol> <li>Hauser, P.V. <i>et al.</i> (2010) Stem cells derived from human amniotic fluid contribute to acute kidney injury recovery. <u>Am J Pathol. 177: 2011-21.</u></li> <li>Jin, H.J. <i>et al.</i> (2010) GD2 expression is closely associated with neuronal differentiation of human umbilical cord blood-derived mesenchymal stem cells. <u>Cell Mol Life Sci. 67 (11): 1845-58.</u></li> <li>Nagano, M. <i>et al.</i> (2007) Identification of functional endothelial progenitor cells suitable for the treatment of ischemic tissue using human umbilical cord blood. <u>Blood 110 (1): 151-60.</u></li> <li>Braun, J. <i>et al.</i> (2010) Evaluation of the osteogenic and chondrogenic differentiation capacities of equine adipose tissue-derived mesenchymal stem cells. <u>Am J Vet Res. 71 (10): 1228-36.</u></li> <li>Diaz-Romero, J. <i>et al.</i> (2008) Immunophenotypic changes of human articular chondrocytes during monolayer culture reflect bona fide dedifferentiation rather than amplification of progenitor cells. <u>J Cell Physiol. 214: 75-83.</u></li> <li>Agha-Hosseini, F. <i>et al.</i> (2010) <i>In vitro</i> isolation of stem cells derived from human dental pulp. <u>Clin Transplant. 24: E23-8.</u></li> <li>Arufe, M.C. <i>et al.</i> (2010) Chondrogenic potential of subpopulations of cells expressing mesenchymal stem cell markers derived from human synovial membranes. <u>J Cell</u></li> </ol>

#### Biochem. 111: 834-45.

8. Balmayor, E.R. *et al.* (2011) Synthesis and functionalization of superparamagnetic poly- $\varepsilon$ -caprolactone microparticles for the selective isolation of subpopulations of human adipose-derived stem cells. J R Soc Interface 8: 896-908.

Benetti, A. *et al.* (2008) Transforming growth factor-beta1 and CD105 promote the migration of hepatocellular carcinoma-derived endothelium. <u>Cancer Res. 68: 8626-34.</u>
 Ciccocioppo, R. *et al.* (2011) Autologous bone marrow-derived mesenchymal stromal cells in the treatment of fistulising Crohn's disease. <u>Gut 60: 788-98.</u>

11. Cox, G. *et al.* (2011) The use of the reamer-irrigator-aspirator to harvest mesenchymal stem cells. J Bone Joint Surg Br. 93: 517-24.

12. Ferro, F. *et al.* (2010) Biochemical and biophysical analyses of tissue-engineered bone obtained from three-dimensional culture of a subset of bone marrow mesenchymal stem cells. <u>Tissue Eng Part A 16: 3657-67.</u>

13. Lozanoska-Ochser, B. *et al.* (2008) Expression of CD86 on human islet endothelial cells facilitates T cell adhesion and migration. <u>J Immunol. 181: 6109-16.</u>

14. Sallustio, F. *et al.* (2010) TLR2 plays a role in the activation of human resident renal stem/progenitor cells. <u>FASEB J. 24: 514-25.</u>

15. Tso, C. *et al.* (2012) Phenotypic and functional changes in blood monocytes following adherence to endothelium. <u>PLoS One 7: e37091.</u>

16. Hu, N. *et al.* (2013) Long-term outcome of the repair of 50 mm long median nerve defects in rhesus monkeys with marrow mesenchymal stem cells-containing, chitosan-based tissue engineered nerve grafts. Biomaterials 34: 100-11.

17. Cho, H.J. *et al.* (2013) Generation of human secondary cardiospheres as a potent cell processing strategy for cell-based cardiac repair. <u>Biomaterials 34: 651-61.</u>

18. Kang, S.D. *et al.* (2013) Isolation of Functional Human Endothelial Cells from Small Volumes of Umbilical Cord Blood. <u>Ann Biomed Eng. 41: 2181-92.</u>

19. Mehrkens, A. *et al.* (2013) Non-adherent mesenchymal progenitors from adipose tissue stromal vascular fraction. <u>Tissue Eng Part A 20: 1081-8.</u>

20. De Schauwer, C. *et al.* (2012) In search for cross-reactivity to immunophenotype equine mesenchymal stromal cells by multicolor flow cytometry. <u>Cytometry A 81: 312-23.</u>
 21. Zhang, J. *et al.* (2016) Bone mesenchymal stem cells differentiate into myofibroblasts

in the tumor microenvironment. <u>Oncol Lett. 12 (1): 644-50.</u>

22. Morsing, M. *et al.* (2016) Evidence of two distinct functionally specialized fibroblast lineages in breast stroma. <u>Breast Cancer Res. 18 (1): 108.</u>

23. Williamson, K.A. *et al.* (2015) Restricted differentiation potential of progenitor cell populations obtained from the equine superficial digital flexor tendon (SDFT). <u>J Orthop</u> <u>Res. 33 (6): 849-58.</u>

24. Lützkendorf, J. *et al.* (2017) Resistance for Genotoxic Damage in Mesenchymal Stromal Cells Is Increased by Hypoxia but Not Generally Dependent on p53-Regulated Cell Cycle Arrest. <u>PLoS One. 12 (1): e0169921.</u>

25. Lee, H.J. *et al.* (2017) ICOSL expression in human bone marrow-derived mesenchymal stem cells promotes induction of regulatory T cells. <u>Sci Rep. 7: 44486.</u>
26. Yi, T. *et al.* (2015) Manufacture of Clinical-Grade Human Clonal Mesenchymal Stem Cell Products from Single Colony Forming Unit-Derived Colonies Based on the Subfractionation Culturing Method. <u>Tissue Eng Part C Methods. 21 (12): 1251-62.</u>

27. Boccardo, S. *et al.* (2016) Engineered mesenchymal cell-based patches as controlled VEGF delivery systems to induce extrinsic angiogenesis. <u>Acta Biomater. 42: 127-35.</u>

Mumaw, J.L. *et al.* (2015) Feline mesenchymal stem cells and supernatant inhibit reactive oxygen species production in cultured feline neutrophils. <u>Res Vet Sci. 103: 60-9.</u>
 Bertolo, A. *et al.* (2017) Oxidative status predicts quality in human mesenchymal stem cells. <u>Stem Cell Res Ther. 8 (1): 3.</u>

30. GarikipatiV, N.S. *et al.* (2018) Isolation and characterization of mesenchymal stem cells from human fetus heart. <u>PLoS One. 13 (2): e0192244.</u>

31. Olimpio, R.M.C. *et al.* (2018) Cell viability assessed in a reproducible model of human osteoblasts derived from human adipose-derived stem cells. <u>PLoS One. 13 (4): e0194847.</u>
32. Lotfi, R. *et al.* (2018) ATP promotes immunosuppressive capacities of mesenchymal stromal cells by enhancing the expression of indoleamine dioxygenase. <u>Immun Inflamm</u> <u>Dis. Oct 10 [Epub ahead of print].</u>

33. Santos,V.H.D. *et al.* (2019) Evaluation of alginate hydrogel encapsulated mesenchymal stem cell migration in horses. <u>Res Vet Sci. 124: 38-45.</u>

34. Noda, S. *et al.* (2019) Effect of cell culture density on dental pulp-derived mesenchymal stem cells with reference to osteogenic differentiation. <u>Sci Rep. 9 (1): 5430.</u>
35. Manini, I. *et al.* (2020) Heterogeneity Matters: Different Regions of Glioblastoma Are Characterized by Distinctive Tumor-Supporting Pathways. <u>Cancers (Basel). 12 (10) Oct 13</u> [Epub ahead of print].

 Cargnoni, A. *et al.* (2020) Amniotic MSCs reduce pulmonary fibrosis by hampering lung B-cell recruitment, retention, and maturation. <u>Stem Cells Transl Med. 9 (9): 1023-35.</u>
 Huang, Q. *et al.* (2021) Human Umbilical Cord Mesenchymal Stem Cells-Derived Exosomal MicroRNA-18b-3p Inhibits the Occurrence of Preeclampsia by Targeting LEP. <u>Nanoscale Res Lett. 16 (1): 27.</u>

 Piñeiro-Ramil, M. *et al.* (2020) Immortalizing Mesenchymal Stromal Cells from Aged Donors While Keeping Their Essential Features. <u>Stem Cells Int. 2020: 5726947.</u>
 Kim, M. *et al.* (2020) A Small-Sized Population of Human Umbilical Cord Blood-Derived Mesenchymal Stem Cells Shows High Stemness Properties and Therapeutic Benefit. <u>Stem Cells Int. 2020: 5924983.</u>

40. Niu, C.C. *et al.* (2014) Identification of mesenchymal stem cells and osteogenic factors in bone marrow aspirate and peripheral blood for spinal fusion by flow cytometry and proteomic analysis. <u>J Orthop Surg Res. 9: 32.</u>

41. Supokawej, A. *et al.* (2013) Cardiogenic and myogenic gene expression in mesenchymal stem cells after 5-azacytidine treatment. <u>Turk J Haematol. 30 (2): 115-21.</u>
42. Kim, S.H. *et al.* (2019) Forkhead box O1 (FOXO1) controls the migratory response of Toll-like receptor (TLR3)-stimulated human mesenchymal stromal cells. <u>J Biol Chem. 294</u> (21): 8424-37.

43. Rey, F. *et al.* (2019) Adipose-Derived Stem Cells from Fat Tissue of Breast Cancer Microenvironment Present Altered Adipogenic Differentiation Capabilities. <u>Stem Cells Int.</u> 2019: 1480314.

44. Lotfi, R. *et al.* (2020) Validation of Microbiological Testing of Cellular Medicinal Products Containing Antibiotics. <u>Transfus Med Hemother. 47 (2): 144-51.</u>

45. Serrano, L.J. *et al.* (2021) Cell therapy for factor V deficiency: An approach based on human decidua mesenchymal stem cells. <u>Biomed Pharmacother. 142: 112059.</u>

46. Piñeiro-Ramil, M. *et al.* (2021) Generation of Mesenchymal Cell Lines Derived from Aged Donors. Int J Mol Sci. 22 (19)Oct 01 [Epub ahead of print].

47. Fernandez-Pernas, P. *et al.* (2017) CD105+-mesenchymal stem cells migrate into osteoarthritis joint: An animal model. <u>PLoS One. 12 (11): e0188072.</u>

## **Related Products**

## **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21			
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50	То		
	Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com		o-rad.com	Email: antibody_sales_de@bio-rad.comd_a				
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets								

'M384769:210513'

#### Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint