

Datasheet: MCA1557SBUV510

| Description: | MOUSE ANTI HUMAN CD105:StarBright UltraViolet 510 |
|---------------|---|
| Specificity: | CD105 |
| Other names: | ENDOGLIN |
| Format: | StarBright UltraViolet 510 |
| Product Type: | Monoclonal Antibody |
| Clone: | SN6 |
| lsotype: | lgG1 |
| Quantity: | 100 TESTS/0.5ml |
| | |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . | | | | | |
|-----------------------------|--|-------------------|--------|------------------------|--------------------|--|
| | | | No | Not Determined | Suggested Dilution | |
| | Flow Cytometry | • | | | Neat | |
| | Where this product has not been tested for use in a particular technique this does not | | | | | |
| | necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls. | | | | | |
| Target Species | Human | | | | | |
| Species Cross Reactivity | Reacts with: Horse, Cynomolgus monkey, Rhesus Monkey Based on sequence similarity, is expected to react with:Primate N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. | | | | | |
| Product Form | Purified IgG conjugated to StarBright UltraViolet 510 - liquid | | | | | |
| Max Ex/Em | Fluorophore | Excitation Max | (nm) | Emission Max (nm) | | |
| | StarBright UltraViolet 510 | 340 | | 513 | | |
| Preparation | Purified IgG prepared supernatant | by affinity chror | natogr | aphy on Protein G fror | n tissue culture | |

| Buffer Solution | Phosphate buffered saline | |
|-----------------------------|--|---|
| Preservative Stabilisers | 0.09% sodium azide (NaN ₃) 1% bovine serum albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20 | |
| Immunogen | Partially purified cell membrane antigens from fresh leukemia cells | |
| External Database Links | UniProt: <u>P17813</u> <u>Related reagents</u> Entrez Gene: <u>2022</u> ENG <u>Related reagents</u> | |
| Synonyms | END | |
| Fusion Partners | Spleen cells from immunized BALB/c mice were fused with cells of the mod /1-Ag4-1 myeloma cell line | use P3/NS1 |
| Specificity | Mouse anti Human CD105 antibody, clone SN6 recognizes human endo known as CD105. CD105 is a glycoprotein homodimer of ~95 kDa subunits endothelial cells, activated monocytes and some leukemia cells. | - |
| Flow Cytometry | Use 5µl of the suggested working dilution to label 10 ⁶ cells in 100µl. Best p suggest a 5 minutes centrifugation at 6,000g prior to sample application. | oractices |
| References | Haruta, Y. & Seon, B.K. (1986) Distinct human leukemia-associated cell glycoprotein GP160 defined by monoclonal antibody SN6. <u>Proc Natl Acad</u> (20): 7898-902. Pierelli, L. <i>et al.</i> (2000) Modulation of bcl-2 and p27 in human primitive p hematopoietic progenitors by autocrine TGF-beta1 is a cell cycle-independ influences their hematopoietic potential. <u>Blood 95: 3001-9</u>. Nagano, M. <i>et al.</i> (2007) Identification of functional endothelial progenitor for the treatment of ischemic tissue using human umbilical cord blood. <u>Blood 151-60</u>. Lozanoska-Ochser, B. <i>et al.</i> (2008) Expression of CD86 on human islet of facilitates T cell adhesion and migration. <u>J Immunol. 181: 6109-16</u>. Benetti, A. <i>et al.</i> (2008) Transforming growth factor-beta1 and CD105 pr migration of hepatocellular carcinoma-derived endothelium. <u>Cancer Res. 6</u>. Diaz-Romero, J. <i>et al.</i> (2008) Immunophenotypic changes of human arti- chondrocytes during monolayer culture reflect bona fide dedifferentiation ra- amplification of progenitor cells. <u>J Cell Physiol. 214: 75-83</u>. Sallustio, F. <i>et al.</i> (2010) TLR2 plays a role in the activation of human re- stem/progenitor cells. <u>FASEB J. 24: 514-25</u>. Arufe, M.C. <i>et al.</i> (2010) Chondrogenic potential of subpopulations of cell | Sci USA 83 proliferating ent effect and or cells suitable od 110 (1): endothelial cells omote the 8: 8626-34. cular ather than sident renal |

mesenchymal stem cell markers derived from human synovial membranes. <u>J Cell</u> <u>Biochem. 111: 834-45.</u>

9. Agha-Hosseini, F. *et al.* (2010) *In vitro* isolation of stem cells derived from human dental pulp. <u>Clin Transplant. 24: E23-8.</u>

10. Ferro, F. *et al.* (2010) Biochemical and biophysical analyses of tissue-engineered bone obtained from three-dimensional culture of a subset of bone marrow mesenchymal stem cells. <u>Tissue Eng Part A 16: 3657-67.</u>

11. Jin, H.J. *et al.* (2010) GD2 expression is closely associated with neuronal differentiation of human umbilical cord blood-derived mesenchymal stem cells. <u>Cell Mol Life Sci. 67 (11): 1845-58.</u>

12. Hauser, P.V. *et al.* (2010) Stem cells derived from human amniotic fluid contribute to acute kidney injury recovery. <u>Am J Pathol. 177: 2011-21.</u>

13. Braun, J. *et al.* (2010) Evaluation of the osteogenic and chondrogenic differentiation capacities of equine adipose tissue-derived mesenchymal stem cells. <u>Am J Vet Res. 71</u> (10): 1228-36.

14. Balmayor, E.R. *et al.* (2011) Synthesis and functionalization of superparamagnetic poly- ε -caprolactone microparticles for the selective isolation of subpopulations of human adipose-derived stem cells. J R Soc Interface 8: 896-908.

15. Ciccocioppo, R. *et al.* (2011) Autologous bone marrow-derived mesenchymal stromal cells in the treatment of fistulising Crohn's disease. <u>Gut 60: 788-98.</u>

16. Cox, G. *et al.* (2011) The use of the reamer-irrigator-aspirator to harvest mesenchymal stem cells. J Bone Joint Surg Br. 93: 517-24.

17. De Schauwer, C. *et al.* (2012) In search for cross-reactivity to immunophenotype equine mesenchymal stromal cells by multicolor flow cytometry. <u>Cytometry A 81: 312-23.</u>
18. Tso, C. *et al.* (2012) Phenotypic and functional changes in blood monocytes following adherence to endothelium. <u>PLoS One 7: e37091.</u>

19. Supokawej, A. *et al.* (2013) Cardiogenic and myogenic gene expression in

mesenchymal stem cells after 5-azacytidine treatment. Turk J Haematol. 30 (2): 115-21.

20. Mehrkens, A. *et al.* (2013) Non-adherent mesenchymal progenitors from adipose tissue stromal vascular fraction. <u>Tissue Eng Part A 20: 1081-8.</u>

21. Kang, S.D. *et al.* (2013) Isolation of Functional Human Endothelial Cells from Small Volumes of Umbilical Cord Blood. <u>Ann Biomed Eng. 41: 2181-92.</u>

22. Cho, H.J. *et al.* (2013) Generation of human secondary cardiospheres as a potent cell processing strategy for cell-based cardiac repair. <u>Biomaterials 34: 651-61.</u>

23. Hu, N. *et al.* (2013) Long-term outcome of the repair of 50 mm long median nerve defects in rhesus monkeys with marrow mesenchymal stem cells-containing,

chitosan-based tissue engineered nerve grafts. Biomaterials 34: 100-11.

24. Niu, C.C. *et al.* (2014) Identification of mesenchymal stem cells and osteogenic factors in bone marrow aspirate and peripheral blood for spinal fusion by flow cytometry and proteomic analysis. <u>J Orthop Surg Res. 9: 32.</u>

25. Williamson, K.A. *et al.* (2015) Restricted differentiation potential of progenitor cell populations obtained from the equine superficial digital flexor tendon (SDFT). <u>J Orthop</u> <u>Res. 33 (6): 849-58.</u>

26. Yi, T. *et al.* (2015) Manufacture of Clinical-Grade Human Clonal Mesenchymal Stem Cell Products from Single Colony Forming Unit-Derived Colonies Based on the Subfractionation Culturing Method. <u>Tissue Eng Part C Methods. 21 (12): 1251-62.</u>
27. Mumaw, J.L. *et al.* (2015) Feline mesenchymal stem cells and supernatant inhibit

reactive oxygen species production in cultured feline neutrophils. <u>Res Vet Sci. 103: 60-9.</u> 28. Zhang, J. *et al.* (2016) Bone mesenchymal stem cells differentiate into myofibroblasts in the tumor microenvironment. <u>Oncol Lett. 12 (1): 644-50.</u>

29. Morsing, M. *et al.* (2016) Evidence of two distinct functionally specialized fibroblast lineages in breast stroma. <u>Breast Cancer Res. 18 (1): 108.</u>

30. Boccardo, S. *et al.* (2016) Engineered mesenchymal cell-based patches as controlled VEGF delivery systems to induce extrinsic angiogenesis. <u>Acta Biomater. 42: 127-35.</u>

31. Fernandez-Pernas, P. *et al.* (2017) CD105+-mesenchymal stem cells migrate into osteoarthritis joint: An animal model. <u>PLoS One. 12 (11): e0188072.</u>

32. Lee, H.J. *et al.* (2017) ICOSL expression in human bone marrow-derived mesenchymal stem cells promotes induction of regulatory T cells. <u>Sci Rep. 7: 44486.</u>
33. Bertolo, A. *et al.* (2017) Oxidative status predicts quality in human mesenchymal stem

cells. Stem Cell Res Ther. 8 (1): 3.

34. Santos,V.H.D. *et al.* (2019) Evaluation of alginate hydrogel encapsulated mesenchymal stem cell migration in horses. <u>Res Vet Sci. 124: 38-45.</u>

35. Lützkendorf, J. *et al.* (2017) Resistance for Genotoxic Damage in Mesenchymal Stromal Cells Is Increased by Hypoxia but Not Generally Dependent on p53-Regulated Cell Cycle Arrest. <u>PLoS One. 12 (1): e0169921.</u>

36. Noda, S. *et al.* (2019) Effect of cell culture density on dental pulp-derived mesenchymal stem cells with reference to osteogenic differentiation. <u>Sci Rep. 9 (1): 5430.</u>
37. GarikipatiV, N.S. *et al.* (2018) Isolation and characterization of mesenchymal stem cells from human fetus heart. <u>PLoS One. 13 (2): e0192244.</u>

Olimpio, R.M.C. *et al.* (2018) Cell viability assessed in a reproducible model of human osteoblasts derived from human adipose-derived stem cells. <u>PLoS One. 13 (4): e0194847.</u>
 Lotfi, R. *et al.* (2018) ATP promotes immunosuppressive capacities of mesenchymal stromal cells by enhancing the expression of indoleamine dioxygenase. <u>Immun Inflamm</u> Dis. 6 (4): 448-55.

40. May, J.E. *et al.* (2018) Chemotherapy-induced genotoxic damage to bone marrow cells: long-term implications. <u>Mutagenesis. 33 (3): 241-251.</u>

41. Rey, F. *et al.* (2019) Adipose-Derived Stem Cells from Fat Tissue of Breast Cancer Microenvironment Present Altered Adipogenic Differentiation Capabilities. <u>Stem Cells Int.</u> 2019: 1480314.

42. Piñeiro-Ramil, M. *et al.* (2020) Immortalizing Mesenchymal Stromal Cells from Aged Donors While Keeping Their Essential Features. <u>Stem Cells Int. 2020: 5726947.</u>

43. Kim, M. *et al.* (2020) A Small-Sized Population of Human Umbilical Cord Blood-Derived Mesenchymal Stem Cells Shows High Stemness Properties and Therapeutic Benefit. <u>Stem Cells Int. 2020: 5924983.</u>

44. Watson, L. *et al.* (2020) Administration of Human Non-Diabetic Mesenchymal Stromal Cells to a Murine Model of Diabetic Fracture Repair: A Pilot Study. <u>Cells. 9 (6): 1394.</u>
45. Cargnoni, A. *et al.* (2020) Amniotic MSCs reduce pulmonary fibrosis by hampering lung B-cell recruitment, retention, and maturation. <u>Stem Cells Transl Med. 9 (9): 1023-35.</u>
46. Kim, S.H. *et al.* (2019) Forkhead box O1 (FOXO1) controls the migratory response of Toll-like receptor (TLR3)-stimulated human mesenchymal stromal cells. <u>J Biol Chem. 294</u> (21): 8424-37.

47. Manini, I. *et al.* (2020) Heterogeneity Matters: Different Regions of Glioblastoma Are Characterized by Distinctive Tumor-Supporting Pathways. <u>Cancers (Basel). 12 (10): 2960.</u>
48. Lotfi, R. *et al.* (2020) Validation of Microbiological Testing of Cellular Medicinal

Products Containing Antibiotics. Transfus Med Hemother. 47 (2): 144-51.

49. Di Paola, A. *et al.* (2021) Eltrombopag in paediatric immune thrombocytopenia: Iron metabolism modulation in mesenchymal stromal cells. <u>Br J Haematol. 97 (1): 110-119.</u>
50. Piñeiro-Ramil, M. *et al.* (2021) Generation of Mesenchymal Cell Lines Derived from Aged Donors. <u>Int J Mol Sci. 22 (19): 10667.</u>

51. Serrano, L.J. *et al.* (2021) Cell therapy for factor V deficiency: An approach based on human decidua mesenchymal stem cells. <u>Biomed Pharmacother. 142: 112059.</u>

52. Huang, Q. *et al.* (2021) Human Umbilical Cord Mesenchymal Stem Cells-Derived Exosomal MicroRNA-18b-3p Inhibits the Occurrence of Preeclampsia by Targeting LEP. <u>Nanoscale Res Lett. 16 (1): 27.</u>

53. Murata, D. *et al.* (2022) Osteochondral regeneration of the femoral medial condyle by using a scaffold-free 3D construct of synovial membrane-derived mesenchymal stem cells in horses. <u>BMC Vet Res. 18 (1): 53.</u>

54. Orikasa, S. *et al.* (2022) Hypoxia-inducible factor 1α induces osteo/odontoblast differentiation of human dental pulp stem cells via Wnt/ β -catenin transcriptional cofactor BCL9. <u>Sci Rep. 12 (1): 682.</u>

55. Freitag, N. *et al.* (2022) Eutopic endometrial immune profile of infertility-patients with and without endometriosis. <u>J Reprod Immunol. 150: 103489.</u>

56. Morente-López, M. *et al.* (2022) Therapy free of cells vs human mesenchymal stem cells from umbilical cord stroma to treat the inflammation in OA. <u>Cell Mol Life Sci. 79 (11)</u>: <u>557.</u>

57. Creamer, D.G. et al. (2022) Influence of exposure to microbial ligands,

immunosuppressive drugs and chronic kidney disease on endogenous immunomodulatory gene expression in feline adipose-derived mesenchymal stem cells. <u>J Feline Med Surg. 24</u> (6): e43-e56.

58. Arnaud-Franco, Á. *et al.* (2022) Effect of Adipose-Derived Mesenchymal Stem Cells (ADMSCs) Application in Achilles-Tendon Injury in an Animal Model. <u>Curr Issues Mol Biol.</u> <u>44 (12): 5827-38.</u>

59. Piñeiro-Ramil, M. *et al.* (2023) Generation of human immortalized chondrocytes from osteoarthritic and healthy cartilage : a new tool for cartilage pathophysiology studies. <u>Bone Joint Res. 12 (1): 46-57.</u>

60. Connolly, D.M. *et al.* (2023) Early Human Pathophysiological Responses to Exertional Hypobaric Decompression Stress. <u>Aerosp Med Hum Perform. 94 (10): 738-49.</u>

61. Jakl, V. *et al.* (2023) Effect of Expansion Media on Functional Characteristics of Bone Marrow-Derived Mesenchymal Stromal Cells. <u>Cells. 12 (16): 2105.</u>

62. Tafuri, W.L. *et al.* (2022) Skin fibrosis associated with keloid, scleroderma and Jorge Lobo's disease (lacaziosis): An immuno-histochemical study. <u>Int J Exp Pathol. 103 (6)</u>: 234-44.

63. Tiraihi, T. *et al.* (2023) A Sequential Culturing System for Generating Epithelial-Like Stem Cells from Human Mesenchymal Stem Cells Derived from Adipose Tissue <u>Cell and Tissue Biology. 17 (6): 639-52.</u>

64. Morente-López, M. *et al.* (2023) Effect of miR-21 in mesenchymal stem cells-derived extracellular vesicles behavior. <u>Stem Cell Res Ther. 14 (1): 383.</u>

65. Tripathy, N.K. *et al.* (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. <u>J Stem Cells Regen Med. 14 (1): 27-33.</u>

66. Karpyuk, V. *et al.* (2019) Innovation-based Approach in Reconstruction of Reduced Jaw Alveolar Ridge Bone using Cell Regeneration Technologies <u>Archiv Euromedica 9 (2)</u>:

| | <u>147-55</u> . |
|----------------------------------|---|
| Further Reading | Carrade, D.D. <i>et al.</i> (2012) Comparative Analysis of the Immunomodulatory Properties of Equine Adult-Derived Mesenchymal Stem Cells. <u>Cell Med. 4: 1-11.</u> Burk, J. <i>et al.</i> (2013) Equine cellular therapyfrom stall to bench to bedside? <u>Cytometry A 83 (1): 103-13.</u> |
| Storage | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. |
| Guarantee | 12 months from date of despatch |
| Acknowledgements | This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts |
| Health And Safety Information | Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA1557SBUV510 20471 |
| Regulatory | For research purposes only |

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

| North & South | Tel: +1 800 265 7376 | Worldwide | Tel: +44 (0)1865 852 700 | Europe | Tel: +49 (0) 89 8090 95 21 | | |
|--|--------------------------------------|-----------|--------------------------------------|--------|--------------------------------------|--|--|
| America | Fax: +1 919 878 3751 | | Fax: +44 (0)1865 852 739 | | Fax: +49 (0) 89 8090 95 50 | | |
| | Email: antibody_sales_us@bio-rad.com | | Email: antibody_sales_uk@bio-rad.com | | Email: antibody_sales_de@bio-rad.com | | |
| To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets | | | | | | | |

'M410126:221026'

Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint