

Datasheet: MCA1557SBV670

BATCH NUMBER 100004973

Description:	MOUSE ANTI HUMAN CD105:StarBright Violet 670
Specificity:	CD105
Other names:	ENDOGLIN
Format:	StarBright Violet 670
Product Type:	Monoclonal Antibody
Clone:	SN6
Isotype:	IgG1
Quantity:	100 TESTS/0.5ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.biorad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Species Cross			
Reactivity			

Target Species

Reacts with: Horse, Cynomolgus monkey, Rhesus Monkey Based on sequence similarity, is expected to react with:Primate

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for

further information.

Human

۲	ro	αι	ıct	г	or	m

Purified IgG conjugated to StarBright Violet 670 - liquid

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)	
	StarBright Violet 670	400	667	

Preparation

Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	 0.09% Sodium Azide (NaN₃) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20 	
Immunogen	Partially purified cell membrane antigens from fresh leukemia cells	
External Database Links	UniProt: P17813 Related reagents Entrez Gene: 2022 ENG Related reagents	
Synonyms	END	
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the /1-Ag4-1 myeloma cell line	he mouse P3/NS1
Specificity	Mouse anti Human CD105 antibody, clone SN6 recognizes the huknown as CD105. CD105 is a glycoprotein homodimer of ~95 kDa seendothelial cells, activated monocytes and some leukemia cells.	•
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 ⁶ cells in 100ul. suggest a 5 minutes centrifugation at 6,000g prior to sample applica-	•
References	 Hauser, P.V. et al. (2010) Stem cells derived from human amniotic acute kidney injury recovery. Am J Pathol. 177: 2011-21. Jin, H.J. et al. (2010) GD2 expression is closely associated with nof human umbilical cord blood-derived mesenchymal stem cells. Cel 1845-58. Nagano, M. et al. (2007) Identification of functional endothelial profor the treatment of ischemic tissue using human umbilical cord blood 151-60. Braun, J. et al. (2010) Evaluation of the osteogenic and chondrogocapacities of equine adipose tissue-derived mesenchymal stem cells (10): 1228-36. Diaz-Romero, J. et al. (2008) Immunophenotypic changes of hum chondrocytes during monolayer culture reflect bona fide dedifferential amplification of progenitor cells. J Cell Physiol. 214: 75-83. Agha-Hosseini, F. et al. (2010) In vitro isolation of stem cells derive pulp. Clin Transplant. 24: E23-8. Arufe, M.C. et al. (2010) Chondrogenic potential of subpopulations mesenchymal stem cell markers derived from human synovial membiliochem. 111: 834-45. 	euronal differentiation I Mol Life Sci. 67 (11): Degenitor cells suitable d. Blood 110 (1): Penic differentiation S. Am J Vet Res. 71 an articular ation rather than The ded from human dental S. of cells expressing

- 8. Balmayor, E.R. *et al.* (2011) Synthesis and functionalization of superparamagnetic poly-ε-caprolactone microparticles for the selective isolation of subpopulations of human adipose-derived stem cells. J R Soc Interface 8: 896-908.
- 9. Benetti, A. *et al.* (2008) Transforming growth factor-beta1 and CD105 promote the migration of hepatocellular carcinoma-derived endothelium. Cancer Res. 68: 8626-34.
- 10. Ciccocioppo, R. *et al.* (2011) Autologous bone marrow-derived mesenchymal stromal cells in the treatment of fistulising Crohn's disease. <u>Gut 60: 788-98.</u>
- 11. Cox, G. *et al.* (2011) The use of the reamer-irrigator-aspirator to harvest mesenchymal stem cells. J Bone Joint Surg Br. 93: 517-24.
- 12. Ferro, F. *et al.* (2010) Biochemical and biophysical analyses of tissue-engineered bone obtained from three-dimensional culture of a subset of bone marrow mesenchymal stem cells. Tissue Eng Part A 16: 3657-67.
- 13. Lozanoska-Ochser, B. *et al.* (2008) Expression of CD86 on human islet endothelial cells facilitates T cell adhesion and migration. J Immunol. 181: 6109-16.
- 14. Sallustio, F. *et al.* (2010) TLR2 plays a role in the activation of human resident renal stem/progenitor cells. FASEB J. 24: 514-25.
- 15. Tso, C. *et al.* (2012) Phenotypic and functional changes in blood monocytes following adherence to endothelium. <u>PLoS One 7: e37091.</u>
- 16. Hu, N. *et al.* (2013) Long-term outcome of the repair of 50 mm long median nerve defects in rhesus monkeys with marrow mesenchymal stem cells-containing, chitosan-based tissue engineered nerve grafts. Biomaterials 34: 100-11.
- 17. Cho, H.J. *et al.* (2013) Generation of human secondary cardiospheres as a potent cell processing strategy for cell-based cardiac repair. Biomaterials 34: 651-61.
- 18. Kang, S.D. *et al.* (2013) Isolation of Functional Human Endothelial Cells from Small Volumes of Umbilical Cord Blood. <u>Ann Biomed Eng. 41: 2181-92.</u>
- 19. Mehrkens, A. *et al.* (2013) Non-adherent mesenchymal progenitors from adipose tissue stromal vascular fraction. Tissue Eng Part A 20: 1081-8.
- 20. De Schauwer, C. *et al.* (2012) In search for cross-reactivity to immunophenotype equine mesenchymal stromal cells by multicolor flow cytometry. Cytometry A 81: 312-23.
- 21. Zhang, J. *et al.* (2016) Bone mesenchymal stem cells differentiate into myofibroblasts in the tumor microenvironment. Oncol Lett. 12 (1): 644-50.
- 22. Morsing, M. *et al.* (2016) Evidence of two distinct functionally specialized fibroblast lineages in breast stroma. <u>Breast Cancer Res. 18 (1): 108.</u>
- 23. Williamson, K.A. *et al.* (2015) Restricted differentiation potential of progenitor cell populations obtained from the equine superficial digital flexor tendon (SDFT). <u>J Orthop</u> Res. 33 (6): 849-58.
- 24. Lützkendorf, J. *et al.* (2017) Resistance for Genotoxic Damage in Mesenchymal Stromal Cells Is Increased by Hypoxia but Not Generally Dependent on p53-Regulated Cell Cycle Arrest. <u>PLoS One. 12 (1): e0169921.</u>
- 25. Lee, H.J. *et al.* (2017) ICOSL expression in human bone marrow-derived mesenchymal stem cells promotes induction of regulatory T cells. Sci Rep. 7: 44486.
- 26. Yi, T. *et al.* (2015) Manufacture of Clinical-Grade Human Clonal Mesenchymal Stem Cell Products from Single Colony Forming Unit-Derived Colonies Based on the Subfractionation Culturing Method. <u>Tissue Eng Part C Methods</u>. 21 (12): 1251-62.
- 27. Boccardo, S. *et al.* (2016) Engineered mesenchymal cell-based patches as controlled VEGF delivery systems to induce extrinsic angiogenesis. <u>Acta Biomater. 42: 127-35.</u>
- 28. Mumaw, J.L. et al. (2015) Feline mesenchymal stem cells and supernatant inhibit

- reactive oxygen species production in cultured feline neutrophils. Res Vet Sci. 103: 60-9.
- 29. Bertolo, A. *et al.* (2017) Oxidative status predicts quality in human mesenchymal stem cells. Stem Cell Res Ther. 8 (1): 3.
- 30. GarikipatiV, N.S. *et al.* (2018) Isolation and characterization of mesenchymal stem cells from human fetus heart. <u>PLoS One</u>. 13 (2): e0192244.
- 31. Olimpio, R.M.C. *et al.* (2018) Cell viability assessed in a reproducible model of human osteoblasts derived from human adipose-derived stem cells. PLoS One. 13 (4): e0194847.
- 32. Lotfi, R. *et al.* (2018) ATP promotes immunosuppressive capacities of mesenchymal stromal cells by enhancing the expression of indoleamine dioxygenase. <u>Immun Inflamm Dis. Oct 10 [Epub ahead of print].</u>
- 33. Santos, V.H.D. *et al.* (2019) Evaluation of alginate hydrogel encapsulated mesenchymal stem cell migration in horses. <u>Res Vet Sci. 124: 38-45.</u>
- 34. Noda, S. *et al.* (2019) Effect of cell culture density on dental pulp-derived mesenchymal stem cells with reference to osteogenic differentiation. <u>Sci Rep. 9 (1): 5430.</u>
- 35. Manini, I. *et al.* (2020) Heterogeneity Matters: Different Regions of Glioblastoma Are Characterized by Distinctive Tumor-Supporting Pathways. <u>Cancers (Basel). 12 (10) Oct 13 [Epub ahead of print].</u>
- 36. Cargnoni, A. *et al.* (2020) Amniotic MSCs reduce pulmonary fibrosis by hampering lung B-cell recruitment, retention, and maturation. <u>Stem Cells Transl Med. 9 (9): 1023-35.</u>
- 37. Huang, Q. *et al.* (2021) Human Umbilical Cord Mesenchymal Stem Cells-Derived Exosomal MicroRNA-18b-3p Inhibits the Occurrence of Preeclampsia by Targeting LEP. Nanoscale Res Lett. 16 (1): 27.
- 38. Piñeiro-Ramil, M. *et al.* (2020) Immortalizing Mesenchymal Stromal Cells from Aged Donors While Keeping Their Essential Features. Stem Cells Int. 2020: 5726947.
- 39. Kim, M. *et al.* (2020) A Small-Sized Population of Human Umbilical Cord Blood-Derived Mesenchymal Stem Cells Shows High Stemness Properties and Therapeutic Benefit. Stem Cells Int. 2020: 5924983.
- 40. Niu, C.C. *et al.* (2014) Identification of mesenchymal stem cells and osteogenic factors in bone marrow aspirate and peripheral blood for spinal fusion by flow cytometry and proteomic analysis. <u>J Orthop Surg Res. 9: 32.</u>
- 41. Supokawej, A. *et al.* (2013) Cardiogenic and myogenic gene expression in mesenchymal stem cells after 5-azacytidine treatment. Turk J Haematol. 30 (2): 115-21.

Further Reading

- 1. Burk, J. *et al.* (2013) Equine cellular therapy--from stall to bench to bedside? <u>Cytometry</u> A 83 (1): 103-13.
- 2. Carrade, D.D. *et al.* (2012) Comparative Analysis of the Immunomodulatory Properties of Equine Adult-Derived Mesenchymal Stem Cells. Cell Med. 4: 1-11.

Storage

Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted.

Guarantee

12 months from date of despatch

Acknowledgements

This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign

counterparts

Health And Safety Information

Material Safety Datasheet documentation #20471 available at:

https://www.bio-rad-antibodies.com/SDS/MCA1557SBV670

Regulatory For research purposes only

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376 America

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

Printed on 23 Apr 2025

'M376266:210127'

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint