

Datasheet: MCA1561 BATCH NUMBER 163999

Description:	MOUSE ANTI HUMAN CD154 (CD40L)
Specificity:	CD154
Other names:	CD40 LIGAND
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	TRAP-1
Isotype:	IgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				1/10 - 1/50
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A	from ascites
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% sodium azide (NaN ₃) 1% bovine serum albumin	

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	Mouse myeloma cell line transfected with human CD40L (CD154).		
External Database Links	UniProt: P29965 Related reagents Entrez Gene:		
	959 CD40LG Related reagents		
Synonyms	CD40L, TNFSF5, TRAP		
RRID	AB_321588		
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse P3X63.Ag 8653 myeloma cell line.		
Specificity	Mouse anti Human CD154 antibody, clone TRAP-1 recognizes the human CD40 ligand, also known as CD154, TNF-related activation protein (TRAP) or T-cell antigen Gp39. CD154 is a 261 amino acid ~32 kDa single pass, type-1 transmembrane glycoprotein (UniProt: P29965). CD154 is expressed on activated T lymphocytes, predominantly CD4 +ve and also on some basophils and mast cells. Mouse anti Human CD154 antibody, clone TRAP-1 binds to CD154 at an epitope distinct from the CD40 binding site (Kroczek et al. 1994).		
Flow Cytometry	Use 10µl of the suggested working dilution to label 10 ⁶ cells in 100µl		
References	 Lane, P. et al. (1992) Activated human T cells express a ligand for the human B cell-associated antigen CD40 which participates in T cell-dependent activation of B lymphocytes. Eur J Immunol. 22 (10): 2573-8. Hermann, P. et al. (1993) Expression of a 32-kDa ligand for the CD40 antigen on activated human T lymphocytes. Eur J Immunol. 23 (4): 961-4. Kroczek, R.A et al. (1994) Defective expression of CD40 ligand on T cells causes "X-linked immunodeficiency with hyper-lgM (HIGM1)". Immunol Rev. 138: 39-59. Yarwood, H. et al. (2000) Resting and activated T cells induce expression of E-selectin and VCAM-1 by vascular endothelial cells through a contact-dependent but CD40 ligand-independent mechanism. J Leukoc Biol. 68: 233-42. Houtkamp, M.A. et al. (2001) Interleukin-15 expression in atherosclerotic plaques: an alternative pathway for T-cell activation in atherosclerosis? Arterioscler Thromb Vasc Biol. 21: 1208-13. 		
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for		

short term use (up to 4 weeks) and store the remaining aliquots at -20 $^{\circ}\text{C}.$

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA1561 10041
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...) HRP
Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR76...)

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M410161:221026'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint