

Datasheet: MCA1569F

Description:	MOUSE ANTI HUMAN CD16:FITC		
Specificity:	CD16		
Other names:	FcRIII		
Format:	FITC		
Product Type:	Monoclonal Antibody		
Clone:	3G8		
Isotype:	IgG1		
Quantity:	100 TESTS/0.5ml		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

	oyotom domg app	oropriato riogativo, positivo	controlo.			
Target Species	Human					
Species Cross Reactivity	Reacts with: Cynomolgus monkey, Rhesus Monkey, Baboon, Chimpanzee, Pig-tailed macaque, Squirrel monkey, Marmoset					
	reactivity is deriv	activity and working condit ed from testing within our l nications from the originaton.	aboratories, peer-re	viewed publications or		
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid					
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm))		
	FITC	490	525			
Preparation	Purified IgG prepared by affinity chromatography					
Buffer Solution	Phosphate buffered saline					

Preservative Stabilisers	0.09% sodium azide (NaN ₃) 1% bovine serum albumin
Immunogen	Human PMN cells
External Database Links	UniProt: P08637 Related reagents Entrez Gene: 2214 FCGR3A Related reagents
Synonyms	CD16A, FCG3, FCGR3, IGFR3
Specificity	Mouse Anti Human CD16 antibody, clone 3G8 recognizes the human CD16 cell surface antigen also known as the FcR III receptor. CD16 is expressed by granulocytes and NK cells.
Flow Cytometry	Use 5μl of the suggested working dilution to label 10 ⁶ cells or 100μl whole blood
References	1. Sopper, S. <i>et al.</i> (1997) Lymphocyte subsets and expression of differentiation markers in blood and lymphoid organs of rhesus monkeys. Cytometry. 29 (4): 351-62. 2. Yoshino, N. <i>et al.</i> (2000) Upgrading of flow cytometric analysis for absolute counts, cytokines and other antigenic molecules of cynomolgus monkeys (Macaca fascicularis) by using anti-human cross-reactive antibodies. Exp Anim. 49 (2): 97-110. 3. Audran, R. <i>et al.</i> (2009) The synthetic <i>Plasmodium falciparum</i> circumsporozoite peptide PfCS102 as a malaria vaccine candidate: a randomized controlled phase I trial. PLoS One 4(10): e7304.
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA1569F 10041
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21 Fax: +1 919 878 3751 America

Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.comd a Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com

То

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M410250:221028'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint