Datasheet: MCA1569PE

Description:	MOUSE ANTI HUMAN CD16:RPE
Specificity:	CD16
Other names:	FcRIII
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	3G8
Isotype:	IgG1
Quantity:	100 TESTS/0.5ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/20

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species

Human

Species Cross Reactivity

Reacts with: Cynomolgus monkey, Rhesus Monkey, Baboon, Chimpanzee, Pig-tailed macaque, Squirrel monkey, Marmoset

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG conjugated to R. Phycoerythrin (RPE) - liquid

Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
RPE 488nm laser	496	578

Preparation

Purified IgG prepared by affinity chromatography

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers	0.09% sodium azide (NaN_3) 1% bovine serum albumin
Immunogen	Human PMN cells
External Database Links	**UniProt:** P08637 Related reagents **Entrez Gene:** 2214 FCGR3A Related reagents
Synonyms	CD16A, FCG3, FCGR3, IGFR3
Specificity	**Mouse Anti Human CD16 antibody, clone 3G8** recognizes the human CD16 cell surface antigen also known as the FcR III receptor. CD16 is expressed by granulocytes and NK cells.
Flow Cytometry	Use 5µl of the suggested working dilution to label 10^6 cells or 100µl whole blood
References	1. Audran, R. *et al.* (2009) The synthetic *Plasmodium falciparum* circumsporozoite peptide PfCS102 as a malaria vaccine candidate: a randomized controlled phase I trial. PLoS One 4(10): e7304.
Further Reading	1. Sopper, S. *et al.* (1997) Lymphocyte subsets and expression of differentiation markers in blood and lymphoid organs of rhesus monkeys. Cytometry. 29 (4): 351-62. 2. Yoshino, N. *et al.* (2000) Upgrading of flow cytometric analysis for absolute counts, cytokines and other antigenic molecules of cynomolgus monkeys (Macaca fascicularis) by using anti-human cross-reactive antibodies. Exp Anim. 49 (2): 97-110.
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA1569PE 10041
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	**Worldwide**	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	**Europe**	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M410251:221028'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint