

# Datasheet: MCA1578PE

Description:	MOUSE ANTI HUMAN CD34:RPE
Specificity:	CD34 CLASS III
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	581
lsotype:	lgG1
Quantity:	100 TESTS

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•			Neat - 1/10		
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.						
Target Species	Human						
Species Cross Reactivity	Reacts with: Cynomolgus monkey <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - liquid						
Max Ex/Em	Fluorophore	Excitation Ma	x (nm)	Emission Max (nm)			
	RPE 488nm laser	496		578			
Preparation	Purified IgG prepared by affinity chromatography on Protein A.						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	<0.1% Sodium Azide (	(NaN <sub>3</sub> )					

External Database Links	UniProt: P28906 Related reagents Entrez Gene:		
	947 CD34 Related reagents		
RRID	AB_1125260		
Specificity	<b>Mouse anti Human CD34 antibody, clone 581</b> recognizes the human CD34 cell surface antigen also known as Hematopoietic progenitor cell antigen CD34. Clone 581 binds to an epitope of human CD34 resistant to neuraminadase, chymopapain and glycoprotease treatments. The binding epitopes are classified according to their resistance to enzymatic degradation and antibodies assigned according to this and cross inhibition. Clone 581 is classified as class III (Lanza <i>et al.</i> 1999).		
	CD34 is a 385 amino acid pro-peptide with the 31 amino acid signal peptide cleaved to yield the mature form of CD34. CD34 is a single pass type I ~105-120 kDa highly glycosylated transmembrane glycoprotein, expressed by hematopoietic stem cells and small vessel endothelial cells. CD34 contains a number of sialylated residues and has a mucin-like structure (Simmons <i>et al.</i> 1992). A truncated form of the CD34 molecule has also been identified lacking the carboxy-terminal region of the intracellular sequence, also bearing a sequence switch in the remaining cytoplasmic region (Nakamura <i>et al.</i> 1993). Mouse anti Human CD34 antibody, clone 581 is expected to react with both isoforms of the CD34 molecule as it recognizes an epitope located in the extracellular region of human CD34.		
	Mouse anti Human CD34 antibody, clone 581 has been used successfully for the immunohistochemical detection of stem-like cells present in hepatoblastoma lesions on cryostat sections (Fiegal <i>et al.</i> 2004).		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul		
References	<ol> <li>Civin, C.I. <i>et al.</i> (1984) Antigenic analysis of hematopoiesis. III. A hematopoietic progenitor cell surface antigen defined by a monoclonal antibody raised against KG-1a cells. J Immunol. 133 (1): 157-65.</li> <li>Fiegel, H.C. <i>et al.</i> (2004) Stem-like cells in human hepatoblastoma. J Histochem Cytochem. 52 (11): 1495-501.</li> <li>Maumus, M. <i>et al.</i> (2011) Native human adipose stromal cells: localization, morphology and phenotype. Int J Obes (Lond). 35 (9): 1141-53.</li> <li>Patel, J. <i>et al.</i> (2013) Prospective surface marker-based isolation and expansion of fetal endothelial colony-forming cells from human term placenta. Stem Cells Transl Med. 2 (11): 839-47.</li> <li>Park, J.Y. <i>et al.</i> (2020) rhBMP-2 Pre-Treated Human Periodontal Ligament Stem Cell Sheets Regenerate a Mineralized Layer Mimicking Dental Cementum. Int J Mol Sci. 21 (11): 3767.</li> </ol>		

	6. Kim, S.H. <i>et al.</i> (2019) Forkhead box O1 (FOXO1) controls the migratory response of Toll-like receptor (TLR3)-stimulated human mesenchymal stromal cells. <u>J Biol Chem. 294</u> (21): 8424-37.			
Further Reading	1. Yoshino, N. <i>et al.</i> (2000) Upgrading of flow cytometric analysis for absolute counts, cytokines and other antigenic molecules of Cynomolgus monkeys ( <i>Macaca fascicularis</i> ) by using anti-human cross-reactive antibodies. <u>Exp. Anim. 49: 97-110.</u>			
Storage	Store at +4°C.			
	DO NOT FREEZE.			
	This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.			
Guarantee	6 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: 10041: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf</u>			
Regulatory	For research purposes only			

### **Related Products**

### **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad	.com	Email: antibody_sales_uk@bio-rac	l.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M392262:211026'

#### Printed on 23 Mar 2022

© 2022 Bio-Rad Laboratories Inc | Legal | Imprint