

Datasheet: MCA1659 BATCH NUMBER 155912

Description:	MOUSE ANTI SHEEP INTERLEUKIN-6
Specificity:	IL-6
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	4B6
Isotype:	IgG1
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	•			
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	•			5ug/ml (as a coating antibody)
Immunoprecipitation			•	
Western Blotting	•			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) Membrane permeabilization is required for this application. Bio-Rad recommend the use of Leucoperm[™] (Product Code <u>BUF09</u>) for this purpose.

Target Species	Sheep
Species Cross Reactivity	Reacts with: Monkey N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid

Preparation	Purified IgG prepared by affinity chromatography on Protein G
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Recombinant ovine IL-6.
External Database Links	UniProt: P29455 Related reagents Entrez Gene: 443406 IL6 Related reagents
RRID	AB_322149
Specificity	Mouse anti Sheep Interleukin-6 antibody, clone 4B6 recognizes ovine interleukin-6 (IL-6) and has also been reported to recognise recombinant human IL-6 and bovine IL-6 transfected cells. Mouse anti Sheep Interleukin-6 antibody, clone 4B6 does not cross react with ovine IL-1 beta, IL-8, MCP-1 or TNF alpha.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
ELISA	MCA1659 may also be used in combination with <u>AHP424</u> in a sandwich ELISA assays for ovine IL-6.
References	 McWaters, P. et al. (2000) Characterisation of monoclonal antibodies to ovine interleukin-6 and the development of a sensitive capture ELISA. Vet Immunol Immunopathol. 73 (2): 155-65. Wang, Z. et al. (2008) Acute hypercapnia improves indices of tissue oxygenation more than dobutamine in septic shock. Am J Respir Crit Care Med. 177: 178-83. Su, F. et al (2007) Beneficial effects of ethyl pyruvate in septic shock from peritonitis. Arch Surg.142: 166-71. Kabaroff, L. et al. (2006) Changes in ovine maternal temperature, and serum cortisol and interleukin-6 concentrations after challenge with Escherichia coli lipopolysaccharide during pregnancy and early lactation. J Anim Sci. 84: 2083-8. Shashikant, B.N. et al. (2005) Dose response to rhCC10-augmented surfactant therapy in a lamb model of infant respiratory distress syndrome: physiological, inflammatory, and kinetic profiles. J Appl Physiol. 99: 2204-11. Redondo, E. et al. (2014) Induction of interleukin-8 and interleukin-12 in neonatal ovine lung following experimental inoculation of bovine respiratory syncytial virus. J Comp Pathol. 150 (4): 434-48.

7. Karisnan, K .et al. (2015) Interleukin-1 Receptor Antagonist Protects against

Lipopolysaccharide Induced Diaphragm Weakness in Preterm Lambs. PLoS One. 10 (4):

e0124390.

- 8. Xu, A. *et al.* (2015) The Ovine Fetal and Placental Inflammatory Response to Umbilical Cord Occlusions With Worsening Acidosis. Reprod Sci. 22 (11): 1409-20.
- 9. Dooley, L.M. *et al.* (2015) Effect of mesenchymal precursor cells on the systemic inflammatory response and endothelial dysfunction in an ovine model of collagen-induced arthritis. PLoS One. 10 (5): e0124144.
- 10. Herry, C.L. *et al.* (2016) Temporal Patterns in Sheep Fetal Heart Rate Variability Correlate to Systemic Cytokine Inflammatory Response: A Methodological Exploration of Monitoring Potential Using Complex Signals Bioinformatics. <u>PLoS One. 11 (4): e0153515.</u>
 11. Ciliberti, M.G. *et al.* (2017) Peripheral blood mononuclear cell proliferation and cytokine production in sheep as affected by cortisol level and duration of stress. <u>J Dairy Sci. 100 (1): 750-756.</u>

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1659 10040		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG (H/L) (STAR117...) FITC

Rabbit Anti Mouse IgG (STAR9...) FITC

Rabbit Anti Mouse IgG (STAR13...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody sales us@bio-rad.com

Email: antibody sales uk@bio-rad.com

Email: antibody sales de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M365587:200529'

Printed on 10 Jun 2024