Datasheet: MCA1709 BATCH NUMBER 149003

Description:MOUSE ANTI MDM2Specificity:MDM2Format:PurifiedProduct Type:Monoclonal AntibodyClone:SMP14Isotype:IgG1					
Format:PurifiedProduct Type:Monoclonal AntibodyClone:SMP14	Description:	MOUSE ANTI MDM2			
Product Type: Monoclonal Antibody Clone: SMP14	Specificity:	MDM2			
Clone: SMP14	Format:	Purified			
	Product Type:	Monoclonal Antibody			
Isotype: IgG1	Clone:	SMP14			
	lsotype:	lgG1			
Quantity: 0.1 mg	Quantity:	0.1 mg			

Product Details

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

		Yes	No	Not Determined	Suggested Dilution		
Flow	Flow Cytometry			•			
	Immunohistology - Frozen						
	Immunohistology - Paraffin (1)	-			1/200 - 1/500		
	Immunohistology - Resin	-					
	ELISA						
	Immunoprecipitation	-					
	Western Blotting			•			
	Where this antibody has not been tested for use in a particular technique this does not						
	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls. (1) This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. EDTA pH8.0 is recommended for this purpose.						
Target Species	Human						
Species Cross	Reacts with: Mouse						

Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross			
	reactivity is derived from testing within our laboratories, peer-reviewed publications or			
	personal communications from the originators. Please refer to references indicated for			
	further information.			

Product Form	Purified IgG - liquid		
Preparation	Purified IgG prepared by affinity chromatography on Protein A		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide		
Carrier Free	Yes		
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	Synthetic peptide, CSRPSTSSRRRAISE, corresponding to amino acids 154-167 of human MDM2.		
External Database Links	UniProt: Q00987 Related reagents Entrez Gene: 4193 MDM2 Related reagents		
RRID	AB_322641		
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells of the mouse X63Ag8.653 myeloma cell line.		
Specificity	Mouse anti MDM2 antibody, clone SMP14 recognizes the ~90 kDa MDM2 protein, which forms a complex with p53 leading to p53 inhibition. MDM2 also acts to stimulate cell proliferation via its induction of transcription factors such as E2F1 and DPI.		
	MDM2 is over expressed in a range of human malignancies, including soft tissue sarcomas, breast cancer and bladder cancer.		
Histology Positive Control Tissue	Breast Carcinoma		
References	 Picksley, S.M. <i>et al.</i> (1994) Immunochemical analysis of the interaction of p53 with MDM2;fine mapping of the MDM2 binding site on p53 using synthetic peptides. <u>Oncogene. 9 (9): 2523-9.</u> Martin, K. <i>et al.</i> (1995) Stimulation of E2F1/DP1 transcriptional activity by MDM2 oncoprotein. <u>Nature. 375 (6533): 691-4.</u> Gueven, N. <i>et al.</i> (2006) Defective p53 response and apoptosis associated with an ataxia-telangiectasia-like phenotype. <u>Cancer Res. 66: 2907-12.</u> 		

Storage	Store at +4°C or at -20°C if preferred.		
	This product should be stored undiluted.		
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.		
Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1709 10040		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

	Rabbit Anti Mouse IgG (STAR12)	RPE
	Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>
	Goat Anti Mouse IgG (STAR76)	RPE
	Rabbit Anti Mouse IgG (STAR13)	HRP
	Goat Anti Mouse IgG (STAR70)	FITC
	Goat Anti Mouse IgG (H/L) (STAR117)	<u>Alk. Phos., DyLight®488, DyLight®550,</u>
		DyLight®650, DyLight®680, DyLight®800,
		<u>FITC</u> , <u>HRP</u>
	Rabbit Anti Mouse IgG (STAR9)	FITC
	Goat Anti Mouse IgG (STAR77)	HRP
	Goat Anti Mouse IgG (Fc) (STAR120)	<u>FITC</u> , <u>HRP</u>
N	orth & South Tel: +1 800 265 7376 Worldwig	de Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M365606:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint