## Datasheet: MCA1719GA BATCH NUMBER 166490

MOUSE ANTI HUMAN CD45
CD45
LCA
Purified
Monoclonal Antibody
HI30
lgG1

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	-			Neat - 1/10		
	Immunohistology - Paraffin	•			0.1 - 10ug/ml		
	Where this product has n	not been t	ested for	use in a particular tech	nique this does not		
	necessarily exclude its us	se in such	n procedu	res. Suggested workin	g dilutions are given as		
	a guide only. It is recomn system using appropriate			•	or use in their own		
Target Species	Human						
Species Cross Reactivity	Reacts with: Chimpanzee <b>N.B.</b> Antibody reactivity a reactivity is derived from personal communications further information.	and workir testing wi	thin our l	aboratories, peer-revie	wed publications or		
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by	affinity ch	nromatog	raphy			
Buffer Solution	Phosphate buffered salin	e					
Preservative	0.09% sodium azide (Na	N <sub>3</sub> )					

antigen, also known as the leukocyte common antigen.   CD45 is expressed by all leukocytes; expression on granulocytes being weaker than on lymphocytes.   Flow Cytometry Use 10µl of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100µl   References 1. Eksteen, B. <i>et al.</i> (2009) Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells. Gastroenterology. 137 (1): 320-9.   2. Alvarez-gonzalez, C. <i>et al.</i> (2013) Cord blood Lin(-)CD45(-) embryonic-like stem cells are a heterogeneous population that lack self-renewal capacity. PLoS One. 8 (6): e67968.   3. Tripathy, N.K. <i>et al.</i> (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. J Stem Cells Regen Med. 14 (1): 27-33.   Storage Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.	External Database Links	UniProt:
5788 PTPRC Related reagents   Synonyms CD45   Specificity Mouse anti Human CD45 antibody, clone HI30 recognizes the human CD45 cell surface antigen, also known as the leukocyte common antigen.   CD45 CD45   Flow Cytometry Use 10µl of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100µl   References 1. Eksteen, B. <i>et al.</i> (2009) Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells. Gastroenterology, 137 (1): 320-9.   2. Alvarez-gonzalez, C. <i>et al.</i> (2013) Cord blood Lin(-)CD45(-) embryonic-like stem cells are a heterogeneous population that lack self-renewal capacity. PLoS One. 8 (6): e67968 3. Tripathy, N.K. <i>et al.</i> (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. J Stem Cells Regen Med. 14 (1): 27-33.   Storage Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.   Guaranteed Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1719GA 10040		P08575 Related reagents
Synonyms CD45   Specificity Mouse anti Human CD45 antibody, clone HI30 recognizes the human CD45 cell surface antigen, also known as the leukocyte common antigen.   CD45 is expressed by all leukocytes; expression on granulocytes being weaker than on lymphocytes.   Flow Cytometry Use 10µl of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100µl   References 1. Eksteen, B. <i>et al.</i> (2009) Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells. Gastroenterology, 137 (1): 320-9.   2. Alvarez-gonzalez, C. <i>et al.</i> (2013) Cord blood Lin(-)CD45(-) embryonic-like stem cells are a heterogeneous population that lack self-renewal capacity. PLoS One. 8 (6): e67968 3. Tripathy, N.K. <i>et al.</i> (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. J Stem Cells Regen Med. 14 (1): 27-33.   Storage Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1719GA 10040		Entrez Gene:
Specificity Mouse anti Human CD45 antibody, clone HI30 recognizes the human CD45 cell surface antigen, also known as the leukocyte common antigen.   CD45 is expressed by all leukocytes; expression on granulocytes being weaker than on lymphocytes.   Flow Cytometry Use 10µl of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100µl   References 1. Eksteen, B. <i>et al.</i> (2009) Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells. Gastroenterology. 137 (1): 320-9.   2. Alvarez-gonzalez, C. <i>et al.</i> (2013) Cord blood Lin(-)CD45(-) embryonic-like stem cells are a heterogeneous population that lack self-renewal capacity. PLoS One. 8 (6): e67968 3. Tripathy, N.K. <i>et al.</i> (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. J Stem Cells Regen Med. 14 (1): 27-33.   Storage Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1719GA 10040		5788 PTPRC Related reagents
antigen, also known as the leukocyte common antigen.   CD45 is expressed by all leukocytes; expression on granulocytes being weaker than on lymphocytes.   Flow Cytometry Use 10µl of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100µl   References 1. Eksteen, B. <i>et al.</i> (2009) Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells. Gastroenterology. 137 (1): 320-9.   2. Alvarez-gonzalez, C. <i>et al.</i> (2013) Cord blood Lin(-)CD45(-) embryonic-like stem cells are a heterogeneous population that lack self-renewal capacity. PLoS One. 8 (6): e67968 3. Tripathy, N.K. <i>et al.</i> (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. J Stem Cells Regen Med. 14 (1): 27-33.   Storage Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1719GA 10040	Synonyms	CD45
Ivmphocytes. Ivmphocytes.   Flow Cytometry Use 10µl of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100µl   References 1. Eksteen, B. <i>et al.</i> (2009) Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells. Gastroenterology, 137 (1): 320-9.   2. Alvarez-gonzalez, C. <i>et al.</i> (2013) Cord blood Lin(-)CD45(-) embryonic-like stem cells are a heterogeneous population that lack self-renewal capacity. PLoS One. 8 (6): e67968 3. Tripathy, N.K. <i>et al.</i> (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. J Stem Cells Regen Med. 14 (1): 27-33.   Storage Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1719GA 10040	Specificity	Mouse anti Human CD45 antibody, clone HI30 recognizes the human CD45 cell surface antigen, also known as the leukocyte common antigen.
References 1. Eksteen, B. et al. (2009) Gut homing receptors on CD8 T cells are retinoic acid dependent and not maintained by liver dendritic or stellate cells. <u>Gastroenterology. 137</u> (1): 320-9.   2. Alvarez-gonzalez, C. et al. (2013) Cord blood Lin(-)CD45(-) embryonic-like stem cells are a heterogeneous population that lack self-renewal capacity. <u>PLoS One. 8 (6): e67968</u> 3. Tripathy, N.K. et al. (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. J Stem Cells Regen Med. 14 (1): 27-33.   Storage Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Information Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1719GA10040">https://www.bio-rad-antibodies.com/SDS/MCA1719GA10040</a>		
dependent and not maintained by liver dendritic or stellate cells. Gastroenterology. 137 (1): 320-9.   2. Alvarez-gonzalez, C. et al. (2013) Cord blood Lin(-)CD45(-) embryonic-like stem cells are a heterogeneous population that lack self-renewal capacity. PLoS One. 8 (6): e67968 3. Tripathy, N.K. et al. (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. J Stem Cells Regen Med. 14 (1): 27-33.   Storage Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Information Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1719GA 10040	Flow Cytometry	Use 10µl of the suggested working dilution to label $1 \times 10^6$ cells in $100 \mu$ l
are a heterogeneous population that lack self-renewal capacity. PLoS One. 8 (6): e67968   3. Tripathy, N.K. et al. (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of Human Bone Marrow Mesenchymal Stem Cells. J Stem Cells Regen Med. 14 (1): 27-33.   Storage Store at +4°C.   DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1719GA">https://www.bio-rad-antibodies.com/SDS/MCA1719GA</a>	References	dependent and not maintained by liver dendritic or stellate cells. <u>Gastroenterology. 137</u> ( <u>1): 320-9.</u>
DO NOT FREEZE.   This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Material Safety Datasheet documentation #10040 available at:   https://www.bio-rad-antibodies.com/SDS/MCA1719GA   10040		are a heterogeneous population that lack self-renewal capacity. <u>PLoS One. 8 (6): e67968.</u> 3. Tripathy, N.K. <i>et al.</i> (2018) Cardiomyogenic Heterogeneity of Clonal Subpopulations of
This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.   Guarantee Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.   Health And Safety Information Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1719GA">https://www.bio-rad-antibodies.com/SDS/MCA1719GA</a>	Storage	
Health And Safety Material Safety Datasheet documentation #10040 available at:   Information https://www.bio-rad-antibodies.com/SDS/MCA1719GA   10040		This product should be stored undiluted. Should this product contain a precipitate we
Information <u>https://www.bio-rad-antibodies.com/SDS/MCA1719GA</u> 10040	Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
Regulatory For research purposes only		https://www.bio-rad-antibodies.com/SDS/MCA1719GA
	Regulatory	For research purposes only

# **Related Products**

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	<u>RPE</u>
Goat Anti Mouse IgG IgA IgM (STAR87	) <u>HRP</u>
Goat Anti Mouse IgG (STAR76)	<u>RPE</u>
Rabbit Anti Mouse IgG (STAR13)	<u>HRP</u>

Goat Ant	i Mouse IgG (STAR70)		<u>FITC</u>				
Goat Ant	oat Anti Mouse IgG (H/L) (STAR117) <u>Alk. Phos.</u> , <u>DyLight®488</u> , <u>DyLight®550</u> ,						
			DyLight®650, DyLight®680, DyLight®800,				
			<u>FITC, HRP</u>				
Rabbit A	nti Mouse IgG (STAR9)	)	<u>FITC</u>				
Goat Ant	i Mouse IgG (STAR77)		HRP				
Goat Ant	i Mouse IgG (Fc) (STAR <sup>2</sup>	120)	FITC, HRP				
Recommended Negative Controls							
MOUSE IgG1 NEGATIVE CONTROL (MCA928)							
North & South	Tel: +1 800 265 7376	Worldwid					
America	Fax: +1 919 878 3751 Email: antibody sales us@bio-rad	d.com	Fax: +44 (0)1865 852 739   Fax: +49 (0) 89 8090 95 50     Email: antibody sales uk@bio-rad.com   Email: antibody sales de@bio-r	ad com			
	Linali. antibody_sales_us@bio-tai	u.com		au.com			

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M411189:221102'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint