

# Datasheet: MCA1723 BATCH NUMBER 152354

MOUSE ANTI HUMAN CD8 BETA
CD8 BETA
Purified
Monoclonal Antibody
2ST8.5H7
lgG2a
0.2 mg

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat - 1/10
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Cynomolgus monkey, Rhesus Monkey  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - Iyophilised
Reconstitution	Reconstitute with 0.2ml distilled water  Care should be taken during reconstitution as the protein may appear as a film at the

bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
For long term storage the addition of 0.09% sodium azide is recommended.
N.R. For functional studies do not add sodium azide

Preparation	Purified IgG prepared by affinity chromatography from Ascites			
Buffer Solution	Phosphate buffered saline			
Preservative Stabilisers	1% Bovine Serum Albumin			
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml			
Immunogen	Normal human T lymphocytes.			
External Database Links	UniProt: P10966 Related reagents  Entrez Gene: 926 CD8B Related reagents			
Synonyms	CD8B1			
RRID	AB_322685			
Fusion Partners	Spleen cells from immunized BALB/c mice were fused with cells myeloma cell line.	s of the mouse NS1		
Specificity	Mouse anti Human CD8 beta antibody, clone 2ST8.5H7 recognical surface antigen. The antibody binds to the beta chain, recognication of both CD8 alpha and CD8 beta.  CD8 molecules are composed of dimers of either alpha/alpha or combinations. Both types of dimer may co-exist at the cell surface also referred to as clone T8/2T8-5H7 and binding is dependent alpha/beta dimer.	r alpha/beta polypeptide ce. Clone 2ST8.5H7 is		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 1	00ul.		
References	<ol> <li>Terry, L.A. <i>et al.</i> (1990) Differential expression and regulation and CD8 beta chains. <u>Tissue Antigens 35: 82-91.</u></li> <li>DiSanto, J.P. <i>et al.</i> (1991) Generation of anti-human CD8 beta transfectants expressing mixed-species CD8 heterodimers. <u>J Im 123-31.</u></li> <li>de la Calle-Martin, O. <i>et al.</i> (2001) Familial CD8 deficiency du CD8 alpha gene. <u>J Clin Invest. 108: 117-23.</u></li> <li>Schmitz, J.E. <i>et al</i> (1998) Expression of the CD8alpha beta-heterodimers.</li> </ol>	a-specific antibodies using munol Methods. 141 (1): ue to a mutation in the		

lymphocytes in peripheral blood lymphocytes of human immunodeficiency virus- and human immunodeficiency virus+ individuals. <u>Blood. 92: 198-206.</u>

Storage Prior to reconstitution store at +4°C.

After reconstitution store at -20°C.

Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should

this product contain a precipitate we recommend microcentrifugation before use.

Guarantee Guaranteed until date of expiry. Please see product label.

Health And Safety Information

Material Safety Datasheet documentation #10294 available at:

https://www.bio-rad-antibodies.com/SDS/MCA1723

10294

**Regulatory** For research purposes only

# Related Products

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (STAR70...) FITC

Rabbit Anti Mouse IgG (STAR13...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

<u>DyLight®650</u>, <u>DyLight®680</u>, <u>DyLight®800</u>,

FITC, HRP

## **Recommended Negative Controls**

#### MOUSE IgG2a NEGATIVE CONTROL (MCA929)

America Fax: +1 919 878 3751

North & South Tel: +1 800 265 7376

Worldwide T

Tel: +44 (0)1865 852 700 **Europe** Fax: +44 (0)1865 852 739

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M360706:200116'

### Printed on 10 Mar 2025