

Datasheet: MCA1730F

BATCH NUMBER 167609

| | |
|----------------------|------------------------------|
| Description: | MOUSE ANTI HUMAN CD44v6:FITC |
| Specificity: | CD44v6 |
| Format: | FITC |
| Product Type: | Monoclonal Antibody |
| Clone: | VFF-7 |
| Isotype: | IgG1 |
| Quantity: | 100 TESTS |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | ▪ | | | Neat |
| Immunohistology - Frozen | | | ▪ | |
| Immunohistology - Paraffin | | | ▪ | |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| | | | |
|------------------------|---|----------------------------|--------------------------|
| Target Species | Human | | |
| Product Form | Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid | | |
| Max Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nm) |
| | FITC | 490 | 525 |
| Preparation | Antibody purified from tissue culture supernatant | | |
| Buffer Solution | Tris buffered saline | | |
| Preservative | 0.02% sodium azide (NaN ₃) | | |
| Stabilisers | 1% bovine serum albumin | | |
| Immunogen | Glutathione S Transferase (GST) fusion protein corresponding to the variable domains (v3) | | |

to v10) of human CD44.

External Database**Links****UniProt:**

[P16070](#) [Related reagents](#)

Entrez Gene:

[960](#) CD44 [Related reagents](#)

Synonyms

LHR, MDU2, MDU3, MIC4

RRID

AB_322694

Fusion Partners

Spleen cells from immunized BALB/c micewere fused with cells of the P3X63Ag8.653 myeloma cell line.

Specificity

Mouse anti Human CD44v6 antibody, clone VFF-7 recognizes an epitope encoded by exon v6 on the variant portion of human CD44.

Flow Cytometry

Use 10µl of the suggested working dilution to label 10⁶ cells in 100µl

References

1. Neumayer, R. *et al.* (1999) CD44 expression in benign and malignant colorectal polyps. [Dis Colon Rectum. 42 \(1\): 50-5.](#)
 2. Yoo, S.H. *et al.* (2005) Expression patterns of markers for type II pneumocytes in pulmonary sclerosing hemangiomas and fetal lung tissues. [Arch Pathol Lab Med. 129 \(7\): 915-9.](#)
 3. Chaiyarit, P. *et al.* (2008) Alteration of the expression of CD44 isoforms in oral epithelia and saliva from patients with oral lichen planus. [J Clin Immunol. 28: 26-34.](#)
 4. Kim, J.S. and Werth, V.P. (2011) Identification of specific chondroitin sulfate species in cutaneous autoimmune disease. [J Histochem Cytochem. 59: 780-90.](#)
 5. Shirure, V.S. *et al.* (2015) CD44 variant isoforms expressed by breast cancer cells are functional E-selectin ligands under flow conditions. [Am J Physiol Cell Physiol. 308 \(1\): C68-78.](#)
 6. Noori, M.S. *et al.* (2018) An adhesion based approach for the detection of esophageal cancer. [Integr Biol \(Camb\). 10 \(12\): 747-57.](#)
-

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10058 available at: <https://www.bio-rad-antibodies.com/SDS/MCA1730F>
10058

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:FITC \(MCA928F\)](#)

Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M426688:240219'

Printed on 19 Feb 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)