Datasheet: MCA1731 BATCH NUMBER 167361

Description:	ion: MOUSE ANTI HUMAN CD44v7	
Specificity:	CD44v7	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	VFF-9	
lsotype:	lgG1	
Quantity:	0.1 mg	

Product Details

Applications	This product has been re	This product has been reported to work in the following applications. This information is				
	derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further					
	information. For general	protocol r	ecommer	dations. please visit w	ww.bio-	
	rad-antibodies com/proto	rad-antibodies.com/protocols				
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	•			1/50	
	Immunohistology - Frozen	•			1/50	
	Immunohistology - Paraffin (1)	-			1/50	
	ELISA			•		
	Immunoprecipitation					
	Western Blotting	•				
	Where this product has not been tested for use in a particular technique this does not					
	necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recommended that the user titrates the product for use in their own					
	system using appropriate negative/positive controls.					
	(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose					
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Antibody purified from tissue culture supernatant					
Buffer Solution	Phosphate buffered salin	e				

Preservative <0.1% sodium azide (NaN₃) Stabilisers

Approx. Protein Concentrations	IgG concentration 1 mg/ml
Immunogen	Glutathione S Transferase (GST) fusion protein corresponding to the variable domains (v3 to v10) of human CD44.
External Database Links	UniProt: P16070 Related reagents Entrez Gene: 960 CD44 Related reagents
Synonyms	LHR, MDU2, MDU3, MIC4
RRID	AB_322695
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the P3X63Ag8.653 myeloma cell line.
Specificity	Mouse anti Human CD44v7 antibody, clone VFF-9 specifically recognizes an epitope encoded by exon v7 on the variant portion of human CD44.
Flow Cytometry	Use 10µl of the suggested working dilution to label 10^6 cells in $100µ$ l
Histology Positive Control Tissue	Human skin
References	 Bànkfalvi, A. <i>et al.</i> (1998) Gains and losses of CD44 expression during breast carcinogenesis and tumour progression. <u>Histopathology. 33 (2): 107-16.</u> Hanley, W.D. <i>et al.</i> (2005) Variant isoforms of CD44 are P- and L-selectin ligands on colon carcinoma cells. <u>FASEB J. 20: 337-9.</u> Kim, J.S. and Werth, V.P. (2011) Identification of specific chondroitin sulfate species in cutaneous autoimmune disease. <u>J Histochem Cytochem. 59: 780-90.</u> Rajarajan, A. <i>et al.</i> (2012) CD44 expression in oro-pharyngeal carcinoma tissues and cell lines. <u>PLoS One. 7: e28776.</u> Kim, J.S. <i>et al.</i> (2012) Gottron's papules exhibit dermal accumulation of CD44 variant 7 (CD44v7) and its binding partner osteopontin: a unique molecular signature. <u>J Invest Dermatol. 132 (7): 1825-32.</u> Shirure, V.S. <i>et al.</i> (2015) CD44 variant isoforms expressed by breast cancer cells are functional E-selectin ligands under flow conditions. <u>Am J Physiol Cell Physiol. 308 (1): C68-78.</u> Noori, M.S. <i>et al.</i> (2018) An adhesion based approach for the detection of esophageal cancer. <u>Integr Biol (Camb). 10 (12): 747-57.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.		
Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1731 10040		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77)	HRP
Rabbit Anti Mouse IgG (STAR12)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87	Alk. Phos., HRP
Goat Anti Mouse IgG (STAR76)	RPE
Rabbit Anti Mouse IgG (STAR13)	HRP
Goat Anti Mouse IgG (STAR70)	FITC
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,
	DyLight®650, DyLight®680, DyLight®800,
	FITC, HRP
Rabbit Anti Mouse IgG (STAR9)	FITC
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP
Recommended Negative Controls	

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376 Worldwide	Tel: +44 (0)1865 852 700 Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751	Fax: +44 (0)1865 852 739	Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M415481:230105'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint