

Datasheet: MCA1732

| Description:  | MOUSE ANTI HUMAN CD44v7/8 |
|---------------|---------------------------|
| Specificity:  | CD44v7/8                  |
| Format:       | Purified                  |
| Product Type: | Monoclonal Antibody       |
| Clone:        | VFF-17                    |
| Isotype:      | lgG2b                     |
| Quantity:     | 0.1 mg                    |
|               |                           |

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                                | Yes | No | Not Determined | <b>Suggested Dilution</b> |
|--------------------------------|-----|----|----------------|---------------------------|
| Flow Cytometry                 | •   |    |                | 1/10 - 1/100              |
| Immunohistology - Frozen       | •   |    |                | 1/100 - 1/1000            |
| Immunohistology - Paraffin (1) | •   |    |                | 1/100                     |
| ELISA                          |     |    | •              |                           |
| Immunoprecipitation            |     |    | •              |                           |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. Sodium citrate buffer pH 6.0 is recommended for this purpose.

| Target Species              | Human   |
|-----------------------------|---|
| Product Form                | Purified IgG - liquid                             |
| Preparation                 | Antibody purified from tissue culture supernatant |
| Buffer Solution             | Phosphate buffered saline                         |
| Preservative<br>Stabilisers | None present                                      |
| Approx. Protein             | IgG concentration 1.0 mg/ml                       |

# Concentrations

| External Database<br>Links       | UniProt: P16070 Related reagents  |  |
|----------------------------------|---|--|
|                                  | Entrez Gene:  960 CD44 Related reagents   |  |
| Synonyms                         | LHR, MDU2, MDU3, MIC4   |  |
| RRID                             | AB_322697   |  |
| Specificity                      | Mouse anti Human CD44v7/8 antibody, clone VFF-17 recognizes an epitope encoded by exons v7-v8 on the variant portion of human CD44.   |  |
| Flow Cytometry                   | Use 10µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl  |  |
| References                       | <ol> <li>Wibulswas, A. <i>et al.</i> (2000) The CD44v7/8 epitope as a target to restrain proliferation fibroblast-like synoviocytes in rheumatoid arthritis. Am J Pathol. 157 (6): 2037-44.</li> <li>Alam, T.N. <i>et al.</i> (2004) Differential expression of CD44 during human prostate epithecell differentiation. J Histochem Cytochem. 52: 1083-90.</li> <li>Hanley, W.D. <i>et al.</i> (2006) Variant isoforms of CD44 are P- and L-selectin ligands on colon carcinoma cells. FASEB J. 20: 337-9.</li> <li>Rajarajan, A. <i>et al.</i> (2012) CD44 expression in oro-pharyngeal carcinoma tissues and cell lines. PLoS One. 7: e28776.</li> <li>Bauer, S. <i>et al.</i> (2006) Fibroblast activation protein is expressed by rheumatoid myofibroblast-like synoviocytes. Arthritis Res Ther. 8: R171.</li> <li>Shirure, V.S. <i>et al.</i> (2015) CD44 variant isoforms expressed by breast cancer cells are functional E-selectin ligands under flow conditions. Am J Physiol Cell Physiol. 308 (1): C68-78.</li> <li>Noori, M.S. <i>et al.</i> (2018) An adhesion based approach for the detection of esophages cancer. Integr Biol (Camb). 10 (12): 747-57.</li> </ol> |  |
| Storage                          | Store at -20°C only.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.  |  |
| Guarantee                        | Guaranteed until date of expiry. Please see product label.  |  |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10162 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA1732">https://www.bio-rad-antibodies.com/SDS/MCA1732</a> 10162  |  |
| Regulatory                       | For research purposes only  |  |

## Related Products

# **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (STAR77...) <u>HRP</u>

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR76...)

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

**Recommended Negative Controls** 

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M411219:221102'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint