

Datasheet: MCA1733
BATCH NUMBER 152759

Description:	MOUSE ANTI HUMAN CD44v10		
Specificity:	CD44v10		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	VFF-14		
Isotype:	lgG1		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting	•			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present
Approx. Protein Concentrations	IgG concentration 1 mg/ml

External Database Links	UniProt: P16070 Related reagents Entrez Gene: 960 CD44 Related reagents		
Synonyms	LHR, MDU2, MDU3, MIC4		
RRID	AB_322699		
Specificity	Mouse anti Human CD44v10 antibody, clone VFF-14 recognises an epitope encoded by exon v10 on the variant portion of human CD44.		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells or 100ul whole blood		
References	 Alam, T.N. <i>et al.</i> (2004) Differential expression of CD44 during human prostate epithelial cell differentiation. J Histochem Cytochem. 52: 1083-90. Rajarajan, A. <i>et al.</i> (2012) CD44 expression in oro-pharyngeal carcinoma tissues and cell lines. PLoS One. 7: e28776. Hanley, W.D. <i>et al.</i> (2006) Variant isoforms of CD44 are P- and L-selectin ligands on colon carcinoma cells. FASEB J. 20: 337-9. Li, N. <i>et al.</i> (2000) Analysis of CD44 isoform v10 expression and its prognostic value in renal cell carcinoma. BJU Int. 85: 514-8. Shirure, V.S. <i>et al.</i> (2015) CD44 variant isoforms expressed by breast cancer cells are functional E-selectin ligands under flow conditions. Am J Physiol Cell Physiol. 308 (1): C68-78. Noori, M.S. <i>et al.</i> (2018) An adhesion based approach for the detection of esophageal cancer. Integr Biol (Camb). 10 (12): 747-57. 		
Storage	Store at -20°C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.		
Guarantee	Guaranteed until date of expiry. Please see product label.		
Health And Safety Information	Material Safety Datasheet documentation #10453 available at: https://www.bio-rad-antibodies.com/SDS/MCA1733 10453		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP
Goat Anti Mouse IgG (STAR76...) RPE

Rabbit Anti Mouse IgG (STAR13...)

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC
Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M350387:190307'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint