

Datasheet: MCA1747

BATCH NUMBER 149029

Description:	MOUSE ANTI PIG CD31
Specificity:	CD31
Other names:	PECAM-1
Format:	S/N
Product Type:	Monoclonal Antibody
Clone:	LCI-9
Isotype:	IgM
Quantity:	2 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Pig
Product Form	Tissue Culture Supernatant - liquid
Preservative Stabilisers	0.09% Sodium Azide
Immunogen	Porcine CD31/human IgGFc fusion protein.

External Database Links

UniProt:

[Q95242](https://www.uniprot.org/entry/Q95242)

[Related reagents](#)

Entrez Gene:

[396941](#) PECAM1 [Related reagents](#)

RRID AB_2236793

Specificity **Mouse anti Pig CD31 antibody, clone LCI-9** recognizes porcine Platelet endothelial cell adhesion molecule, also known as CD31 or PECAM-1. Porcine CD31 is a 740 amino acid ~140 kDa single pass type 1 transmembrane glycoprotein bearing six [Ig-like C2-type](#) domains. CD31 is expressed by various cell types, but particularly by endothelial cells where it is required for leukocyte transendothelial migration ([UniProt:Q95242](#)).

Mouse anti Pig CD31 antibody, clone LCI-9 has been used successfully for recognition of porcine CD31 by flow cytometry ([Peterson *et al.* 2005](#)) and immunofluorescence microscopy ([Nasu *et al.* 1999](#)).

References

1. Peterson, M.D. *et al.* (2005) Monocyte adhesion to xenogeneic endothelium during laminar flow is dependent on alpha-Gal-mediated monocyte activation. [J Immunol. 174 \(12\): 8072-81.](#)
2. Nasu, K. *et al.* (1999) Alpha-galactosyl-mediated activation of porcine endothelial cells: studies on CD31 and VE-cadherin in adhesion and signaling. [Transplantation. 1999 Sep 27;68\(6\): 861-7.](#)
3. Peterson, M.D. *et al.* (2005) Monocyte-induced endothelial calcium signaling mediates early xenogeneic endothelial activation. [Am J Transplant. 5: 237-47.](#)
4. Harrower, T.P. *et al.* (2006) Long-term survival and integration of porcine expanded neural precursor cell grafts in a rat model of Parkinson's disease. [Exp Neurol. 197: 56-69.](#)
5. Al-Shalmani, S. *et al.* (2011) Quercetin and its principal metabolites, but not myricetin, oppose lipopolysaccharide-induced hyporesponsiveness of the porcine isolated coronary artery. [Br J Pharmacol. 162: 1485-97.](#)

Further Reading 1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. [Vet Res. 39: 54.](#)

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10053 available at: <https://www.bio-rad-antibodies.com/SDS/MCA1747>
10053

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgM (STAR138...) [Alk. Phos.](#)

Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgM NEGATIVE CONTROL \(MCA692\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M365670:200529'

Printed on 20 Sep 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)