Datasheet: MCA1756 BATCH NUMBER 151777

Description:	MOUSE ANTI CYCLIN D1
Specificity:	CYCLIN D1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	CD1.1
Isotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal					
	communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.					
		Flow Cytometry (1)	•			Neat
	Immunohistology - Frozen	•				
	Immunohistology - Paraffin (2)	-			1/1000 - 1/10000	
	ELISA	•				
	Immunoprecipitation					
	Western Blotting				1/500	
	Where this product has not been tested for use in a particular technique this does not					
	necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recommended that the user titrates the product for use in their own					
	system using appropriate negative/positive controls.					
	(1)Membrane permeabilization is required for this application. Bio-Rad recommend					
	the use of Leucoperm [�] (Product Code <u>BUF09</u>) for this purpose.					
	(2)This product requires antigen retrieval using heat treatment prior to staining of paraffin sections.Sodium citrate buffer pH 6.0 is recommended for this purpose.					

Target Species	Human
Species Cross Reactivity	Reacts with: Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for

	further information.			
Product Form	Purified IgG - liquid			
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant			
Buffer Solution	Phosphate buffered saline			
Preservative Stabilisers	0.09% Sodium Azide			
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml			
Immunogen	Human Cyclin D1			
External Database Links	UniProt: P24385 Related reagents Entrez Gene: 595 CCND1 Related reagents			
Synonyms	BCL1, PRAD1			
RRID	AB_2084955			
Fusion Partners	Spleen cells from immunised mice were fused with cells of the mouse Sp-2 myeloma cell line.			
Specificity	 Mouse anti Cyclin D1 antibody, clone CD1.1 recognizes cyclin D1, a 295 amino acid, ~36 kDa nuclear protein which belongs to the highly conserved cyclin family. D type cyclins are predominantly expressed in the G1 phase of the cell cycle. Cyclin D1 study is of interest in various forms of malignancy and over expression has been linked to poor prognosis (<u>Bartkova <i>et al.</i> 1995</u>). 			
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.			
Histology Positive Control Tissue	Small intestine, colon			
References	 Wykoff, C.C. <i>et al.</i> (2004) Gene array of VHL mutation and hypoxia shows novel hypoxia-induced genes and that cyclin D1 is a VHL target gene. <u>Br J Cancer. 90 (6):</u> <u>1235-43.</u> Zeldich, E. <i>et al.</i> (2012) Enamel matrix derivative stimulates human gingival fibroblast proliferation via ERK. <u>J Dent Res. 86: 41-6.</u> Jovanovic, I.P. <i>et al.</i> (2014) Clinical significance of Cyclin D1, FGF3 and p21 protein 			

	expression in laryngeal squamous cell carcinoma. <u>J BUON. 19 (4): 944-52.</u>				
Storage	Store at +4°C or at -20°C if preferred.				
	This product should be stored undiluted.				
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1756 10040				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12)	RPE			
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>				
Goat Anti Mouse IgG (STAR76)	RPE			
Rabbit Anti Mouse IgG (STAR13)	HRP			
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>			
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,			
	<u>DyLight®650</u> , <u>DyLight®680</u> , <u>DyLight®800</u> ,			
	DyLight®650, DyLight®680, DyLight®800, FITC, HRP			
Rabbit Anti Mouse IgG (STAR9)				
Rabbit Anti Mouse IgG (STAR9) Goat Anti Mouse IgG (STAR77)	FITC, HRP			
č ()	FITC, HRP FITC			
Goat Anti Mouse IgG (STAR77)	FITC, HRP FITC HRP			

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-r	ad.com	Email: antibody_sales_uk@bic	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M365680:200529'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint