## Datasheet: MCA1788 BATCH NUMBER 156418

Description:	RAT ANTI HUMAN HER2/neu
Specificity:	HER2/neu
Other names:	CD340
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	ICR55
Isotype:	lgG2a
isotype.	iyoza

## **Product Details**

Applications	This product has been re	•		• • • •			
	derived from testing withi				•		
	communications from the originators. Please refer to references indicated for further						
	•	information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•					
	Immunohistology - Frozen	-					
	Immunohistology - Paraffin	-					
	ELISA						
	Immunoprecipitation	-					
	Western Blotting	-					
	Where this antibody has	not been	tested for	use in a particular tec	hnique this does not		
	necessarily exclude its us	se in sucl	n procedu	res. It is recommended	that the user titrates		
	the antibody for use in th	eir own s	ystem usii	ng appropriate negativ	e/positive controls.		
Target Species	Human						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by affinity chromatography on Protein G						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )						
Carrier Free	Yes						

Approx. Protein	IgG concentration 1.0 mg/ml
Concentrations	igo concentration 1.0 mg/m

External Database Links	UniProt: P04626 Related reagents
	P04626 Related reagents
	Entrez Gene:
	2064 ERBB2 Related reagents
Synonyms	HER2, MLN19, NEU, NGL
RRID	AB_322791
Specificity	<b>Rat anti Human HER2/neu antibody, clone ICR55</b> recognizes epitope E of human HER2/neu, otherwise known as CD340 and c-ErbB-2, a proto-oncogene expressed at the cell surface of a range of tumor cells, often associated with poor prognosis, and an increased risk of metastasis.
	HER2/neu is used in conjunction with antibodies recognizing both Estrogen and Progesterone receptors, for the classification of breast cancer tumors, and to determine patient prognosis and course of treatment.
	Excessive HER2/neu is present in around 20% to 25% of invasive breast cancers, referred to as HER2-positive cancer, and can help determine whether drugs such as trastuzumab (Herceptin) or lapatinib (Tykerb), might be beneficial.
Flow Cytometry	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul.
References	<ol> <li>Styles, J.M. <i>et al.</i> (1990) Rat monoclonal antibodies to the external domain of the product of the C-erbB-2 proto-oncogene. <u>Int J Cancer. 45 (2): 320-4.</u></li> <li>Dean, C.J. <i>et al.</i> (1993) Rat MAbs to the product of the c-erbB-2 proto-oncogene for diagnosis and therapy in breast cancer. <u>Cell Biophys. 22 (1-3): 111-27.</u></li> <li>Shah, A.J. <i>et al.</i> (2014) Non-invasive molecular profiling of cancer using photoacoustic imaging of functionalized gold nanorods <u>Proc. of SPIE Vol. 8943, 89435G</u></li> </ol>
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1788 10040

Regulato	ry	For research purposes only					
Relate	d Products	S					
Recomm	nended Sec	ondary A	ntibodies				
Rabbit A	nti Rat IgG (S <sup>-</sup>	TAR16)		DyLight®800			
Rabbit A	nti Rat IgG (S	TAR17)		<u>FITC</u>			
Goat Ant	i Rat IgG (STA	AR72)		HRP			
Goat Ant	i Rat IgG (STA	AR69)		<u>FITC</u>			
Goat Ant	i Rat IgG (STA	AR73)		RPE			
Rabbit A	nti Rat IgG (S	TAR21)		HRP			
Goat Ant	i Rat IgG (MO	USE ADSC	ORBED) (ST	AR71) <u>DyLight®550</u> , I	DyLight®650,	DyLight®800	
Goat Ant	i Rat IgG (STA	AR131)		<u>Alk. Phos., Bio</u>	<u>tin</u>		
orth & South merica	Tel: +1 800 265 73 Fax: +1 919 878 3 Email: antibody_sa	751	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-	Europe rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com	
To find a b	atch/lot specific	c datasheet f	or this produ	ct, please use our online s 'M365738:200529'	earch tool at: b	io-rad-antibodies.com/datasheet	

## Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint