

## Datasheet: MCA1821A488

Description:	HAMSTER ANTI MOUSE CD79b:Alexa Fluor® 488		
Specificity:	CD79b		
Other names:	B29		
Format:	ALEXA FLUOR® 488		
Product Type:	Monoclonal Antibody		
Clone:	HM79-11		
lsotype:	IgG		
Quantity:	100 TESTS/1ml		

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry	-			Neat - 1/10	
	Where this antibody ha	as not been te	sted for	use in a particular teo	chnique this does not	
	necessarily exclude its a guide only. It is recon system using appropria	mmended that	the use	r titrates the antibody	g dilutions are given as for use in their own	
Target Species	Mouse					
Product Form	Purified IgG conjugated to Alexa Fluor® 488 - liquid					
Max Ex/Em	Fluorophore	Excitation Max	k (nm)	Emission Max (nm)		
	Alexa Fluor®488	495		519		
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant					
Buffer Solution	Phosphate buffered saline					
Preservative	0.09% Sodium Azide					
Stabilisers	1% Bovine Serum Albumin					
Approx. Protein Concentrations	IgG concentration 0.05	5 mg/ml				

External Database Links	UniProt:
	P15530 Related reagents
	Entrez Gene:
	15985 Cd79b Related reagents
Synonyms	lgb
RRID	AB_324837
Fusion Partners	Lymph node cells from immunised Armenian hamsters were fused with cells of the mouse X63-Ag8.653 myeloma cell line.
Specificity	Hamster anti Mouse CD79b antibody, clone HM79-11 recognizes murine CD79 beta, expressed by B cells as part of the B cell receptor complex (immunoglobulin and the CD79 alpha/beta heterodimer).
	Murine CD79 beta is expressed at the cell surface of pro-B cells prior to surface immunoglobulin, and is expressed throughout B cell differentiation.
	CD79 beta is a B cell specific marker, valuable for the detection of B cells at all maturation stages.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
	The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low affinity fc receptors. This may be reduced by using SeroBlock FcR ( <u>BUF041A/B</u> ).
References	<ol> <li>Koyama, M. <i>et al.</i> (1997) CD79 alpha/CD79 beta heterodimers are expressed on pro-B cell surfaces without associated mu heavy chain. <u>Int Immunol. 9 (11): 1767-72.</u></li> <li>Luger, D. <i>et al.</i> (2013) Expression of the B-cell receptor component CD79a on immature myeloid cells contributes to their tumor promoting effects. <u>PLoS One. 8 (10): e76115.</u></li> </ol>
	3. Jelínek, F. <i>et al.</i> (2005) Characteristics of two mouse bcr-abl-transformed cell lines. II.
	Pathological lesions induced in mice. <u>Folia Biol (Praha). 51 (4): 93-102.</u> 4. Ankeny, D.P. <i>et al.</i> (2006) Spinal cord injury triggers systemic autoimmunity: evidence
	for chronic B lymphocyte activation and lupus-like autoantibody synthesis. <u>J Neurochem.</u> 99 (4): 1073-87.
	5. Lacoste-collin, L. <i>et al.</i> (2007) Effect of continuous irradiation with a very low dose of
	gamma rays on life span and the immune system in SJL mice prone to B-cell lymphoma. Radiat Res. 168 (6): 725-32.
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted

This product should be stored undiluted.

	Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: 10041: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf</u>
Regulatory	For research purposes only

### **Related Products**

### **Recommended Negative Controls**

HAMSTER (ARMENIAN) IgG NEGATIVE CONTROL:Alexa Fluor® 488 (MCA2356A488)

#### **Recommended Useful Reagents**

MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

North & South	Tel: +1 800 265 7376	Worldwide
America	Fax: +1 919 878 3751	
	Email: antibody_sales_us@bio-rad.	com

 Tel: +44 (0)1865 852 700
 Europe

 Fax: +44 (0)1865 852 739
 Email: antibody\_sales\_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.com

'M365752:200529'

#### Printed on 04 Jan 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint