

Datasheet: MCA1847

BATCH NUMBER 168590

Description:	MOUSE ANTI HUMAN CD81
Specificity:	CD81
Other names:	TAPA-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	1D6
Isotype:	IgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/5 - 1/10
Immunohistology - Frozen			▪	
Immunohistology - Paraffin	▪			
ELISA			▪	
Immunoprecipitation	▪			
Western Blotting	▪			
Immunofluorescence	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	<p>Reacts with: Chimpanzee, Sheep, Goat</p> <p>N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
Product Form	Purified IgG - liquid

Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% sodium azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	OCI-LY8 cells aggregated by 5A6 (another CD81 antibody)
External Database Links	<p>UniProt: P60033 Related reagents</p> <p>Entrez Gene: 975 CD81 Related reagents</p>
Synonyms	TAPA1, TSPAN28
RRID	AB_323286
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse PX3-Ag.8.653 myeloma cell line
Specificity	<p>Mouse anti Human CD81 antibody, clone 1D6 recognizes human CD81, a 26 kDa cell surface antigen also known as TAPA-1, and a member of the tetraspanin family. CD81 is widely expressed on human leucocytes and appears to be involved in a variety of cellular leucocytes including activation, proliferation and differentiation.</p> <p>Mouse anti Human CD81 antibody, clone 1D6 is a potent CD81 reagent, induces homotypic adhesion and has powerful anti-proliferative effects.</p>
Flow Cytometry	Use 10µl of the suggested working dilution to label 10 ⁶ cells in 100µl
References	<ol style="list-style-type: none"> Schick, M.R. & Levy, S. (1993) The TAPA-1 molecule is associated on the surface of B cells with HLA-DR molecules. J Immunol. 151 (8): 4090-7. Levy, S. <i>et al.</i> (1998) CD81 (TAPA-1): a molecule involved in signal transduction and cell adhesion in the immune system. Annu Rev Immunol. 16: 89-109. Flint, M. <i>et al.</i> (1999) Characterization of hepatitis C virus E2 glycoprotein interaction with a putative cellular receptor, CD81. J Virol. 73:6235-44. Davis, W.C. <i>et al.</i> (2007) Use of flow cytometry to identify monoclonal antibodies that recognize conserved epitopes on orthologous leukocyte differentiation antigens in goats, llamas, and rabbits. Vet Immunol Immunopathol. 119: 123-30. Griebel, P.J. <i>et al.</i> (2007) Cross-reactivity of mAbs to human CD antigens with sheep

leukocytes. [Vet Immunol Immunopathol. 119: 115-22.](#)

6. Rohlena, J. *et al.* (2009) Endothelial CD81 is a marker of early human atherosclerotic plaques and facilitates monocyte adhesion. [Cardiovasc Res. 81: 187-96.](#)

7. Parthasarathy, V. *et al.* (2009) Distinct roles for tetraspanins CD9, CD63 and CD81 in the formation of multinucleated giant cells. [Immunology. 127: 237-48.](#)

8. Welton, J.L. *et al.* (2010) Proteomics analysis of bladder cancer exosomes. [Mol Cell Proteomics. 9: 1324-38.](#)

9. Ventress, J.K. *et al.* (2016) Peptides from Tetraspanin CD9 Are Potent Inhibitors of Staphylococcus Aureus Adherence to Keratinocytes. [PLoS One. 11 \(7\): e0160387.](#)

10. Mleczko, J. *et al.* (2018) Extracellular Vesicles from Hypoxic Adipocytes and Obese Subjects Reduce Insulin-Stimulated Glucose Uptake. [Mol Nutr Food Res. 62 \(5\)Feb 20 \[Epub ahead of print\].](#)

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/MCA1847>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...) [HRP](#)

Goat Anti Mouse IgG (STAR70...) [FITC](#)

Goat Anti Mouse IgG (STAR77...) [HRP](#)

Goat Anti Mouse IgG (STAR76...) [RPE](#)

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)

Rabbit Anti Mouse IgG (STAR13...) [HRP](#)

Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)

Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),
[FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M411782:221107'

Printed on 10 Apr 2026

© 2026 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)