# Datasheet: MCA1847T BATCH NUMBER 153047

Description:	MOUSE ANTI HUMAN CD81			
Specificity:	CD81			
Other names:	TAPA-1			
Format:	Purified			
Product Type:	Monoclonal Antibody			
Clone:	1D6			
Isotype:	lgG1			
Quantity:	25 µg			

## **Product Details**

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry (1)				1/5 - 1/10		
	Immunohistology - Frozen						
	Immunohistology - Paraffin	•					
	ELISA						
	Immunoprecipitation	-					
	Western Blotting						
	Immunofluorescence						
	Where this antibody has	not been	tested for	use in a particular teo	hnique this does not		
	necessarily exclude its us			•	•		
	•		•				
	a guide only. It is recommended that the user titrates the antibody for use in their own						
		system using appropriate negative/positive controls.					
	(1)Use 10ul of the sugges	sted work	king dilutio	on to label 106 cells in	100ul.		
larget Species	Human						
		Sheen	Goat				
Species Cross	Reacts with: Chimpanzee				species Cross		
Species Cross	Reacts with: Chimpanzee <b>N.B.</b> Antibody reactivity a	nd worki	ng conditi		•		
Species Cross	Reacts with: Chimpanzee <b>N.B.</b> Antibody reactivity a reactivity is derived from	ind worki testing w	ng conditi ithin our la	aboratories, peer-revie	wed publications or		
	Reacts with: Chimpanzee <b>N.B.</b> Antibody reactivity a	ind worki testing w	ng conditi ithin our la	aboratories, peer-revie	wed publications or		
Species Cross	Reacts with: Chimpanzee <b>N.B.</b> Antibody reactivity a reactivity is derived from	ind worki testing w	ng conditi ithin our la	aboratories, peer-revie	wed publications or		

Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	OCI-LY8 cells aggregated by 5A6 (another CD81 antibody)
External Database Links	UniProt:         P60033       Related reagents         Entrez Gene:         975       CD81         Related reagents
Synonyms	TAPA1, TSPAN28
RRID	AB_1102390
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse PX3-Ag.8.653 myeloma cell line
Specificity	Mouse anti Human CD81 antibody, clone 1D6 recognizes human CD81, a 26 kDa cell surface antigen also known as TAPA-1, and a member of the tetraspanin family. CD81 is widely expressed on human leucocytes and appears to be involved in a variety of cellular leucocytes including activation, proliferation and differentiation. Mouse anti Human CD81 antibody, clone 1D6 is a potent CD81 reagent, induces
	homotypic adhesion and has powerful anti-proliferative effects.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul.
References	<ol> <li>Schick, M.R. &amp; Levy, S. (1993) The TAPA-1 molecule is associated on the surface of B cells with HLA-DR molecules. J Immunol. 151 (8): 4090-7.</li> <li>Levy, S. <i>et al.</i> (1998) CD81 (TAPA-1): a molecule involved in signal transduction and cell adhesion in the immune system. Annu Rev Immunol. 16: 89-109.</li> <li>Griebel, P.J. <i>et al.</i> (2007) Cross-reactivity of mAbs to human CD antigens with sheep leukocytes. Vet Immunol Immunopathol. 119: 115-22.</li> <li>Welton, J.L. <i>et al</i> (2010) Proteomics analysis of bladder cancer exosomes. Mol Cell Proteomics. 9: 1324-38.</li> <li>Davis, W.C. <i>et al.</i> (2007) Use of flow cytometry to identify monoclonal antibodies that recognize conserved epitopes on orthologous leukocyte differentiation antigens in goats,</li> </ol>

	<ul> <li>Ilamas, and rabbits. <u>Vet Immunol Immunopathol. 119: 123-30.</u></li> <li>6. Flint, M. <i>et al.</i> (1999) Characterization of hepatitis C virus E2 glycoprotein interwith a putative cellular receptor, CD81. <u>J Virol. 73:6235-44.</u></li> <li>7. Parthasarathy, V. <i>et al.</i> (2009) Distinct roles for tetraspanins CD9, CD63 and C the formation of multinucleated giant cells. <u>Immunology. 127: 237-48.</u></li> <li>8. Rohlena, J. <i>et al.</i> (2009) Endothelial CD81 is a marker of early human atherosoc plaques and facilitates monocyte adhesion. <u>Cardiovasc Res. 81: 187-96.</u></li> <li>9. Ventress, J.K. <i>et al.</i> (2016) Peptides from Tetraspanin CD9 Are Potent Inhibitor Staphylococcus Aureus Adherence to Keratinocytes. <u>PLoS One. 11 (7): e0160387</u></li> <li>10. Mleczko, J. <i>et al.</i> (2018) Extracellular Vesicles from Hypoxic Adipocytes and C Subjects Reduce Insulin-Stimulated Glucose Uptake. <u>Mol Nutr Food Res. 62 (5)F [Epub ahead of print].</u></li> </ul>			
Storage	Store at +4°C or at -20°C if preferred.			
	This product should be stored undiluted.			
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.			
Guarantee	12 months from date of despatch			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1847T 10040			
Regulatory	For research purposes only			

## **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	RPE		
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>			
Goat Anti Mouse IgG (STAR76)	RPE		
Goat Anti Mouse IgG (STAR70)	FITC		
Rabbit Anti Mouse IgG (STAR13)	HRP		
Goat Anti Mouse IgG (Fc) (STAR120	.) <u>FITC</u> , <u>HRP</u>		
Rabbit Anti Mouse IgG (STAR9)	FITC		
Goat Anti Mouse IgG (STAR77)	HRP		
Goat Anti Mouse IgG (H/L) (STAR117.	) <u>Alk. Phos.</u> , <u>DyLight®488</u> , <u>DyLight®550</u> ,		
	DyLight®650, DyLight®680, DyLight®800,		
	<u>FITC, HRP</u>		

#### **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21	То	
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50	find a	
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com		
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets							
'M365793:200529'							

#### Printed on 19 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint