

Datasheet: MCA1853A488

Description:	MOUSE ANTI HUMAN CD163:Alexa Fluor® 488		
Specificity:	CD163		
Format:	ALEXA FLUOR® 488		
Product Type:	Monoclonal Antibody		
Clone:	EDHu-1		
Isotype:	lgG1		
Quantity:	100 TESTS/1ml		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human				
Species Cross Reactivity	Reacts with: Rhesus Monkey, Sheep, Pig, Guinea Pig, Bovine, Cynomolgus monkey N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.				
Product Form	Purified IgG conjugated to Alexa Fluor 488 - liquid				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nr	m)	
	Alexa Fluor®488	495	519		
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant				
Buffer Solution	Phosphate buffered	d saline			

Preservative	0.09% sodium azide (NaN ₃)
Stabilisers	1% bovine serum albumin
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml
Immunogen	Leucocytes harvested from the pleural cavity of patients with idiopathic spontaneous pneumothorax
External Database	
Links	UniProt:
	Q86VB7 Related reagents
	Entrez Gene:
	9332 CD163 Related reagents
Synonyms	M130
Specificity	Mouse anti Human CD163 antibody, clone EDHu-1 recognizes the human CD163 cell surface antigen, a 130-140 kDa glycoprotein expressed by tissue macrophages. CD163 expression may be induced on monocytes by culture in dexamethasone.
	Clone EDHu-1 is reported to inhibit the binding of haptoglobin/hemoglobin to CD163 (Madsen et al. 2004). Truncation mutation analysis demonstrates binding of EDHu-1 occurs via the N-terminal region of CD163 containing the first three scavenger receptor, Cysteine-rich, SRCR domains the third domain being critical as, cleavage of this domain at the major cleavage site ASP-265 abrogates binding to the N-terminal fragment.
Flow Cytometry	Use 10μl of the suggested working dilution to label 10 ⁶ cells in 100μl
References	1. Kristiansen, M. <i>et al.</i> (2001) Identification of the haemoglobin scavenger receptor. Nature. 409 (6817): 198-201.
	2. Asleh, R. et al. (2003) Genetically determined heterogeneity in hemoglobin scavenging
	and susceptibility to diabetic cardiovascular disease. <u>Circ Res. 92: 1193-200.</u>
	3. Madsen, M. <i>et al.</i> (2004) Molecular characterization of the haptoglobin.hemoglobin
	receptor CD163. Ligand binding properties of the scavenger receptor cysteine-rich domain
	region. J Biol Chem. 279 (49): 51561-7.
	4. Montes de Oca, M. <i>et al.</i> (2005) Skeletal muscle inflammation and nitric oxide in
	patients with COPD. Eur Respir J. 26: 390-7.
	5. Wang, X. et al. (2006) Monocyte/macrophage and T-cell infiltrates in peritoneum of
	patients with ovarian cancer or benign pelvic disease. <u>J Transl Med. 4: 30.</u>

- 6. Martens JH *et al.* (2006) Differential expression of a gene signature for scavenger/lectin receptors by endothelial cells and macrophages in human lymph node sinuses, the primary sites of regional metastasis. <u>J Pathol. 208 (4): 574-89.</u>
- 7. Kim, W.K. *et al.* (2006) CD163 identifies perivascular macrophages in normal and viral encephalitic brains and potential precursors to perivascular macrophages in blood. <u>Am J Pathol.</u> 168 (3): 822-34.
- 8. Fabriek, B.O. et al. (2007) The macrophage CD163 surface glycoprotein is an

- erythroblast adhesion receptor. Blood 109: 5223-9.
- 9. Jensen, T.O. *et al.* (2009) Macrophage markers in serum and tumor have prognostic impact in American Joint Committee on Cancer stage I/II melanoma. <u>J Clin Oncol. 27:</u> 3330-7.
- 10. Grund, S. *et al* (2009) The microglial/macrophagic response at the tumour-brain border of invasive meningiomas. <u>Neuropathol Appl Neurobiol.</u> 35: 82-8.
- 11. Jorgensen, J.M. *et al* (2009) Expression level, tissue distribution pattern, and prognostic impact of vascular endothelial growth factors VEGF and VEGF-C and their receptors Flt-1, KDR, and Flt-4 in different subtypes of non-Hodgkin lymphomas. <u>Leuk Lymphoma</u>. 50: 1647-60.
- 12. Moreno, J.A. *et al.* (2009) The CD163-expressing macrophages recognize and internalize TWEAK: potential consequences in atherosclerosis. <u>Atherosclerosis</u>. 207: 103-10.
- 13. Boyle, J.J. *et al.* (2009) Coronary intraplaque hemorrhage evokes a novel atheroprotective macrophage phenotype. <u>Am J Pathol. 174: 1097-108.</u>
- 14. Moreno JA *et al.* (2010) Peripheral artery disease is associated with a high CD163/TWEAK plasma ratio. Arterioscler Thromb Vasc Biol. 30 (6): 1253-62.
- 15. Taus, N.S. *et al.* (2010) Sheep (Ovis aries) airway epithelial cells support ovine herpesvirus 2 lytic replication in vivo. Vet Microbiol. 145: 47-53.
- 16. Vinet-Oliphant, H. *et al.* (2010) Neurokinin-1 receptor (NK1-R) expression in the brains of SIV-infected rhesus macaques: implications for substance P in NK1-R immune cell trafficking into the CNS. Am J Pathol. 177: 1286-97.
- 17. Herrmann-Hoesing, L.M. (2010) Ovine progressive pneumonia virus capsid antigen as found in CD163- and CD172a-positive alveolar macrophages of persistently infected sheep. Vet Pathol. 47: 518-28.
- 18. Seeboth, J. *et al.* (2012) The fungal T-2 toxin alters the activation of primary macrophages induced by TLR-agonists resulting in a decrease of the inflammatory response in the pig. <u>Vet Res. 43: 35.</u>
- 19. Kong, L.Q. *et al.* (2013) The clinical significance of the CD163+ and CD68+ macrophages in patients with hepatocellular carcinoma. <u>PLoS One. 8 (3): e59771.</u>
- 20. Zhang, W. *et al.* (2013) Myeloid clusters are associated with a pro-metastatic environment and poor prognosis in smoking-related early stage non-small cell lung cancer. <u>PLoS One 8: e65121.</u>
- 21. Tang, Z. *et al.* (2013) Glucocorticoids Enhance CD163 Expression in Placental Hofbauer Cells. Endocrinology 154: 471-82.
- 22. Berglin, L. *et al.* (2014) *In situ* characterization of intrahepatic non-parenchymal cells in PSC reveals phenotypic patterns associated with disease severity. <u>PLoS One 9:</u> e105375.
- 23. Liu, J. et al. (2014) Evidence for mTOR pathway activation in a spectrum of epilepsy-associated pathologies. <u>Acta Neuropathol Commun. 2: 71.</u>
- 24. Baek, J.H. *et al.* (2014) Extracellular Hb enhances cardiac toxicity in endotoxemic guinea pigs: protective role of haptoglobin. <u>Toxins (Basel) 6: 1244-59.</u>
- 25. Micci, L, *et al.* (2014) CD4 depletion in SIV-infected macaques results in macrophage and microglia infection with rapid turnover of infected cells. <u>PLoS Pathog. 10: e1004467.</u>
- 26. Pirilä E *et al.* (2015) Macrophages modulate migration and invasion of human tongue squamous cell carcinoma. <u>PLoS One 10 (3): e0120895.</u>
- 27. Blair, T.C. et al. (2016) Immunopathology of Japanese macaque encephalomyelitis is

- similar to multiple sclerosis. J Neuroimmunol. 291: 1-10.
- 28. Arranz-Solís D *et al.* (2016) Systemic and local immune responses in sheep after *Neospora caninum* experimental infection at early, mid and late gestation. <u>Vet Res. 47 (1):</u> 2.
- 29. Lakritz, J R. *et al.* (2016) α4-Integrin Antibody Treatment Blocks Monocyte/Macrophage Traffic to, Vascular Cell Adhesion Molecule-1 Expression in, and Pathology of the Dorsal Root Ganglia in an SIV Macaque Model of HIV-Peripheral Neuropathy. Am J Pathol. 186 (7): 1754-61.
- 30. Fry, L.M. *et al.* (2016) East Coast Fever Caused by *Theileria parva* Is Characterized by Macrophage Activation Associated with Vasculitis and Respiratory Failure. <u>PLoS One</u> 11 (5): e0156004.
- 31. Wächter, C. *et al.* (2016) Loss of cerebellar neurons in the progression of lentiviral disease: effects of CNS-permeant antiretroviral therapy. <u>J Neuroinflammation</u>. 13 (1): 272.
- 32. Derricott, H. *et al.* (2016) Characterizing Villitis of Unknown Etiology and Inflammation in Stillbirth. <u>Am J Pathol. 186 (4): 952-61.</u>
- 33. Zhu, C. *et al.* (2017) Activation of CECR1 in M2-like TAMs promotes paracrine stimulation-mediated glial tumor progression. <u>Neuro Oncol. 19 (5): 648-59.</u>
- 34. Furukawa S *et al.* (2017) Interleukin-33 produced by M2 macrophages and other immune cells contributes to Th2 immune reaction of IgG4-related disease. <u>Sci Rep. 7:</u> 42413.
- 35. Mallard, J. *et al.* (2017) A method for obtaining simian immunodeficiency virus RNA sequences from laser capture microdissected and immune captured CD68+ and CD163+ macrophages from frozen tissue sections of bone marrow and brain. <u>J Immunol Methods.</u> 442: 59-63.
- 36. Farina, A. *et al.* (2017) Epstein-Barr virus lytic infection promotes activation of Toll-like receptor 8 innate immune response in systemic sclerosis monocytes. <u>Arthritis Res Ther.</u> 19 (1): 39.
- 37. Schultz, N. *et al.* (2017) Amylin alters human brain pericyte viability and NG2 expression. J Cereb Blood Flow Metab. 37 (4): 1470-82.
- 38. Boxberg, M. *et al.* (2018) PD-L1 and PD-1 and characterization of tumor-infiltrating lymphocytes in high grade sarcomas of soft tissue prognostic implications and rationale for immunotherapy. Oncoimmunology. 7 (3): e1389366.
- 39. Waddell, L.A. *et al.* (2018) ADGRE1 (EMR1, F4/80) Is a Rapidly-Evolving Gene Expressed in Mammalian Monocyte-Macrophages. Front Immunol. 9: 2246.
- 40. Eligini, S. *et al.* (2019) Biological profile of monocyte-derived macrophages in coronary heart disease patients: implications for plaque morphology. <u>Sci Rep. 9 (1): 8680.</u>
- 41. Chen, J. *et al.* (2019) Generation of Pigs Resistant to Highly Pathogenic-Porcine Reproductive and Respiratory Syndrome Virus through Gene Editing of CD163. <u>Int J Biol Sci. 15 (2): 481-492.</u>
- 42. Zhao, S. *et al.* (2020) CD14⁺ monocytes and CD163⁺ macrophages correlate with the severity of liver fibrosis in patients with chronic hepatitis C <u>Experimental and Therapeutic Medicine</u>. 20 (6): 1-1.
- 43. Hayashi, K. *et al.* (2020) The Natural History of Spontaneously Occurred Endometriosis in Cynomolgus Monkeys by Monthly Follow-Up Laparoscopy for Two Years. Tohoku J Exp Med. 251 (4): 241-53.
- 44. Pestronk, A. (2020) Chronic Graft Versus Host Myopathies: Noninflammatory, Multi-Tissue Pathology With Glycosylation Disorders. <u>J Neuropathol Exp Neurol. 79 (1): 102-12.</u>

- 45. Palaiologou, E. *et al.* (2020) Human placental villi contain stromal macrovesicles associated with networks of stellate cells. J Anat. 236 (1): 132-41.
- 46. Frafjord, A. *et al.* (2020) Antibody combinations for optimized staining of macrophages in human lung tumours. <u>Scand J Immunol. 92 (1): e12889.</u>
- 47. Ströbel, S. *et al.* (2021) A 3D primary human cell-based in vitro model of non-alcoholic steatohepatitis for efficacy testing of clinical drug candidates. Sci Rep. 11 (1): 22765.
- 48. Ikezumi, Y. *et al.* (2021) Steroid treatment promotes an M2 anti-inflammatory macrophage phenotype in childhood lupus nephritis. <u>Pediatr Nephrol. 36 (2): 349-59.</u>
- 49. Edwards, J.H. *et al.* (2021) Integration and functional performance of a decellularised porcine superflexor tendon graft in an ovine model of anterior cruciate ligament reconstruction. Biomaterials. 279: 121204.
- 50. Kemmerer, C.L. *et al.* (2021) Cerebrospinal fluid cytokine levels are associated with macrophage infiltration into tumor tissues of glioma patients BMC Cancer. 21(1):1108.
- 51. Lehmann, M. *et al.* (2021) New onset of mainly guttate psoriasis after COVID-19 vaccination: a case report. <u>J Eur Acad Dermatol Venereol</u>. 35 (11): e752-e755.
- 52. Gonçalves, V.M. *et al.* (2021) Macrophage and Lymphocyte Infiltration Is Associated with Volumetric Tumor Size but Not with Volumetric Growth in the T&yyml;bingen Schwannoma Cohort. <u>Cancers (Basel). 13 (3): 466.</u>
- 53. Baumann, D. *et al.* (2021) p38 MAPK signaling in M1 macrophages results in selective elimination of M2 macrophages by MEK inhibition. <u>J Immunother Cancer.9 (7): e002319.</u> 54. da Silva M.C.M. *et al.* (2021) Inhibition of CSF1R, a receptor involved in microglia viability, alters behavioral and molecular changes induced by cocaine. <u>Sci Rep. 11 (1):</u> 15989.
- 55. Ma, H. *et al.* (2021) Structural comparison of CD163 SRCR5 from different species sheds some light on its involvement in porcine reproductive and respiratory syndrome virus-2 infection *in vitro*.. <u>Vet Res. 52 (1): 97.</u>
- 56. Holsapple, J.S. *et al.* (2021) Low Intensity Shockwave Treatment Modulates Macrophage Functions Beneficial to Healing Chronic Wounds. <u>Int J Mol Sci. 22(15):7844.</u>
- 57. Galea, I. *et al.* (2022) Iron Deposition in the Brain After Aneurysmal Subarachnoid Hemorrhage. <u>Stroke. 53 (5): 1633-42.</u>
- 58. Bartalska, K. *et al.* (2022) A systematic characterization of microglia-like cell occurrence during retinal organoid differentiation. iScience. 25 (7): 104580.
- 59. Pooley, H.B. *et al.* (2022) Sheep vaccinated against paratuberculosis have increased levels of B cells infiltrating the intestinal tissue. <u>Vet Immunol Immunopathol. 252: 110482.</u>
- 60. Rabufetti, A. *et al.* (2022) New onset of sarcoidosis after COVID-19 infection. <u>J Eur</u> Acad Dermatol Venereol. 36 (10): e756-e759.
- 61. Vafaee, T. *et al.* (2022) Repopulation of decellularised porcine pulmonary valves in the right ventricular outflow tract of sheep: Role of macrophages. <u>J Tissue Eng. 13:</u> 20417314221102680.
- 62. Albrecht, E. *et al.* (2023) Identification and Quantification of Proliferating Cells in Skeletal Muscle of Glutamine Supplemented Low- and Normal-Birth-Weight Piglets <u>Cells.</u> 12 (4): 580.
- 63. Park, S.M. *et al.* (2023) Seven-colour multiplex immunochemistry/immunofluorescence and whole slide imaging of frozen sections. <u>J Immunol Methods</u>. 518: 113490.
- 64. Wu, H. *et al.* (2023) Electrical stimulation of piezoelectric BaTiO3 coated Ti6Al4V scaffolds promotes anti-inflammatory polarization of macrophages and bone repair via MAPK/JNK inhibition and OXPHOS activation. <u>Biomaterials. 293: 121990.</u>

- 65. Lin, C. *et al.* (2024) Macrophage-like rapid uptake and toxicity of tattoo ink in human monocytes. Immunology. 171 (3): 388-401.
- 66. Gabutti, M. *et al.* (2023) Dimethyl Fumarate Used as an Effective Treatment for Granuloma Annulare Disseminatum: An Immunohistochemical Case Study. <u>Int J Mol Sci.</u> 24 (17): 13355
- 67. White, K.S. *et al.* (2023) Simian immunodeficiency virus-infected rhesus macaques with AIDS co-develop cardiovascular pathology and encephalitis. <u>Front Immunol. 14:</u> 1240946.
- 68. Medina, J.P. *et al.* (2023) MSC therapy ameliorates experimental gouty arthritis hinting an early COX-2 induction. <u>Front Immunol. 14: 1193179.</u>
- 69. Bossart, S. *et al.* (2023) Canakinumab leads to rapid reduction of neutrophilic inflammation and long-lasting response in Schnitzler syndrome. Front Med (Lausanne). 10: 1050230.
- 70. Lehmann, M. *et al.* (2021) New onset of mainly guttate psoriasis after COVID-19 vaccination: a case report. <u>J Eur Acad Dermatol Venereol</u>. 35 (11): e752-e755.
- 71. Ruggiero, A.D. *et al.* (2023) Long-term dasatinib plus quercetin effects on aging outcomes and inflammation in nonhuman primates: implications for senolytic clinical trial design. <u>Geroscience</u>. 45 (5): 2785-803.
- 72. Yoshiba, N. *et al.* (2021) Laminin Isoforms in Human Dental Pulp: Lymphatic Vessels Express Laminin-332, and Schwann Cell-Associated Laminin-211 Modulates CD163 Expression of M2-like Macrophages. <u>Immunohorizons. 5 (12): 1008-20.</u>
- 73. Ahmed, A. *et al.* (2022) Tertiary lymphoid structures and their association to immune phenotypes and circulatory IL2 levels in pancreatic ductal adenocarcinoma.

 Oncoimmunology. 11 (1): 2027148.
- 74. Agulló-Ros, I. *et al.* (2025) Immunological mechanisms involved in the protection against development of pulmonary tuberculosis in naturally infected goats. <u>Vet Microbiol.</u> 300: 110320.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee

12 months from date of despatch

Acknowledgements

This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety
Information

Material Safety Datasheet documentation #10041 available at:
https://www.bio-rad-antibodies.com/SDS/MCA1853A488
10041

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL: Alexa Fluor® 488 (MCA928A488)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M437206:250310'

Printed on 26 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint