

Datasheet: MCA1870EL BATCH NUMBER 163599

| Description: | MOUSE ANTI HUMAN CD326:Low Endotoxin |
|---------------|--------------------------------------|
| Specificity: | CD326 |
| Other names: | Ep-CAM |
| Format: | Low Endotoxin |
| Product Type: | Monoclonal Antibody |
| Clone: | VU-1D9 |
| Isotype: | lgG1 |
| Quantity: | 0.5 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

| | | <u>cois</u> . | | | |
|----------------|---|---------------|----|----------------|--------------------|
| | | Yes | No | Not Determined | Suggested Dilution |
| | Flow Cytometry | - | | | 1/10 - 1/200 |
| | Immunohistology - Frozen | • | | | |
| | Immunohistology - Paraffin | - | | | |
| | (1) | - | | | |
| | ELISA | | | • | |
| | Immunoprecipitation | • | | | |
| | Western Blotting | • | | | |
| | a guide only. It is recommended that the user titrates the antibody for use in their or system using appropriate negative/positive controls. (1) This product requires protein digestion pre-treatment of paraffin sections trypsin or pronase. | | | | |
| Target Species | Human | | | | |
| Product Form | Purified IgG - liquid | | | | |
| | | | | | |

| Preservative Stabilisers | None present | |
|--------------------------------------|---|----------|
| Carrier Free | Yes | |
| Approx. Protein Concentrations | 1 mg/ml | |
| Immunogen | HG9 cell line (small cell lung carcinoma) | |
| External Database | UniProt: | |
| Links | P16422 Related reagents | |
| | Entrez Gene: | |
| | 4072 EPCAM Related reagents | |
| Synonyms | GA733-2, M1S2, M4S1, MIC18, TACSTD1, TROP1 | |
| RRID | AB_2098663 | |
| Fusion Partners | Spleen cells from immunised mice were fused with cells of the mouse SP2/0 myeloma ce line | əll |
| Specificity | Mouse anti Human CD326 antibody, clone VU-1D9 recognizes epithelial cell adhesion molecule (Ep-CAM), a ~34 kDa cell surface antigen otherwise known as CD326, MOC31 or Ber-EP4. CD326 is a type 1 transmembrane glycoprotein, expressed on the basolatera cell membrane of the majority of epithelial tissues, with the exception of adult squamous epithelium, hepatocytes and gastric epithelial cells. Ep-CAM expression has been reported to be a possible marker of early malignancy, with expression being increased in tumor cells. Ep-CAM expression has been reported to be a possible marker of early malignancy, with expression being increased in tumor cells. | al ed |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul. | |
| Histology Positive Control Tissue | Large Bowel | |
| References | Koga, Y. <i>et al.</i> (2008) Improved recovery of exfoliated colonocytes from feces using newly developed immunomagnetic beads. <u>Gastroenterol Res Pract. 2008: 605273.</u> Fillmore, C.M. <i>et al.</i> (2010) Estrogen expands breast cancer stem-like cells through paracrine FGF/Tbx3 signaling. <u>Proc Natl Acad Sci U S A. 107 (50): 21737-42.</u> Murakata, A. <i>et al.</i> (2011) Gene expression signature of the gross morphology in hepatocellular carcinoma. <u>Ann Surg. 253: 94-100.</u> Keller, P.J. <i>et al.</i> (2012) Defining the cellular precursors to human breast cancer. <u>Proc Natl Acad Sci U S A. 109 (8): 2772-7.</u> | |

| | Jeong, H.T. <i>et al.</i> (2012) MRI features of hepatocellular card progenitor cell markers. <u>Liver Int. 32: 430-40.</u> Armstrong, A.J. <i>et al.</i> (2019) Pharmacodynamic study of rac metastatic castration resistant prostate cancer. <u>PLoS One. 14</u> | dium-223 in men with bone |
|----------------------------------|---|---------------------------|
| Further Reading | 1. Winter, M.J. <i>et al.</i> (2003) The epithelial cell adhesion molec morphoregulatory molecule is a tool in surgical pathology. <u>Am</u> | () |
| Storage | Store at -20 ^o C only. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezer denature the antibody. Should this product contain a precipitat microcentrifugation before use. | • • • |
| Guarantee | 12 months from date of despatch | |
| Health And Safety Information | Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/MCA1870EL 10162 | : |
| Regulatory | For research purposes only | |

Related Products

Recommended Secondary Antibodies

| Rabbit Anti Mouse IgG (STAR12) | RPE | | |
|---|--|--|--|
| Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u> | | | |
| Goat Anti Mouse IgG (STAR76) | RPE | | |
| Rabbit Anti Mouse IgG (STAR13) | HRP | | |
| Goat Anti Mouse IgG (STAR70) | <u>FITC</u> | | |
| Goat Anti Mouse IgG (H/L) (STAR117) | Alk. Phos., DyLight®488, DyLight®550, | | |
| | DyLight®650, DyLight®680, DyLight®800, | | |
| | <u>FITC, HRP</u> | | |
| Rabbit Anti Mouse IgG (STAR9) | <u>FITC</u> | | |
| Goat Anti Mouse IgG (STAR77) | HRP | | |
| | | | |
| Goat Anti Mouse IgG (Fc) (STAR120) | <u> </u> | | |

MOUSE IgG1 NEGATIVE CONTROL:Low Endotoxin (MCA928EL)

| North & South | Tel: +1 800 265 7376 | /orldwide | Tel: +44 (0)1865 852 700 | Europe | Tel: +49 (0) 89 8090 95 21 |
|---------------|-------------------------------------|-----------|----------------------------------|--------|--------------------------------------|
| America | Fax: +1 919 878 3751 | | Fax: +44 (0)1865 852 739 | | Fax: +49 (0) 89 8090 95 50 |
| | Email: antibody_sales_us@bio-rad.co | om | Email: antibody_sales_uk@bio-rac | l.com | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M405429:220916'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint