

Datasheet: MCA1870PE

Description:	MOUSE ANTI HUMAN CD326:RPE
Specificity:	CD326
Other names:	Ep-CAM
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	VU-1D9
lsotype:	lgG1
Quantity:	100 TESTS

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes No	Not Determined	Suggested Dilution			
	Flow Cytometry	•		Neat - 1/10			
	Where this product has not been tested for use in a particular technique this does necessarily exclude its use in such procedures. Suggested working dilutions are gi a guide only. It is recommended that the user titrates the product for use in their ow system using appropriate negative/positive controls.						
Target Species	Human						
Product Form	Purified IgG conjuga	ted to R. Phycoerythrii	n (RPE) - Iyophilized				
Reconstitution	Reconstitute with 1.0 ml distilled water Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution						
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)				
	RPE 488nm laser	496	578				
	RPE 561nm laser	546	578				
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant						
Buffer Solution	Phosphate buffered	saline					

Preservative Stabilisers	0.09% sodium azide (NaN ₃) 1% bovine serum albumin 5% sucrose
Immunogen	HG9 cell line (small cell lung carcinoma)
External Database Links	UniProt: <u>P16422</u> <u>Related reagents</u> Entrez Gene: 4072 EDCAM - Delated reagents
Superior	
Synonyms	GA733-2, M1S2, M4S1, MIC18, TACSTD1, TROP1
Fusion Partners	Spleen cells from immunized mice were fused with cells of the mouse SP2/0 myeloma cell line
Specificity	Mouse anti Human CD326 antibody, clone VU-1D9 recognizes epithelial cell adhesion molecule (Ep-CAM), a ~34 kDa cell surface antigen otherwise known as CD326, MOC31 or Ber-EP4. CD326 is a type 1 transmembrane glycoprotein, expressed on the basolateral cell membrane of the majority of epithelial tissues, with the exception of adult squamous epithelium, hepatocytes and gastric epithelial cells. Ep-CAM expression has been reported to be a possible marker of early malignancy, with expression being increased in tumor cells.
	Ep-CAM expression has been reported to be a possible marker of early malignancy, with expression being increased in tumor cells, and <i>de novo</i> expression being seen in dysplastic squamous epithelium.
	Mouse anti Human CD326 antibody, clone VU-1D9, has been validated for use on the <u>Genesis Cell Isolation System with the CelSelect SlideTM technology</u> .
Flow Cytometry	Use 10µl of the suggested working dilution to label $1x10^6$ cells in $100µl$
References	 Koga, Y. <i>et al.</i> (2008) Improved recovery of exfoliated colonocytes from feces using newly developed immunomagnetic beads. <u>Gastroenterol Res Pract. 2008: 605273.</u> Fillmore, C.M. <i>et al.</i> (2010) Estrogen expands breast cancer stem-like cells through paracrine FGF/Tbx3 signaling. <u>Proc Natl Acad Sci U S A. 107 (50): 21737-42.</u> Murakata, A. <i>et al.</i> (2011) Gene expression signature of the gross morphology in hepatocellular carcinoma. <u>Ann Surg. 253: 94-100.</u> Keller, P.J. <i>et al.</i> (2012) Defining the cellular precursors to human breast cancer. <u>Proc Natl Acad Sci U S A. 109 (8): 2772-7.</u> Jeong, H.T. <i>et al.</i> (2012) MRI features of hepatocellular carcinoma expressing progenitor cell markers. <u>Liver Int. 32: 430-40.</u> Armstrong, A.J. <i>et al.</i> (2019) Pharmacodynamic study of radium-223 in men with bone metastatic castration resistant prostate cancer. <u>PLoS One. 14 (5): e0216934.</u>

Further Reading	1. Winter, M.J. <i>et al.</i> (2003) The epithelial cell adhesion molecule (Ep-CAM) as a morphoregulatory molecule is a tool in surgical pathology. <u>Am J Pathol. 163 (6): 2139-48.</u>
Storage	This product is shipped at ambient temperature. Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/MCA1870PE 20487
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-	rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M440288:250523'

Printed on 24 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint