

Datasheet: MCA1896 BATCH NUMBER 180727

Description:MOUSE ANTI DOGSpecificity:IgEFormat:Purified		
	lgE	
Format: Purified		
Product Type: Monoclonal Antibody	Monoclonal Antibody	
Clone: E6-71A1		
Isotype: IgG1		
Quantity: 0.25 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Western Blotting	-			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Dog
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.05% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml

Immunogen Affinity purified IgE preparation from heavily parasitized and allergic dog serum. RRID AB_10612236 Specificity Mouse anti Dog IgE antibody, clone E6-71A1 recognises canine IgE. E6-2A1 does not cross react with dog IgM, IgA, IgG1 or IgG2. Western blot analysis against affinity purified dog IgE using Mouse anti Dog IgE clone E6-71A1 demonstrates a single major band of ~62-65 kDa under reducing conditions. Western Blotting Under reducing conditions MCA1896 detects a band of approximately 62-65 kDa in samples of affinity purified dog IgE. References 1. Ognjenovic, J. et al. (2013) Immunoproteomic characterization of Ambrosia artemistifiolia pollen allergens in canine atopic dermatitis. Vet Immunol Immunopathol. 155: 38-47. 2. Martins, L.M. et al. (2017) Allergy to grass pollen: mapping of Dactylis glomerata and Phleum pratense allergens for dogs by two-dimensional immunoblotting. Postepy Dermatol Alergol. 34 (1): 60-9. Storage Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Health And Safety Information Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1896 Hood Of The Safety Datasheet documentation #10040 This product parting the product particles are product particles		
Specificity Mouse anti Dog IgE antibody, clone E6-71A1 recognises canine IgE. E6-2A1 does not cross react with dog IgM, IgA, IgG1 or IgG2. Western blot analysis against affinity purified dog IgE using Mouse anti Dog IgE clone E6-71A1 demonstrates a single major band of ~62-65 kDa under reducing conditions. Western Blotting Under reducing conditions MCA1896 detects a band of approximately 62-65 kDa in samples of affinity purified dog IgE. References 1. Ognjenovic, J. et al. (2013) Immunoproteomic characterization of Ambrosia artemisiifolia pollen allergens in canine atopic dermatitis. Vet Immunol Immunopathol. 155: 38-47. 2. Martins, L.M. et al. (2017) Allergy to grass pollen: mapping of Dactylis glomerata and Phleum pratense allergens for dogs by two-dimensional immunoblotting. Postepy Dermatol Alergol. 34 (1): 60-9. Storage Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1896 10040	Immunogen	Affinity purified IgE preparation from heavily parasitized and allergic dog serum.
cross react with dog IgM, IgA, IgG1 or IgG2. Western blot analysis against affinity purified dog IgE using Mouse anti Dog IgE clone E6-71A1 demonstrates a single major band of ~62-65 kDa under reducing conditions. Western Blotting Under reducing conditions MCA1896 detects a band of approximately 62-65 kDa in samples of affinity purified dog IgE. References 1. Ognjenovic, J. et al. (2013) Immunoproteomic characterization of Ambrosia artemisiifolia pollen allergens in canine atopic dermatitis. Vet Immunol Immunopathol. 155: 38-47. 2. Martins, L.M. et al. (2017) Allergy to grass pollen: mapping of Dactylis glomerata and Phleum pratense allergens for dogs by two-dimensional immunoblotting. Postepy Dermatol Alergol. 34 (1): 60-9. Storage Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1896	RRID	AB_10612236
References 1. Ognjenovic, J. et al. (2013) Immunoproteomic characterization of Ambrosia artemisiifolia pollen allergens in canine atopic dermatitis. Vet Immunol Immunopathol. 155: 38-47. 2. Martins, L.M. et al. (2017) Allergy to grass pollen: mapping of Dactylis glomerata and Phleum pratense allergens for dogs by two-dimensional immunoblotting. Postepy. Dermatol Alergol. 34 (1): 60-9. Storage Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1896	Specificity	cross react with dog IgM, IgA, IgG1 or IgG2. Western blot analysis against affinity purified dog IgE using Mouse anti Dog IgE clone E6-71A1 demonstrates a single major band of
artemisiifolia pollen allergens in canine atopic dermatitis. Vet Immunol Immunopathol. 155: 38-47. 2. Martins, L.M. et al. (2017) Allergy to grass pollen: mapping of Dactylis glomerata and Phleum pratense allergens for dogs by two-dimensional immunoblotting. Postepy Dermatol Alergol. 34 (1): 60-9. Storage Store at +4°C or at -20°C if preferred. This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1896 10040	Western Blotting	
This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1896 10040	References	 artemisiifolia pollen allergens in canine atopic dermatitis. Vet Immunol Immunopathol. 155: 38-47. 2. Martins, L.M. et al. (2017) Allergy to grass pollen: mapping of Dactylis glomerata and Phleum pratense allergens for dogs by two-dimensional immunoblotting. Postepy
Health And Safety Information Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1896 10040	Storage	This product should be stored undiluted. Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we
Information https://www.bio-rad-antibodies.com/SDS/MCA1896 10040	Guarantee	12 months from date of despatch
Regulatory For research purposes only		https://www.bio-rad-antibodies.com/SDS/MCA1896
	Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

HRP

Goat Anti Mouse IgG (STAR76...)

RPE

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...)

Alk. Phos., DyLight®488, DyLight®550, DyLight®680, DyLight®800, FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...)

HRP

Goat Anti Mouse IgG (Fc) (STAR120...)

FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M365866:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint