

## Datasheet: MCA1899PE

<b>Description:</b>	MOUSE ANTI HORSE PAN B-CELLS:RPE
<b>Specificity:</b>	PAN B-CELLS
<b>Format:</b>	RPE
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	CVS36
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	100 TESTS

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat
ELISA	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Horse		
<b>Product Form</b>	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized		
<b>Reconstitution</b>	Reconstitute with 1.0 ml distilled water		
<b>Max Ex/Em</b>	<b>Fluorophore</b>	<b>Excitation Max (nm)</b>	<b>Emission Max (nm)</b>
	RPE 488nm laser	496	578
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant		
<b>Buffer Solution</b>	Phosphate buffered saline		
<b>Preservative</b>	0.09% Sodium Azide (NaN <sub>3</sub> )		
<b>Stabilisers</b>	1% Bovine Serum Albumin		
	5% Sucrose		

<b>Immunogen</b>	Purified Equine Ig.
<b>Fusion Partners</b>	Spleen cells from immunised Balb/c mice were fused with cells of the X63-Ag8.653 myeloma cell line.
<b>Specificity</b>	<p><b>Mouse anti Horse Pan B-Cells, clone CVS36</b> is a monoclonal antibody directed against equine Ig light chains. Characterization studies demonstrated that clone CVS36 bound 100% of CD5-ve peripheral blood lymphocytes and recognized all equine B-cells (<a href="#">Lunn et al. 1998</a>) As the antigen recognized by clone CVS36 appears to be present on the surface of all equine B-cells it is therefore is a reagent that can be used as a pan B-cell marker for domestic horses (<a href="#">Breathnach et al. 2005</a>).</p> <p>Specific anti equine reagents have yet to be fully characterized for the typically recognized B-cell makers such as CD19, CD20, CD21, CD22 and CD79. While testing has demonstrated the cross reactivity of some monoclonal B-cell markers raised against other species with equine B cells, such as the Mouse anti Human CD79a antibody, (<a href="#">clone HM57</a>), an overview of which may be found in the report of the second equine leucocyte antigen workshop (<a href="#">Lunn et al. 1998</a>).</p> <p>With specificity for equine Ig light chains, clone CVS36 may be used to detect all equine immunoglobulin classes and subclasses in ELISA applications (<a href="#">Lunn et al. 1998</a>).</p>
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul
<b>References</b>	<ol style="list-style-type: none"> <li>Schneider, R. (2010) Analysis of antibody subtypes and T lymphocyte activation following vaccination of healthy foals against West Nile Virus <a href="#">In M.Sc thesis University of Pennsylvania. Chapter 3. p.34-45</a></li> <li>Lunn, D.P. <i>et al.</i> (1998) Report of the Second Equine Leucocyte Antigen Workshop, Squaw valley, California, July 1995. <a href="#">Vet Immunol Immunopathol. 62 (2): 101-43.</a></li> <li>Umlauf, C. (2004) Herstellung und Charakterisierung monoklonaler Antikörper gegen equine Leukozyten <a href="#">In Phd thesis Ludwig-Maximilians-Universität München</a></li> <li>Tomlinson, J.E. <i>et al.</i> (2018) Multispectral fluorescence-activated cell sorting of B and T cell subpopulations from equine peripheral blood. <a href="#">Vet Immunol Immunopathol. 199: 22-31.</a></li> </ol>
<b>Further Reading</b>	<ol style="list-style-type: none"> <li>Lunn, D.P. <i>et al.</i> (1991) Three monoclonal antibodies identifying antigens on all equine T lymphocytes, and two mutually exclusive T-lymphocyte subsets. <a href="#">Immunology. 74 (2): 251-7.</a></li> <li>Sheoran, A.S. <i>et al.</i> (1998) Monoclonal antibodies to subclass-specific antigenic determinants on equine immunoglobulin gamma chains and their characterization. <a href="#">Vet Immunol Immunopathol. 62 (2): 153-65.</a></li> </ol>
<b>Storage</b>	<p>Prior to reconstitution store at +4°C.</p> <p>After reconstitution store at +4°C.</p> <p>DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light.</p>
<b>Guarantee</b>	12 months from date of despatch

**Health And Safety  
Information**

Material Safety Datasheet documentation #20487 available at:  
20487: <https://www.bio-rad-antibodies.com/uploads/MSDS/20487.pdf>

---

**Regulatory**

For research purposes only

---

**North & South  
America** Tel: +1 800 265 7376  
Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700  
Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21  
Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M375384:210104'

**Printed on 06 Jan 2022**

---

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)