

Datasheet: MCA19 BATCH NUMBER 154374

Description:	MOUSE ANTI hCG (BETA 1 EPITOPE)
Specificity:	hCG (BETA 1 EPITOPE)
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	INN-hCG-2
Isotype:	lgG1
Quantity:	0.5 mg

Product Details

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen			-	
Immunohistology - Paraffin				
ELISA	-			
Immunoprecipitation			•	
Western Blotting			•	
Radioimmunoassays	-			
Immunoassay	-			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide

Carrier Free	Yes
Approx. Protein Concentrations	Ig concentration 1.0 mg/ml
Immunogen	hCG.
External Database	
Links	UniProt:
	P01233 Related reagents
	Entrez Gene:
	1082 CGB Related reagents
Synonyms	CGB3
RRID	AB_2260450
Fusion Partners	Spleen cells from an immunised BALB/c mouse were fused with the mouse P3-NS1/1 - Ag 4.1 myeloma cell line.
Specificity	Mouse anti hCG antibody, clone INN-hCG-2 recognizes the beta 1 epitope on human chorionic gonadotrophin (hCG).
	Chorionic gonadotrophin is a member of the glycoprotein hormone family that is synthesized by the placenta throughout pregnancy. The glycoprotein hormone family has 4 members, the other three being luteinising hormone (LH), follicle stimulating hormone (FSH) and thyroid stimulating hormone (TSH). All consist of two subunits, alpha and beta. The alpha subunit is highly homologous between family members.
	Mouse anti hCG antibody, clone INN-hCG-2 is reactive with hCG, hCGbeta, hCGbetacf (fragment), hCGn (nicked), hCGbetan, and CTP-hCG. No cross reaction is observed with hLH, hLHbeta, hFSH, hTSH, or the glycoprotein hormone alpha chains.
References	 Kofler, R. <i>et al.</i> (1982) Monoclonal antibodies against human chorionic gonadotropin (hCG): I. production, specificity, and intramolecular binding sites. <u>Am J Reprod Immunol. 2</u> (4): 212-6. Reprod La cl. (1002) Variante of human choriania gonadetropin from program unemper transport sites.
	2. Berger, P. <i>et al.</i> (1993) Variants of human chorionic gonadotropin from pregnant women and tumor patients recognized by monoclonal antibodies. <u>J Clin Endocrinol Metab. 77 (2):</u> <u>347-51.</u>
	3. Zimmermann, G. <i>et al.</i> (2009) Zimmermann G, Ackermann W, Alexander H. Epithelial human chorionic Epithelial human chorionic gonadotropin is expressed and produced in human secretory endometrium during the normal menstrual cycle. Biol Reprod. 2009 May;80(5):1053-65. Epub 2009 Jan 21. PubMed PMID: 19164178. <u>Biol Reprod.</u> 80:1053-65.
	4. Zimmermann, G. <i>et al.</i> (2003) Expression of beta hCG and alpha CG mRNA and hCG hormone in human decidual tissue in patients during tubal pregnancy. <u>Mol Hum Reprod. 9:</u> 81-9.

	 5. Charrel-Dennis, M. <i>et al.</i> (2005) The human chorionic gonac glutamic acid substitution fixes the conformation of the C-termining <u>19: 1803-11.</u> 6. Schwalenberg, T. <i>et al.</i> (2012) Enhanced urothelial expressing gonadotropin beta (hCGβ) in bladder pain syndrome/interstitial <u>Urol. 30 (3): 411-7.</u> 	nal peptide. <u>Mol Endocrinol.</u> on of human chorionic
Storage	Store at +4 ^o C. DO NOT FREEZE. This product should be stored undiluted. Should this product co recommend microcentrifugation before use.	ontain a precipitate we
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA19 10040	
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12)	RPE		
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>			
Goat Anti Mouse IgG (STAR76)	RPE		
Rabbit Anti Mouse IgG (STAR13)	HRP		
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>		
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,		
	DyLight®650, DyLight®680, DyLight®800,		
	FITC, HRP		
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>		
Goat Anti Mouse IgG (STAR77)	HRP		
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP		

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rac	l.com	Email: antibody_sales_uk@bio-rac	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M365880:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint