

## Datasheet: MCA19

Description:	MOUSE ANTI hCG (BETA 1 EPITOPE)
Specificity:	hCG (BETA 1 EPITOPE)
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	INN-hCG-2
Isotype:	lgG1
Quantity:	0.5 mg

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry		•		
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting				
Radioimmunoassays				
Immunoassay				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide

Carrier Free	Yes
Approx. Protein Concentrations	lg concentration 1.0 mg/ml
Immunogen	hCG.
External Database Links	UniProt: P01233 Related reagents  Entrez Gene: 1082 CGB Related reagents
Synonyms	CGB3
RRID	AB_2260450
Fusion Partners	Spleen cells from an immunised BALB/c mouse were fused with the mouse P3-NS1/1 - Ag 4.1 myeloma cell line.
Specificity	Mouse anti hCG antibody, clone INN-hCG-2 recognizes the beta 1 epitope on human chorionic gonadotrophin (hCG).  Chorionic gonadotrophin is a member of the glycoprotein hormone family that is synthesized by the placenta throughout pregnancy. The glycoprotein hormone family has 4 members, the other three being luteinising hormone (LH), follicle stimulating hormone (FSH) and thyroid stimulating hormone (TSH). All consist of two subunits, alpha and beta. The alpha subunit is highly homologous between family members.  Mouse anti hCG antibody, clone INN-hCG-2 is reactive with hCG, hCGbeta, hCGbetacf (fragment), hCGn (nicked), hCGbetan, and CTP-hCG. No cross reaction is observed with hLH, hLHbeta, hFSH, hTSH, or the glycoprotein hormone alpha chains.
References	<ol> <li>Kofler, R. <i>et al.</i> (1982) Monoclonal antibodies against human chorionic gonadotropin (hCG): I. production, specificity, and intramolecular binding sites. Am J Reprod Immunol. 2 (4): 212-6.</li> <li>Berger, P. <i>et al.</i> (1993) Variants of human chorionic gonadotropin from pregnant women and tumor patients recognized by monoclonal antibodies. J Clin Endocrinol Metab. 77 (2): 347-51.</li> <li>Zimmermann, G. <i>et al.</i> (2009) Zimmermann G, Ackermann W, Alexander H. Epithelial human chorionic Epithelial human chorionic gonadotropin is expressed and produced in human secretory endometrium during the normal menstrual cycle. Biol Reprod. 2009 May;80(5):1053-65. Epub 2009 Jan 21. PubMed PMID: 19164178. Biol Reprod. 80:1053-65.</li> </ol>

<u>81-9.</u>

4. Zimmermann, G. *et al.* (2003) Expression of beta hCG and alpha CG mRNA and hCG hormone in human decidual tissue in patients during tubal pregnancy. <u>Mol Hum Reprod. 9:</u>

5. Charrel-Dennis, M. *et al.* (2005) The human chorionic gonadotropin-beta arginine68 to glutamic acid substitution fixes the conformation of the C-terminal peptide. <u>Mol Endocrinol.</u> 19: 1803-11.

6. Schwalenberg, T. *et al.* (2012) Enhanced urothelial expression of human chorionic gonadotropin beta (hCG $\beta$ ) in bladder pain syndrome/interstitial cystitis (BPS/IC). World J Urol. 30 (3): 411-7.

Storage Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted. Should this product contain a precipitate we

recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Material Safety Datasheet documentation #10040 available at:

Information 10040: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a>

**Regulatory** For research purposes only

## Related Products

### **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (STAR77...) <u>HRP</u>

Rabbit Anti Mouse IgG (STAR12...) RPE

Rabbit Anti Mouse IgG (STAR8...) DyLight®800

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

Goat Anti Mouse IgG (STAR70...) FITC

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

# **Recommended Negative Controls**

## MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M365880:200529'

#### Printed on 17 Sep 2021