Datasheet: MCA190 BATCH NUMBER 148513

Description:	MOUSE ANTI RAT IgD		
Specificity:	IgD		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	MARD-3		
Isotype:	lgG1		
Quantity:	0.25 mg		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry			•		
	Immunohistology - Frozen	-				
	Immunohistology - Paraffin			•		
	ELISA	-				
	Immunoprecipitation			•		
	Western Blotting			•		
	Where this antibody has	not been	tested for	use in a particular tec	hnique this does not	
	necessarily exclude its us the antibody for use in th		•			
Target Species	Rat					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by	affinity ch	romatogra	aphy from tissue cultu	re supernatant	
Buffer Solution	Phosphate buffered salin	е				
Preservative Stabilisers	0.1% Sodium Azide					
Approx. Protein Concentrations	IgG concentration 1 mg/r	nl				

Immunogen IR731 myeloma protein.

External Database Links	UniProt: P01883 Related reagents Entrez Gene: 641523 LOC641523 <u>Related reagents</u>			
RRID	AB_322200			
Fusion Partners	Spleen cells from an immunized BALB/c mouse were fused with cells of the mouse SP2/0 myeloma cell line.			
Specificity	Mouse anti Rat IgD antibody, clone MARD-3 recognizes rat IgD, and does not cross-react with other rat immunoglobulin classes.			
ELISA	This antibody may be used as a coating antibody in a sandwich ELISA in combination with clone MARK-1/MARL-15 (Product code MCA1296P) as detection reagent.			
References	 Bazin, H. <i>et al.</i> (1978) Transplantable IgD immunoglobulin-secreting tumors in rat. J Immunol. 121 (5): 2077-82. Bazin, H. <i>et al.</i> (1974) Three classes and four (sub)classes of rat immunoglobulins: IgM, IgA, IgE and IgG1, IgG2a, IgG2b, IgG2c. Eur J Immunol. 4 (1): 44-8. Westermann, J. <i>et al.</i> (2005) Naive, effector, and memory T lymphocytes efficiently scan dendritic cells in vivo: contact frequency in T cell zones of secondary lymphoid organs does not depend on LFA-1 expression and facilitates survival of effector T cells. J Immunol. 174: 2517-24. FrancoSalinas, G. <i>et al.</i> (2011) TNF blockade abrogates the induction of T cell-dependent humoral responses in an allotransplantation model. J Leukoc Biol. 90 (2): 367-75. Zonneveld-Huijssoon, E. <i>et al.</i> (2011) Bystander suppression of experimental arthritis by nasal administration of a heat shock protein peptide. Ann Rheum Dis. 70: 2199-206. Shin, J. <i>et al.</i> (2015) Development and pharmacological validation of novel methods of B cell activation in rat whole blood. J Pharmacol Toxicol Methods. 71: 61-7. Bézie, S. <i>et al.</i> (2015) Compensatory Regulatory Networks between CD8 T, B, and Myeloid Cells in Organ Transplantation Tolerance. J Immunol. 195 (12): 5805-15. Hendricks, J. <i>et al.</i> (2019) The formation of mutated IgM memory B cells in rat splenic marginal zones is an antigen dependent process. PLoS One. 14 (9): e0220933. 			
Storage	Store at +4°C for one month or at -20°C for longer.			
	This product should be stored undiluted. Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.			

Health And Safety Material Safety Datasheet documentation #10040 available a Information https://www.bio.rod.aptibodios.com/SDS/MCA100
Information <u>https://www.bio-rad-antibodies.com/SDS/MCA190</u> 10040
Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12)	RPE	
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>	
Goat Anti Mouse IgG (STAR76)	RPE	
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>	
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,	
	DyLight®650, DyLight®680, DyLight®800,	
	<u>FITC, HRP</u>	
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>	
Goat Anti Mouse IgG (STAR77)	HRP	
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP	
Rabbit Anti Mouse IgG (STAR13)	HRP	
North & South Tel: +1 800 265 7376 Worldwid	de Tel: +44 (0)1865 852 700 Europe Te	el: +49 (0) 89 8090 95 21
America Fax: +1 919 878 3751		ax: +49 (0) 89 8090 95 50
Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-rad.com E	mail: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M365881:200529'

Printed on 07 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint