

## Datasheet: MCA190

<b>Description:</b>	MOUSE ANTI RAT IgD
<b>Specificity:</b>	IgD
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	MARD-3
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.25 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting			▪	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Rat
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.1% Sodium Azide
<b>Approx. Protein Concentrations</b>	IgG concentration 1 mg/ml
<b>Immunogen</b>	IR731 myeloma protein.

**External Database  
Links**

**UniProt:**

[P01883](#)    [Related reagents](#)

**Entrez Gene:**

[641523](#)    LOC641523    [Related reagents](#)

---

**RRID**

AB\_322200

---

**Fusion Partners**

Spleen cells from an immunized BALB/c mouse were fused with cells of the mouse SP2/0 myeloma cell line.

---

**Specificity**

**Mouse anti Rat IgD antibody, clone MARD-3** recognizes rat IgD, and does not cross-react with other rat immunoglobulin classes.

---

**ELISA**

This antibody may be used as a coating antibody in a sandwich ELISA in combination with clone MARK-1/MARL-15 (Product code MCA1296P) as detection reagent.

---

**References**

1. Bazin, H. *et al.* (1978) Transplantable IgD immunoglobulin-secreting tumors in rat. [J Immunol. 121 \(5\): 2077-82.](#)
2. Bazin, H. *et al.* (1974) Three classes and four (sub)classes of rat immunoglobulins: IgM, IgA, IgE and IgG1, IgG2a, IgG2b, IgG2c. [Eur J Immunol. 4 \(1\): 44-8.](#)
3. Westermann, J. *et al.* (2005) Naive, effector, and memory T lymphocytes efficiently scan dendritic cells in vivo: contact frequency in T cell zones of secondary lymphoid organs does not depend on LFA-1 expression and facilitates survival of effector T cells. [J Immunol. 174: 2517-24.](#)
4. FrancoSalinas, G. *et al.* (2011) TNF blockade abrogates the induction of T cell-dependent humoral responses in an allotransplantation model. [J Leukoc Biol. 90 \(2\): 367-75.](#)
5. Zonneveld-Huijssoon, E. *et al.* (2011) Bystander suppression of experimental arthritis by nasal administration of a heat shock protein peptide. [Ann Rheum Dis. 70: 2199-206.](#)
6. Shin, J. *et al.* (2015) Development and pharmacological validation of novel methods of B cell activation in rat whole blood. [J Pharmacol Toxicol Methods. 71: 61-7.](#)
7. Bézie, S. *et al.* (2015) Compensatory Regulatory Networks between CD8 T, B, and Myeloid Cells in Organ Transplantation Tolerance. [J Immunol. 195 \(12\): 5805-15.](#)
8. Hendricks, J. *et al.* (2019) The formation of mutated IgM memory B cells in rat splenic marginal zones is an antigen dependent process. [PLoS One. 14 \(9\): e0220933.](#)

---

**Storage**

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee**

12 months from date of despatch

---

**Health And Safety**

Material Safety Datasheet documentation #10040 available at:

**Information** 10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR8...)	<a href="#">DyLight®800</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">Alk. Phos.</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight®488</a> , <a href="#">DyLight®680</a> , <a href="#">DyLight®800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA1209\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M383303:210513'

Printed on 21 Mar 2022