Datasheet: MCA1901GA BATCH NUMBER 168392

Description:	MOUSE ANTI HORSE IgGb
Specificity:	lgGb
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	CVS39
lsotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry			•		
	Immunohistology - Frozen					
	Immunohistology - Paraffin					
	ELISA				1/5000 - 1/50000	
	Immunoprecipitation			•		
	Western Blotting			•		
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Horse					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant					
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.09% sodium azide (NaN ₃)					
Carrier Free	Yes					

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Purified equine IgGb.
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the mouse X63-Ag8.653 myeloma cell line.
Specificity	Mouse anti Horse IgGb antibody, clone CVS39 recognizes equine IgGb, also known as equine IgG4/7 (Keggan <i>et al.</i> 2013), and shows no significant binding to other IgG subclasses. Equine IgGb is an immunologlobulin with a molecular weight (MW) of approximately 160kDa, the MW of the light chain being 27kDa, common to all equine IgG subclasses, while the heavy chain has a MW of 53kDa, specific to IgGb (Sheoran <i>et al.</i> 1998). Equine IgGb has been demonstrated to be involved in long lasting immunity following respiratory-related viral infections such as Equine Herpes virus Type 4 (EHV-4) (Mizukoshi <i>et al.</i> 2002) and Equine Influenza (Soboll <i>et al.</i> 2003).
	In addition to Mouse anti Horse IgGb, clone CVS39, Bio-Rad also offer a range of other monoclonal and polyclonal antibodies that are specific to equine immunoglobulin classes and subclasses.
References	 Sheoran, A.S. <i>et al.</i> (1998) Monoclonal antibodies to subclass-specific antigenic determinants on equine immunoglobulin gamma chains and their characterization. <u>Vet</u> <u>Immunol Immunopathol. 62 (2): 153-65.</u> Lewis, M.J. <i>et al.</i> (2008) The different effector function capabilities of the seven equine IgG subclasses have implications for vaccine strategies. <u>Mol Immunol. 45 (3): 818-27.</u> Keggan, A. <i>et al</i> (2013) Production of seven monoclonal equine immunoglobulins isotyped by multiplex analysis <u>Vet Immunol Immunopathol.153(3-4):187-93</u> Palm, A.E. <i>et al.</i> (2016) Secretory immunoglobulin A and immunoglobulin G in horse saliva. <u>Vet Immunol Immunopathol. 180: 59-65.</u>
Further Reading	 Mizukoski, F. <i>et al</i> (2002) IgG antibody subclass response against equine herpesvirus type 4 in horses. <u>Vet Immunol Immunopathol. 88(1-2):97-101.</u> Soboll, G. <i>et al</i> (2003) Regional antibody and cellular immune responses to equine influenza virus infection, and particle mediated DNA vaccination. <u>Vet Immunol</u> <u>Immunopathol. 94(1-2):47-62.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA1901GA

	10040	
Regulato	ry For research p	urposes only
Relate	d Products	
Recomm	nended Secondary Antik	odies
Rabbit A	nti Mouse IgG (STAR12)	RPE
Goat Ant	i Mouse IgG IgA IgM (STAR	37) <u>HRP</u>
Goat Ant	i Mouse IgG (STAR76)	RPE
Goat Ant	i Mouse IgG (STAR70)	<u>FITC</u>
Goat Ant	i Mouse IgG (H/L) (STAR117) <u>Alk. Phos.</u> , <u>DyLight®488</u> , <u>DyLight®550</u> , <u>DyLight®650</u> , <u>DyLight®680</u> , <u>DyLight®800</u> , <u>FITC</u> , <u>HRP</u>
Rabbit A	nti Mouse IgG (STAR13)	HRP
Goat Ant	i Mouse IgG (Fc) (STAR120) <u>FITC</u> , <u>HRP</u>
Rabbit A	nti Mouse IgG (STAR9)	FITC
Goat Ant	i Mouse IgG (STAR77)	HRP
Recom	nended Useful Reagents	
PURIFIED	HORSE IgG (PEP001)	
orth & South nerica	Tel: +1 800 265 7376 Wo Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Idwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M411995:221109'

Printed on 12 Sep 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint