

Datasheet: MCA1902GA

| | |
|----------------------|-----------------------|
| Description: | MOUSE ANTI HORSE IgGa |
| Specificity: | IgGa |
| Other names: | IgG1 |
| Format: | Purified |
| Product Type: | Monoclonal Antibody |
| Clone: | CVS48 |
| Isotype: | IgG1 |
| Quantity: | 0.1 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | ▪ | | | |
| Immunohistology - Frozen | | | ▪ | |
| Immunohistology - Paraffin | | | ▪ | |
| ELISA | ▪ | | | |
| Immunoprecipitation | | | ▪ | |
| Western Blotting | | | ▪ | |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

| | |
|---------------------------------|-----------------------------------------------------------------------------------------------|
| Target Species | Horse |
| Product Form | Purified IgG - liquid |
| Preparation | Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant |
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) |
| Carrier Free | Yes |

| | |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml |
| Immunogen | Purified equine IgGa. |
| Fusion Partners | Spleen cells from immunized Balb/c mice were fused with cells of the mouse X63-Ag8.653 myeloma cell line. |
| Specificity | <p>Mouse anti Horse IgGa antibody, clone CVS48 recognizes equine IgGa, also known as IgG1 (Lewis et al. 2008) and shows no significant binding to other IgG sub-classes.</p> <p>In addition to Mouse anti Horse IgGa antibody, clone CVS48, we also offer a range of other monoclonal and polyclonal antibodies that are specific to equine immunoglobulins.</p> |
| ELISA | This product is suitable for use in indirect ELISA applications. |
| References | <ol style="list-style-type: none"> 1. Sheoran, A. S. <i>et al.</i> (1998) Monoclonal antibodies to subclass-specific antigenic determinants on equine immunoglobulin gamma chains and their characterization. Vet. Immunol. Immunopathol. 62: 153-165. 2. Lewis, M. J. <i>et al.</i> (2008) The different effector function capabilities of the seven equine IgG subclasses have implications for vaccine strategies. Mol. Immunol. 45: 818-827. 3. Lunn, D.P. <i>et al.</i> (1998) Report of the Second Equine Leucocyte Antigen Workshop, Squaw valley, California, July 1995. Vet Immunol Immunopathol. 62: 101-143 4. Cohen, N.D. <i>et al.</i> (2020) Vaccination of yearling horses against poly-N-acetyl glucosamine fails to protect against infection with <i>Streptococcus equi</i> subspecies <i>equi</i>. PLoS One. 15 (10): e0240479. |
| Storage | <p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p> |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

| | |
|-----------------------------------|-----------------------------|
| Goat Anti Mouse IgG (STAR77...) | HRP |
| Rabbit Anti Mouse IgG (STAR12...) | RPE |
| Rabbit Anti Mouse IgG (STAR8...) | DyLight®800 |
| Goat Anti Mouse IgG (STAR76...) | RPE |

Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®680](#),
[DyLight®800](#), [FITC](#), [HRP](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)

Recommended Useful Reagents

[LYNX RAPID HRP ANTIBODY CONJUGATION KIT \(LNK001P\)](#)
[LYNX RAPID HRP ANTIBODY CONJUGATION KIT \(LNK002P\)](#)
[LYNX RAPID HRP ANTIBODY CONJUGATION KIT \(LNK003P\)](#)
[LYNX RAPID HRP ANTIBODY CONJUGATION KIT \(LNK004P\)](#)
[LYNX RAPID HRP ANTIBODY CONJUGATION KIT \(LNK005P\)](#)
[LYNX RAPID HRP ANTIBODY CONJUGATION KIT \(LNK006P\)](#)

| | | | | | |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| North & South America | Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com | Worldwide | Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com | Europe | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M383141:210513'

Printed on 29 Aug 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)