

Datasheet: MCA1924

**BATCH NUMBER 153284**

<b>Description:</b>	MOUSE ANTI SHEEP GM-CSF
<b>Specificity:</b>	GM-CSF
<b>Other names:</b>	GRANULOCYTE MACROPHAGE COLONY STIMULATING FACTOR
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	3C2
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.5 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Sheep
<b>Species Cross Reactivity</b>	<p>Reacts with: Bovine</p> <p><b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture

supernatant

---

**Buffer Solution** Phosphate buffered saline

---

**Preservative Stabilisers** 0.09% Sodium Azide

---

**Carrier Free** Yes

---

**Approx. Protein Concentrations** IgG concentration 1.0mg/ml

---

**Immunogen** CHO expressed recombinant ovine GM-CSF.

---

**External Database Links**

**UniProt:**

[P28773](#) [Related reagents](#)

**Entrez Gene:**

[443400](#) CSF2 [Related reagents](#)

---

**RRID** AB\_323204

---

**Fusion Partners** Spleen cells from immunised Balb/c mice were fused with cells of the NSO myeloma cell line.

---

**Specificity** **Mouse anti Sheep GM-CSF, clone 3C2** recognizes both recombinant and native ovine Granulocyte-macrophage colony-stimulating factor, also known GM-CSF or CSF, a 16.3kDa cytokine responsible for the stimulation and growth of cells from granulocyte, macrophage, eosinophil and erythrocyte hematopoietic precursor cell linages.

Mouse anti Sheep GM-CSF, clone 3C2 has is of particular interest as it has been shown to reconize GM-CSF in cattle while other clones such as 8D8 do not crosss react with cattle..

Mouse anti Sheep GM-CSF, clone 3C2 has been reported to neutralise the activity of both recombinant ovine and native GM-CSF.

Removal of sodium azide is recommended prior to use in functional assays.

---

**ELISA** Mouse anti Sheep GM-CSF antibody, clone 3C2 (**MCA1924**) can be used in a sandwich ELISA as a capture antibody together with Mouse anti Sheep GM-CSF antibody, clone 8D8 (**MCA1923**) as the detection antibody. Conjugation of the detection antibody with [LYNX Rapid or Rapid Plus Kits](#) is recommended.

---

**References**

1. Entrican, G. *et al.* (1996) Development of a sandwich ELISA for ovine granulocyte/macrophage colony-stimulating factor. [Vet Immunol Immunopathol. 50 \(1-2\): 105-15.](#)
2. Deane, D. *et al.* (2000) Orf virus encodes a novel secreted protein inhibitor of

- granulocyte-macrophage colony-stimulating factor and interleukin-2. [J Virol. 74: 1313-20.](#)
3. Foulon, E. and Foucras, G. (2008) Two populations of ovine bone marrow-derived dendritic cells can be generated with recombinant GM-CSF and separated on CD11b expression. [J Immunol Methods. 339: 1-10.](#)
4. Haig, D.M. *et al.* (1995) Haemopoietic cell responses in the blood and bone marrow of sheep infected with the abomasal nematode *Teladorsagia circumcincta*. [J Comp Pathol. 112: 151-64.](#)
5. Scott, J.L. (2009) Spermatozoa and seminal plasma induce a greater inflammatory response in the ovine uterus at oestrus than dioestrus. [Reprod Fertil Dev. 21: 817-26.](#)
6. John, H.A. *et al.* (1994) Generation of an ovine bone marrow-derived myelomonocyte-like cell line by retroviral-mediated transformation. Immunological characterization and the effect of cytokines and lipopolysaccharides. [J Leukoc Biol. 55: 785-92.](#)
7. Kennedy, H.E. *et al.* (2002) Modulation of immune responses to Mycobacterium bovis in cattle depleted of WC1(+) gamma delta T cells. [Infect Immun. 70: 1488-500.](#)
8. McInnes, C.J. *et al.* (2005) Glycosylation, disulfide bond formation, and the presence of a WSXWS-like motif in the orf virus GIF protein are critical for maintaining the integrity of Binding to ovine granulocyte-macrophage colony-stimulating factor and interleukin-2. [J Virol. 79: 11205-13.](#)
9. Schnabel, C.L. *et al.* (2013) Evaluation of the reactivity of commercially available monoclonal antibodies with equine cytokines. [Vet Immunol Immunopathol. 156 \(1-2\): 1-19.](#)

---

**Storage**

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee**

12 months from date of despatch

---

**Acknowledgements**

This reagent was evaluated at the Moredun Research Institute and The Roslin Institute at the University of Edinburgh as part of 'The route to identification of immunological correlates of protection in ruminants' Industrial Partnership Award funded by BBSRC (grant numbers BB/I019863/1; BB/I020519/1) with the support of Bio-Rad.

---

**Health And Safety Information**

Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/MCA1924>  
10040

---

**Regulatory**

For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...) [HRP](#)

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)  
Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)  
Goat Anti Mouse IgG (STAR76...) [RPE](#)  
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)  
Goat Anti Mouse IgG (STAR70...) [FITC](#)  
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®488](#), [DyLight®550](#),  
[DyLight®650](#), [DyLight®680](#), [DyLight®800](#),  
[FITC](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M365895:200529'

Printed on 18 Aug 2023

---

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)