

Datasheet: MCA193

BATCH NUMBER 173475

Description:	MOUSE ANTI RAT IgE
Specificity:	IgE
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	MARE-1
Isotype:	IgG1
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			5ug/ml as coating antibody
Immunoprecipitation			▪	
Western Blotting	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rat
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by immunoaffinity on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.1% Sodium Azide
Approx. Protein	IgG concentration 1.0 mg/ml

Concentrations

Immunogen Rat IR162, IR1016, IR2 and IR410 IgE myeloma proteins.

External Database Links

UniProt:

[P01855](#) [Related reagents](#)

Entrez Gene:

[299351](#) Ighe [Related reagents](#)

RRID AB_321899

Fusion Partners Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0 myeloma cell line.

Specificity **Mouse anti Rat IgE antibody, clone MARE-1** recognizes rat epsilon heavy chain of immunoglobulin IgE and does not cross-react with other classes of rat immunoglobulin.

Mouse anti Rat IgE antibody, clone MARE-1 binds to rat IgE with an avidity of $4 \times 10^9 M^{-1}$

ELISA This antibody may be used as a coating antibody in a sandwich ELISA in combination with clone MARK-1/MARL-15 (Product code MCA1296P) as detection reagent and purified rat IgE (Product code PRP07A).

References

1. Negrão-Corrêa, D. *et al.* (1996) Intestinal transport and catabolism of IgE: a major blood-independent pathway of IgE dissemination during a *Trichinella spiralis* infection of rats. [J Immunol. 157 \(9\): 4037-44.](#)
2. Silveira, M.R. *et al.* (2002) Infection with *Strongyloides venezuelensis* induces transient airway eosinophilic inflammation, an increase in immunoglobulin E, and hyperresponsiveness in rats. [Infect Immun. 70: 6263-72.](#)
3. Bąbolewska, E. & Brzezińska-błaszczyk, E. (2015) Human-derived cathelicidin LL-37 directly activates mast cells to proinflammatory mediator synthesis and migratory response. [Cell Immunol. 293 \(2\): 67-73.](#)
4. Korinek, M. *et al.* (2016) Anti-allergic potential of *Typhonium blumei*: inhibition of degranulation via suppression of PI3K/PLCγ2 phosphorylation and calcium influx. [Phytomedicine. 23 \(14\): 1706-15.](#)
5. Tulinská, J. *et al.* (2018) Humoral and cellular immune response in Wistar Han RCC rats fed two genetically modified maize MON810 varieties for 90 days (EU 7th Framework Programme project GRACE). [Arch Toxicol. 92 \(7\): 2385-99.](#)
6. Ueta, H. *et al.* (2018) Single blood transfusion induces the production of donor-specific alloantibodies and regulatory T cells mainly in the spleen. [Int Immunol. 30 \(2\): 53-67.](#)
7. Agier, J. *et al.* (2018) Cathelicidin LL-37 Affects Surface and Intracellular Toll-Like Receptor Expression in Tissue Mast Cells. [J Immunol Res. 2018: 7357162.](#)
8. Witczak, P. *et al.* (2020) The Response of Tissue Mast Cells to TLR3 Ligand Poly(I:C) Treatment. [J Immunol Res. 2020: 2140694.](#)
9. Żelechowska, P. *et al.* (2022) Different effectiveness of fungal pathogen-associated molecular patterns (PAMPs) in activating rat peritoneal mast cells. [Immunol Lett. 248:](#)

[7-15.](#)

10. Żelechowska, P. *et al.* (2021) Mannan activates tissue native and IgE-sensitized mast cells to proinflammatory response and chemotaxis in TLR4-dependent manner. [J Leukoc Biol. 109 \(5\): 931-42.](#)

11. Żelechowska, P. *et al.* (2021) Native and IgE-primed rat peritoneal mast cells exert pro-inflammatory activity and migrate in response to yeast zymosan upon Dectin-1 engagement. [Immunol Res. 69 \(2\): 176-88.](#)

Further Reading

1. Bazin, H. *et al.* (1974) Transplantable immunoglobulin-secreting tumours in rats. IV. Sixty-three IgE-secreting immunocytoma tumours. [Immunology. 26 \(4\): 713-23.](#)
2. Bazin, H. *et al.* (1978) Transplantable IgD immunoglobulin-secreting tumors in rat. [J Immunol. 121 \(5\): 2077-82.](#)
3. Bazin, H. *et al.* (1984) Rat monoclonal antibodies. II. A rapid and efficient method of purification from ascitic fluid or serum. [J Immunol Methods. 71 \(1\): 9-16.](#)
4. Bazin, H. *et al.* (1984) Rat monoclonal antibodies. I. Rapid purification from *in vitro* culture supernatants. [J Immunol Methods. 66 \(2\): 261-9.](#)

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10303 available at: <https://www.bio-rad-antibodies.com/SDS/MCA193>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

- Goat Anti Mouse IgG IgA IgM (STAR87...) [HRP](#)
- Goat Anti Mouse IgG (STAR70...) [FITC](#)
- Goat Anti Mouse IgG (STAR77...) [HRP](#)
- Goat Anti Mouse IgG (STAR76...) [RPE](#)
- Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
- Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
- Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
- Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
- Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@550](#), [DyLight@650](#), [DyLight@680](#), [DyLight@800](#), [FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA1209\)](#)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M449790:260213'

Printed on 15 Apr 2026

© 2026 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)