

## Datasheet: MCA193P

**BATCH NUMBER 163677**

<b>Description:</b>	MOUSE ANTI RAT IgE:HRP
<b>Specificity:</b>	IgE
<b>Format:</b>	HRP
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	MARE-1
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.5 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			0.5ug/ml
Western Blotting	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Rat
<b>Product Form</b>	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.01% Thiomersal 50% Glycerol
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml

**Immunogen** Rat IR162, IR1016, IR2 and IR410 IgE myeloma proteins.

---

**External Database**

**Links**

**UniProt:**

[P01855](#)    [Related reagents](#)

**Entrez Gene:**

[299351](#) Ighe    [Related reagents](#)

---

**RRID**

AB\_321902

---

**Fusion Partners**

Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0 myeloma cell line.

---

**Specificity**

**Mouse anti Rat IgE antibody, clone MARE-1** recognizes rat epsilon heavy chain of immunoglobulin IgE and does not cross-react with other classes of rat immunoglobulin.

Mouse anti Rat IgE antibody, clone MARE-1 binds to rat IgE with an avidity of  $4 \times 10^9 M^{-1}$

---

**References**

1. Negrão-Corrêa, D. *et al.* (1996) Intestinal transport and catabolism of IgE: a major blood-independent pathway of IgE dissemination during a *Trichinella spiralis* infection of rats. [J Immunol. 157 \(9\): 4037-44.](#)
2. Silveira, M.R. *et al.* (2002) Infection with *Strongyloides venezuelensis* induces transient airway eosinophilic inflammation, an increase in immunoglobulin E, and hyperresponsiveness in rats. [Infect Immun. 70: 6263-72.](#)
3. Bałolewska, E. & Brzezińska-błaszczyk, E. (2015) Human-derived cathelicidin LL-37 directly activates mast cells to proinflammatory mediator synthesis and migratory response. [Cell Immunol. 293 \(2\): 67-73.](#)
4. Korinek, M. *et al.* (2016) Anti-allergic potential of *Typhonium blumei*: inhibition of degranulation via suppression of PI3K/PLC $\gamma$ 2 phosphorylation and calcium influx. [Phytomedicine. 23 \(14\): 1706-15.](#)
5. Tulinská, J. *et al.* (2018) Humoral and cellular immune response in Wistar Han RCC rats fed two genetically modified maize MON810 varieties for 90 days (EU 7th Framework Programme project GRACE). [Arch Toxicol. 92 \(7\): 2385-99.](#)
6. Ueta, H. *et al.* (2018) Single blood transfusion induces the production of donor-specific alloantibodies and regulatory T cells mainly in the spleen. [Int Immunol. 30 \(2\): 53-67.](#)
7. Agier, J. *et al.* (2018) Cathelicidin LL-37 Affects Surface and Intracellular Toll-Like Receptor Expression in Tissue Mast Cells. [J Immunol Res. 2018: 7357162.](#)
8. Witczak, P. *et al.* (2020) The Response of Tissue Mast Cells to TLR3 Ligand Poly(I:C) Treatment. [J Immunol Res. 2020: 2140694.](#)
9. Żelechowska, P. *et al.* (2022) Different effectiveness of fungal pathogen-associated molecular patterns (PAMPs) in activating rat peritoneal mast cells. [Immunol Lett. 248: 7-15.](#)
10. Żelechowska, P. *et al.* (2021) Mannan activates tissue native and IgE-sensitized mast cells to proinflammatory response and chemotaxis in TLR4-dependent manner. [J Leukoc Biol. 109 \(5\): 931-42.](#)
11. Żelechowska, P. *et al.* (2021) Native and IgE-primed rat peritoneal mast cells exert pro-inflammatory activity and migrate in response to yeast zymosan upon Dectin-1

engagement. [Immunol Res. 69 \(2\): 176-88.](#)

---

**Further Reading**

1. Bazin, H. *et al.* (1974) Transplantable immunoglobulin-secreting tumours in rats. IV. Sixty-three IgE-secreting immunocytoma tumours. [Immunology. 26 \(4\): 713-23.](#)
2. Bazin, H. *et al.* (1978) Transplantable IgD immunoglobulin-secreting tumors in rat. [J Immunol. 121 \(5\): 2077-82.](#)
3. Bazin, H. *et al.* (1984) Rat monoclonal antibodies. II. A rapid and efficient method of purification from ascitic fluid or serum. [J Immunol Methods. 71 \(1\): 9-16.](#)
4. Bazin, H. *et al.* (1984) Rat monoclonal antibodies. I. Rapid purification from *in vitro* culture supernatants. [J Immunol Methods. 66 \(2\): 261-9.](#)

---

**Storage**

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee**

12 months from date of despatch

---

**Health And Safety Information**

Material Safety Datasheet documentation #10097 available at: <https://www.bio-rad-antibodies.com/SDS/MCA193P>  
10097

---

**Regulatory**

For research purposes only

---

## Related Products

### Recommended Useful Reagents

[AbGUARD® HRP STABILIZER PLUS \(BUF052A\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052B\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052C\)](#)

[TMB CORE \(BUF056A\)](#)

[TMB CORE+ \(BUF062A\)](#)

[TMB SIGNAL+ \(BUF054A\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M383636:210513'

**Printed on 19 Jan 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)