

Datasheet: MCA1959PE

BATCH NUMBER INN1701

Description:	MOUSE ANTI RAT CD200 RECEPTOR 1:RPE
Specificity:	CD200 RECEPTOR 1
Other names:	OX2 RECEPTOR 1
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	OX-102
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rat		
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized		
Reconstitution	Reconstitute with 1ml distilled water		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% Sodium Azide		
Stabilisers	1% Bovine Serum Albumin		

5% Sucrose

Immunogen	Membrane fraction of thioglycollate-elicited rat peripheral cells.
------------------	--

External Database Links	UniProt: Q9ES58 Related reagents
	Entrez Gene: 64357 Cd200r1 Related reagents

Synonyms	Mox2r, Ox2r
-----------------	-------------

RRID	AB_2074189
-------------	------------

Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the mouse NS1 myeloma cell line.
------------------------	---

Specificity	<p>Mouse anti Rat CD200 Receptor 1 antibody, clone OX-102 recognizes the rat OX2 (CD200) receptor 1. This antigen is a heavily glycosylated ~60-100 kDa cell surface molecule expressed by cells of the myeloid lineage but not by T or B lymphocytes.</p> <p>Mouse anti Rat CD200 Receptor 1 antibody, clone OX-102 has been shown to block the interaction of OX2 receptor 1 with CD200 (Bushell et al. 2008).</p>
--------------------	---

Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
-----------------------	---

References	<ol style="list-style-type: none">1. Wright, G.J. <i>et al.</i> (2000) Lymphoid/neuronal cell surface OX2 glycoprotein recognizes a novel receptor on macrophages implicated in the control of their function. Immunity. 13 (2): 233-42.2. Nathan, C. & Muller, W.A. (2001) Putting the brakes on innate immunity: a regulatory role for CD200? Nat Immunol. 2 (1): 17-9.3. Dick, A.D. <i>et al.</i> (2001) Distribution of OX2 antigen and OX2 receptor within retina. Invest Ophthalmol Vis Sci. 42 (1): 170-6.4. Banerjee, D. & Dick, A.D. (2004) Blocking CD200-CD200 receptor axis augments NOS-2 expression and aggravates experimental autoimmune uveoretinitis in Lewis rats. Ocul Immunol Inflamm. 12 (2): 115-25.5. Meuth, S.G. <i>et al.</i> (2008) CNS inflammation and neuronal degeneration is aggravated by impaired CD200-CD200R-mediated macrophage silencing. J Neuroimmunol. 194 (1-2): 62-9.6. Matsumoto, S. <i>et al.</i> (2015) CD200+ and CD200- macrophages accumulated in ischemic lesions of rat brain: the two populations cannot be classified as either M1 or M2 macrophages. J Neuroimmunol. 282: 7-20.7. Chang, J.C. <i>et al.</i> (2019) Early Immune Response to Acute Gastric Fluid Aspiration in a Rat Model of Lung Transplantation. Exp Clin Transplant. 17 (1): 84-92.8. Nicholls, S.M. <i>et al.</i> (2015) Local targeting of the CD200-CD200R axis does not promote corneal graft survival. Exp Eye Res. 130: 1-8.9. Xie, X. <i>et al.</i> (2017) Monocytes, microglia and CD200-CD200R1 signaling are essential
-------------------	---

in the transmission of inflammation from the periphery to the central nervous system. [J Neurochem. Feb 6. \[Epub ahead of print\]](#)

Storage Prior to reconstitution store at +4°C. Following reconstitution store at +4°C.

DO NOT FREEZE.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #20487 available at: <https://www.bio-rad-antibodies.com/SDS/MCA1959PE>
20487

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:RPE \(MCA1209PE\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M375396:210104'

Printed on 05 Feb 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)