

Datasheet: MCA1968F BATCH NUMBER 130515

Description:	MOUSE ANTI HUMAN CD154:FITC		
Specificity:	CD154		
Other names:	CD40 LIGAND, TRAP		
Format:	FITC		
Product Type:	Monoclonal Antibody		
Clone:	MK13A4		
Isotype:	lgG1		
Quantity:	100 TESTS		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat - 1/20
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human			
roduct Form	Purified IgG conjuga	ated to Fluorescein Isoth	niocyanate Isomer 1	
ax Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)	
	FITC	490	525	
fer Solution	Tris buffered saline			
ervative	0.02% Sodium Azid	e		
bilisers	1% Bovine Serum Albumin			
xternal Database				
inks	UniProt:			

	Related reagents
	Entrez Gene:
	959 CD40LG Related reagents
Synonyms	CD40L, TNFSF5, TRAP
RRID	AB_323214
Specificity	Mouse anti Human CD154 antibody, clone MK13A4 recognizes the human CD154 cell surface antigen, a 32 kDa glycoprotein also known as CD40 ligand. CD154 is expressed on activated T lymphocytes, predominantly CD4+ve cells and also on some basophils and mast cells.
	Mouse anti Human CD154 antibody, clone MK13A4 has been reported to block binding of CD40 ligand to its receptor CD40.
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	 Koumas, L. <i>et al.</i> (2001) Fibroblast heterogeneity: existence of functionally distinct Thy 1(+) and Thy 1(-) human female reproductive tract fibroblasts. Am J Pathol. 159 (3): 925-35. Kaufman, J. <i>et al.</i> (2004) Expression of CD154 (CD40 ligand) by human lung fibroblasts: differential regulation by IFN-gamma and IL-13, and implications for fibrosis. J Immunol. 172:1862-71 Arita, S. <i>et al.</i> (2008) B cell activation regulates exosomal HLA production. Eur J Immunol. 38 (5): 1423-34. Deambrosis, I. <i>et al.</i> (2009) Inhibition of CD40-CD154 costimulatory pathway by a cyclic peptide targeting CD154. J Mol Med (Berl). 87 (2): 181-97.
Storage	Store at +4°C or at -20°C if preferred.
	This product should be stored undiluted.
	Storage in frost free freezers is not recommended. This product is photosensitive and should be protected from light.
	Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/MCA1968F 10058

P29965

Related reagents

For research purposes only

Regulatory

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M366022:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint